

Stock Grown At Hornsby Community Nursery (last updated January 2017)

| Trees | | |
|---------------------------------|-------------------------|--|
| Botanical Name | Common Name | Notes |
| <i>Acacia parramattensis</i> | Parramatta Green Wattle | Grows in forest on shale derived soils (clay) but occasionally on sandstone. Attracts a wide variety of fauna. |
| <i>Acmena smithii</i> | Lilly Pilly | Widespread in rainforest, from the coast to ranges, generally found along watercourses. |
| <i>Allocasuarina littoralis</i> | Black Oak | In woodland or occasionally tall heath, on sandy or otherwise poor soils. Rarely on clay soils in forest. |
| <i>Allocasuarina torulosa</i> | Forest Oak | As understorey in open forest to tall open forest. Usually on higher-nutrient soils and in moister situations than <i>A. littoralis</i> . Very long-lived. |
| <i>Alphitonia excelsa</i> | Red Ash | On the margin of warmer rainforest and open forest, often in sheltered gullies common near the Hawkesbury River. |
| <i>Angophora bakeri</i> | Narrow Leaved Apple | Small, low open tree scattered and locally abundant on sandy soils on sandstone. |
| <i>A. costata</i> | Sydney Red Gum | Locally abundant large tree, on deep sandy soils or shallow soils on sandstone. Also common in Sydney Turpentine Ironbark Forest on heavy clay soils. |
| <i>A. floribunda</i> | Rough Barked Apple | Medium tree locally abundant, usually on deep alluvial sandy soils or in Blue Gum High Forest. Common along Hawkesbury River edges. |
| <i>Backhousia myrtifolia</i> | Grey Myrtle | Small tree; widespread in dry / warmer rainforest, often close to streams on steep sided sheltered gullies. |
| <i>Banksia integrifolia</i> | Coast Banksia | Medium sized tree, common along tidal inlets in woodland and forest. |
| <i>Casuarina glauca</i> | Swamp Oak | Tall narrow tree, in brackish situations along coastal waterways. Often forming pure stands. |
| <i>Ceratopetalum apetalum</i> | Coachwood | Common medium sized tree along sandstone creeklines in deeper gullies. |
| <i>Doryphora sassafras</i> | Sassafras | Medium tree with two isolated occurrences in the upper Berowra Ck catchment on volcanic derived soils. |
| <i>Elaeocarpus reticulatus</i> | Blueberry Ash | Small narrow tree, mostly in gullies or along watercourses, common in forest or near rainforest. |
| <i>Eucalyptus acmenoides</i> | White Mahogany | Medium Eucalypt occurring on heavy soils chiefly in the rural suburbs of Hornsby Shire south to Epping. Common component of Sydney Turpentine Ironbark Forest. |
| <i>E. globoidea</i> | White Stringybark | Medium Eucalypt in dry sclerophyll forest or woodland on well-watered sandy or alluvial soils of moderate fertility. |
| <i>E. haemastoma</i> | Scribbly Gum | Low spreading multi trunked open tree, locally frequent, in dry sclerophyll woodland on shallow infertile sandy soil on sandstone. Generally on ridgetops. |
| <i>E. paniculata</i> | Grey Ironbark | Tall straight tree of forested areas on heavier soils. Integral tree of Sydney Turpentine Ironbark Forest. |
| <i>E. pilularis</i> | Blackbutt | Very tall Eucalypt common on fertile moist sandy soils and clay soils. Present in both Blue Gum High Forest and Sydney Turpentine Ironbark Forest. Also in deeper gullies e.g. Galston Gorge. |
| <i>E. piperita</i> | Sydney Peppermint | Medium tree in forest along sandstone water courses and drier woodland hillsides on sandstone derived soils. |
| <i>E. punctata</i> | Sydney Grey Gum | Medium sized to large tree common in rural suburbs of Hornsby Shire on clay soils and transition areas into sandstone soils. Common in Sydney Turpentine Ironbark Forest. |
| <i>E. racemosa</i> | Snappy Gum | Small to medium sized spreading Eucalypt, common on hillsides on sandstone soils. Similar to <i>E. haemastoma</i> |
| <i>E. resinifera</i> | Red Mahogany | Medium to large Eucalypt; locally abundant in forest on deeper soils of medium to high fertility. |
| <i>E. robusta</i> | Swamp Mahogany | Medium tree found on isolated pockets along the Hawkesbury River on alluvial flats. Reliable annual source of nectar for fauna in autumn through to early winter. |
| <i>E. saligna</i> | Sydney Blue Gum | Tall majestic Eucalypt characteristic of wetter higher plateau areas on heavy clay soils. Also in deep valleys. Dominant in Blue Gum High Forest of southern suburbs of Hornsby Shire. |
| <i>E. sieberi</i> | Silvertop Ash | Small to medium tree found on ridgetops of lateritic derived sandstone soils. Generally uncommon in Hornsby Shire. |
| <i>E. tereticornis</i> | Forest Red Gum | Tall uncommon tree in Hornsby Shire. Found in association with <i>E. saligna</i> on Wianamatta Shale or along the edges of the Hawkesbury River on Narrabeen Series derived soils e.g. Wisemans Ferry. |
| <i>Corymbia eximia</i> | Yellow Bloodwood | Common small to medium tree in drier sandstone soil country. Heavy flowering in late spring. |

| | | |
|--------------------------------|------------------------|--|
| <i>C. gummifera</i> | Red Bloodwood | Medium sized tree widespread across Hornsby Shire chiefly on sandstone soils. Reliable nectars source for fauna in late summer - early autumn. |
| <i>Glochidion ferdinandi</i> | Cheese Tree | Small tree found in rainforest margins and wetter forests. Common near saltwater margins too. |
| <i>Melaleuca quinquinervia</i> | Broad leaved Paperbark | Large Paperbark tree found in near pure stands adjacent to saltwater particularly common around Brooklyn. |
| <i>Stenocarpus salignus</i> | Scrub Beefwood | Small tree found along watercourses. Dense dark green foliage with small white grevillea like flowers in spring / summer. |
| <i>Syncarpia glomulifera</i> | Turpentine | Widespread medium to large long lived tree in forests on heavier fertile soils. Reliable nectar producer every October. |
| <i>Tristaniopsis laurina</i> | Water Gum | Small to medium creekline loving tree. Often flood beaten and twisted. Popular as a street tree. |

| Shrubs | | |
|--------------------------------|----------------------|---|
| Botanical Name | Common Name | Notes |
| <i>Acacia floribunda</i> | Sally Wattle | Moist sandy or clay soils. Excellent wattle for fauna to utilise (foliage, wood, gum, flowers and fruit/seeds) |
| <i>A. implexa</i> | Hickory Wattle | Very common tall wattle on clay soils. Forms small suckering stands if disturbed. |
| <i>A. linifolia</i> | Flax Leaf Wattle | Common to abundant wattle in forest on sandy soils. Occasionally on clay soils. |
| <i>A. longifolia</i> | Sydney Golden Wattle | Short lived fast growing large wattle. Common in either sandy or clay soils post fire. |
| <i>A. longissima</i> | Long-leaved Wattle | Elegant dense wattle with long linear foliage. Locally common in sheltered forests mainly on well drained soil. |
| <i>A. myrtifolia</i> | Myrtle Wattle | Small rounded shrub common on sandstone ridgetops also occasionally on clay soils in forest. |
| <i>A. oxycedrus</i> | Spike Wattle | Robust sharply foliated wattle that grows on sandstone ridgetops. Uncommon. |
| <i>A. stricta</i> | Straight Leaf Wattle | Uncommon small to medium wattle on clay soils in Blue Gum High Forest or Sydney Turpentine Ironbark Forest |
| <i>A. suaveolens</i> | Sweet Wattle | Abundant wattle in woodland following fire disturbance. Slender short lived fast growing plant. Perfumed. |
| <i>A. terminalis</i> | Sunshine Wattle | Uncommon ferny leafed wattle growing in forest on sandstone soils. |
| <i>A. ulicifolia</i> | Prickly Moses | Sharp prickly small wattle common in forest or woodland chiefly on sandstone but also on clay soils in forest. |
| <i>Acrotriche divaricata</i> | | Attractive very dense small shrub that grows in sheltered moist locations in forests. |
| <i>Allocasuarina distyla</i> | Scrub Oak | Low growing She-Oak from sandstone ridgetops. |
| <i>Angophora hispida</i> | Dwarf Apple | Small Angophora of sandstone country on infertile soils. Heavy nectar flow off post fire regrowth. |
| <i>Austromyrtus tenuifolia</i> | Narrow Leaf Myrtle | Small creekline loving shrub from larger sandstone creeklines. Rare. Endemic to Sydney Basin. |
| <i>Baeckea linifolia</i> | Weeping Baeckea | Fine foliated weeping creekline plant or on wet sandstone rocky faces. Uncommon in Hornsby Shire. |
| <i>Banksia ericifolia</i> | Heath-leaved Banksia | Large rounded shrub to small tree. Large golden flowers in Autumn. Excellent nectar source for fauna. Chiefly in heath or open woodland on sandy soils. |
| <i>B. marginata</i> | Silver Banksia | Large rounded shrub with small yellow flowers in autumn. Heath and woodland. |
| <i>B. oblongifolia</i> | | Medium shrub with rusty brown new growth and large green flowers in Autumn. Heath and woodland. |
| <i>B. serrata</i> | Old Man Banksia | Common large Banksia which flowers heavily in summer. Long lived tree in sandstone soil country. |
| <i>B. spinulosa</i> | Hair Pin Banksia | Small to medium Banksia found in woodland or forest edges. Yellow flowers in Autumn. Long lived. |
| <i>Bauera rubioides</i> | Dog Rose | Sheltered moist creeklines. Well drained but moist sandy soils. |
| <i>Bossiaea obcordata</i> | Spiny Bossiaea | Small spiky pea with abundant flowers in early spring. Common in forest on sandstone derived soils. |
| <i>B. lenticularis</i> | | Rare small shrub from northern areas of the Hornsby Shire. Ornate foliage and abundant pea flowers. |
| <i>Breynia oblongifolia</i> | Coffee Bush | Common regrowth shrub in forest. Soft red or black oily berries. |
| <i>Bursaria spinosa</i> | Blackthorn | Common spiky tall shrub which prefers clay soils in forest in Hornsby Shire. Also common along stream banks of salt water tributaries on Hawkesbury system. |
| <i>Callicoma serratifolia</i> | Black Wattle | Tall multi stemmed shrub or small tree which grows along stream banks. Good flower display in spring. |

| | | |
|------------------------------------|---------------------------|--|
| <i>Callistemon citrinus</i> | Crimson Bottlebrush | Vibrant red flowering Bottlebrush with stiff upright foliage. Prefers a damp sandy soil. |
| <i>C. linearis</i> | Narrow Leaved Bottlebrush | Fine leaved Bottlebrush which is drought tolerant and long lived. Grows in shallow sandy soils. |
| <i>Ceratopetalum gummiferum</i> | NSW Christmas Bush | Tall shrub or small tree which grows in moist sheltered positions in deeper sandy soils. Very long lived. Abundant red fruit in summer. |
| <i>Crowea exalata</i> | Small Crowea | Small shrub with abundant starry pink flowers. Sandy well drained soils. |
| <i>Darwinia fascicularis</i> | | Tiny sandstone country shrub. Full sun in moist sandy soils. |
| <i>Daviesia corymbosa</i> | | Small shrub from sandstone ridgetops in drier areas across the north west of the Hornsby Shire. |
| <i>D. ulicifolia</i> | Native Gorse Pea | Small prickly foliaged shrub. Two subspecies within Hornsby Shire both adapted to clay soils in forest. Common in Blue Gum High Forest or Sydney Turpentine Ironbark Forest. |
| <i>Denhamia sylvestris</i> | Orangebark | Small shrub to small tree common in forest and rainforest margins yellow - orange fruit. Prev. " <i>Maytenus</i> " |
| <i>Dillwynia retorta</i> | Parrot Pea | Common small shrub of sandstone areas. Flowers profusely in early spring. |
| <i>Dodonaea triquetra</i> | Large-leaf Hop-bush | Abundant medium shrub post fire disturbance in forest. Short lived heavy seeder. |
| <i>Eupomatia laurina</i> | Bolwarra | Uncommon understorey plant of rainforest margins. Edible guava like fruit. |
| <i>Goodenia ovata</i> | Hop Goodenia | Common pioneer plant in both forest of saltwater margins and Turpentine Ironbark Forest. |
| <i>Grevillea buxifolia</i> | Grey Spider Flower | Very common Grevillea in sandstone country- both heath and woodland. |
| <i>G. linearifolia</i> | White Spider Flower | Common understorey plant in forest on sandstone soils. Mature plants develop a weeping habit. |
| <i>G. mucronulata</i> | Green Spider Flower | Uncommon Grevillea which occurs in outer rural suburbs of the Hornsby Shire growing on sandstone. |
| <i>G. sericea</i> | Pink Spider Flower | Common Grevillea in woodland and heath especially around Berowra/ Cowan and upper Lane Cove Valley. |
| <i>G. speciosa</i> | Red Spider Flower | Uncommon Grevillea in Hornsby Shire with most occurrences around Galston/Berowra area through to Wisemans Ferry. |
| <i>Hakea sericea</i> | Needle Bush | Densely spiky upright shrub with abundant white flowers in winter or early spring. Sandstone soils or transition areas into clay soils. |
| <i>Homalanthus nutans</i> | Bleeding Heart | Common pioneer shrub or small tree in forests. Leaves turn red before falling. |
| <i>Indigofera australis</i> | Native Indigo | Common pea in Blue Gum High Forest or Sydney Turpentine Ironbark Forest. Flowers abundantly in spring. |
| <i>Isopogon anethifolius</i> | Drumsticks | Common medium shrub in sandstone country. |
| <i>Kunzea ambigua</i> | Tick Bush | Very common regrowth shrub in sandy soils or margins of forests on clay soils. Forms dense thickets. Good nectar production for fauna in summer. Perfumed. |
| <i>Lomatia myricoides</i> | River Lomatia | Tall shrub which grows on stream banks. Long lived. Often flood battered. |
| <i>L. silaifolia</i> | Crinkle Bush | Small low shrub which grows on sandstone soils. Deeply divided foliage, flowers after fire disturbance on fresh regrowth from underground lignotuber. |
| <i>Leptospermum polygalifolium</i> | Yellow Tea tree | Tall shrub which prefers a moist sandy soil usually associated with streams. |
| <i>L. squarrosum</i> | Pink Tea Tree | Well drained sandy soils in full sun. Narrow upright plant. |
| <i>L. trinervium</i> | Flaky Barked Tea tree | Tall shrub with distinctive flaky trunk and sparse foliage. Long lived heavy flowerer in spring. |
| <i>Lambertia formosa</i> | Mountain Devils | Small to medium wide shrub in heath and woodland chiefly on sandstone. |
| <i>Lasiopetalum parviflorum</i> | | Small shrub which grows in woodland on ridgetops. |
| <i>Leucopogon juniperinus</i> | Bearded Heath | Spiky small understorey shrub in forest on clay or enriched sandy soil. |
| <i>L. lanceolatus</i> | Lance-leaf Bearded Heath | Small upright shrub preferring sheltered forest on either clay or sandy soils. |
| <i>Melaleuca ericifolia</i> | Swamp Paperbark | Narrow thick paperbark forming dense thickets in salty margins of estuaries. |
| <i>Myrsine howitianna</i> | Muttonwood | Small tree from rainforest margins or wetter forests. Blue fruit. Prev. " <i>Rapanaea</i> " |
| <i>M. variabilis</i> | Muttonwood | Small tree from coastal areas and forest on sandy soils. Black fruit. |
| <i>Notelaea longifolia</i> | Native Olive | Medium shrub with leathery leaves and black oily fruits. Clay or sandstone in forest. |

| | | |
|-------------------------------------|---------------------------|---|
| <i>Olearia microphylla</i> | White Daisy Bush | Clay to enriched sandy soils, part shade to full sun. Relatively short lived. |
| <i>Ozothamnus diosmifolium</i> | White Everlasting | Fast growing daisy with abundant heads of small clustered white daisy flowers. Clay or sandstone. A common pioneer species. |
| <i>Persoonia laurina</i> | Laurel Leaf Geebung | Small Geebung from clay or enriched sandy soils. Slow growing. |
| <i>Petrophile pulchella</i> | Cone Sticks | Upright narrow shrub. Heath or woodland on sandstone. |
| <i>Pittosporum revolutum</i> | Rough Fruited Pittosporum | Small shrub in forest on clay or sandstone. Tolerates shade. May form suckering clumps. |
| <i>Platysace lanceolata</i> | Native Parsnip | Common understorey species post fire disturbance in sandstone country. |
| <i>P. linearifolia</i> | Carrot Tops | Common understorey species post fire disturbance in sandstone country- but more exposed habitat than <i>P.lanceolata</i> . |
| <i>Pultenaea daphnoides</i> | Daphne Leaved Bush Pea | Grows in heath to wet sclerophyll forest on sandy soils. |
| <i>P. flexilis</i> | Graceful Bush Pea | Large weeping shrub from forest on sandstone or light clay soils. |
| <i>P. linophylla</i> | | Small rare shrub from Hornsby Heights through Cowan in the Hornsby Shire. |
| <i>P. retusa</i> | Notched Bush Pea | Small upright narrow shrub with pea flowers. Found on clay soils in forest occasionally in sandstone soil vegetation communities. |
| <i>P. scabra</i> var. <i>biloba</i> | Rough Bush Pea | Very rare pea shrub in Hornsby Shire. Forest on sandy or clay soils. |
| <i>P. tuberculata</i> | Wreath Bush Pea | Common pea which flowers late into summer and autumn. Very common in heath and woodland. |
| <i>P. villosa</i> | Weeping Bush Pea | Rare shrub from clay soils or occasionally sandy soils. Often in Sydney Turpentine Ironbark Forest. |
| <i>Telopea speciosissima</i> | NSW Waratah | Icon shrub. Sheltered moist sandstone soils. Large red flowers produced off fresh growth. |
| <i>Trema aspera</i> | Poison Peach | Medium to large shrub. Pioneer species post disturbance. Small black fruits attract birds. |
| <i>Trochocarpa laurina</i> | Tree Heath | Large shrub in Heath family. Black flesh fruit and hard fissured bark. Foliage has neat parallel venation. Rainforest margins or creeklines. |
| <i>Viminaria juncea</i> | Native Broom | Very fast growing pioneer legume shrub after fire in swampy ground. Short lived. |
| <i>Zieria smithii</i> | Sandfly Zieria | Small aromatic shrub preferring sheltered forest on either clay derived soils or enriched sandstone soils. Common in Blue Gum High Forest or Sydney Turpentine Ironbark Forest. |

| Groundlayer & Vines | | |
|---------------------------------|------------------------|--|
| Botanical Name | Common Name | Notes |
| Groundlayer- | | |
| <i>Actinotus helianthi</i> | Flannel Flower | Full sun, infertile sandy soils in woodland or open heath. |
| <i>Adiantum aethiopicum</i> | Common Maidenhair Fern | Sheltered locations in forest, or close to creeklines |
| <i>Calochlaena dubia</i> | Soft Bracken Fern | Colony forming groundcover fern. |
| <i>Centella asiatica</i> | Pennywort | Grows mainly in damp places. Forests or drainage lines in woodland and forest. |
| <i>Commelina cyanea</i> | Scurvy Weed | Grows in moist forest or woodland; sometimes weedy. |
| <i>Dichondra repens</i> | Kidney Weed | Grows in forest, woodland and grassland, and weed of lawns; widespread. |
| <i>Doodia aspera</i> | Prickly Rasp Fern | Widespread, in tall open forest and rainforest margins. |
| <i>Dracophyllum secundum</i> | | Spreading shrub found on wet rock faces. Interesting foliage. |
| <i>Geranium homeanum</i> | Native Geranium | Widespread in sclerophyll forest and on the margin of rainforest, usually in damper sites. |
| <i>Hibbertia diffusa</i> | Wedge Guinea Flower | Small ground cover Hibbertia with abundant bright yellow flowers in late spring. |
| <i>Hydrocotyle peduncularis</i> | Pennywort | Grows in sclerophyll forest on wet sand or clay. |
| <i>H. tripartita</i> | | Grows in damp places in forest along watercourses. |

| | | |
|----------------------------------|------------------------|--|
| <i>Mentha satuerioides</i> | Native Mint | Spreading dense mint. Abundant white flowers in summer. |
| <i>Pratia purpurascens</i> | White Root | Spreading small groundcover with white flowers. Abundant underground spreading roots and shoots. |
| <i>Pseuderanthemum variabile</i> | Pastel Flower | Tiny hardy plant with pretty lilac coloured flowers. Deep rooted. |
| <i>Pterostylis curta</i> | Blunt Greenhood Orchid | Colony forming seasonal orchid. Abundant flower display in spring. |
| <i>Wahlenbergia stricta</i> | Tall Bluebell | Grows in eucalypt forest, chiefly Blue Gum High Forest in Hornsby Shire. |
| Vines- | | |
| <i>Billardiera scandens</i> | Apple Berry | Common in forest or woodland on either clay or sandstone soils |
| <i>Clematis glycinoides</i> | Headache Vine | Common in forest on either clay or sandstone soils |
| <i>Eustrephus latifolius</i> | Wombat Berry | Common in forest on either clay or sandstone soils |
| <i>Hardenbergia violacea</i> | Sarsparilla | Very common post fire disturbance on either clay or sandstone soils in forest or woodland. |
| <i>Hibbertia dentata</i> | Trailing Guinea Flower | Sheltered Forests on clay soils or moist sandstone soils |
| <i>H. scandens</i> | Climbing Guinea Flower | Sheltered Forests on clay soils |
| <i>Kennedia rubicunda</i> | Dusky Coral Pea | Scrambling fast growing vine in forest or woodland on either clay or sandstone soils |
| <i>Morinda jasminoides</i> | Jasmine Morinda | Sheltered locations in forest. Attractive orange fruits attract birds |
| <i>Pandorea pandorana</i> | Wonga Wonga Vine | Widespread in moist soils. Big plant. |
| <i>Tylophora barbata</i> | Bearded Tylophora | Sheltered Forests on clay soils. Small plant. |

| Grasses & Like | | |
|---------------------------------|-----------------------------|---|
| Botanical Name | Common Name | Notes |
| True Grasses- | | |
| <i>Austrodanthonia racemosa</i> | A Wallaby Grass | Small tufted long lived grass common in clay soils. Winter growing. |
| <i>A. tenuior</i> | A Wallaby Grass | Medium tufted grass common in both clay & sandy soils in full sun. Winter growing. |
| <i>Austrostipa pubescens</i> | Spear Grass | Tuff rigid grass with heavy open seed head. Very long lived. Common in clay and sandstone soils. Winter growing. |
| <i>Austrostipa ramosissima</i> | Native Bamboo Grass | Large tufted grass to 2.5m tall. Sheltered forests. Summer growing. |
| <i>Cymbopogon refractus</i> | Barb Wire Grass | Sandstone ridgetops in poor soil and full sun. Summer growing. |
| <i>Digitaria parviflora</i> | Small-flowered Finger Grass | Forests on sandstone or transition areas into clay. Perennial growth in warmer months. |
| <i>Dichelachne micranthra</i> | Short Haired Plume Grass | Clay soils. Full to part sun. Upright narrow tuft. Winter growing. |
| <i>Echinopogon caespitosus</i> | Tufted Hedgehog Grass | Tall tufted grass which grows in forest situations usually on sandstone. Winter growing. |
| <i>E. ovatus</i> | Forest Hedgehog Grass | Spreading low grass which grows on clay soils in forests. Winter growing. |
| <i>Entolasia marginata</i> | Right Angle Grass | Sheltered forests on either clay or sandstone soils with moisture. All year growing. |
| <i>E. stricta</i> | Wiry Panic | Narrow slender upright long lived grass on either clay or sandstone soils. All year growing. |
| <i>Imperata cylindrica</i> | Blady Grass | Competitive spreading grass which forms dense colonies in all soil types. Thicker growth in full sun. Summer growing. |
| <i>Microlaena stipoides</i> | Weeping Grass | Spreading tufted grass. Number of specific forms Common in many environments. All year growing. |
| <i>Oplismenus aemulus</i> | Basket Grass | Prostrate spreading grass very common in many situations. Grows quickly in warmer months. |
| <i>Oplismenus imbecillis</i> | Basket Grass | Prostrate spreading grass that prefers to grow in sheltered moist conditions particularly creeklines. |
| <i>Poa affinis</i> | Tussock Grass | Soft tufted grass which forms meadows. Shady sheltered conditions on clay or moist sandy soils. Winter growing. |
| <i>Themeda australis</i> | Kangaroo Grass | Tufted grass, very common in clay soils. Seeds reliably early summer. Long lived. Summer growing. |

| Grass Like Plants- | | |
|---------------------------------|------------------------|---|
| <i>Arthropodium milleflorum</i> | Vanilla Lily | Small soft grassy like herb which grows on clay soils in forest. |
| <i>Blandfordia nobilis</i> | Christmas Bells | Tufted tuberous plant with stunning orange bells shaped flowers on a tall spike. Sandy moist soils in full sun. |
| <i>Dianella caerulea</i> | Blue Flax Lily | Forests or woodland, all soil types heavy shade to full sun. Very tough. |
| <i>D. revoluta</i> | Blueberry Lily | Clay soils mainly in Hornsby Shire in full sun to light shade. |
| <i>Doryanthes excelsa</i> | Gynea Lily | Huge plant which grows in sheltered moist valley positions in Hornsby Shire. |
| <i>Gahnia sieberiana</i> | Red Fruited Saw Sedge | Grows in damp places and on drier hillsides in woodland, usually on sand or silt; widespread. |
| <i>Isolepis nodosa</i> | Knobby Club Rush | Tufted dark green rush which grows near salt water. |
| <i>Juncus usitatus</i> | Common Rush | Very common on stream banks and other moist places. |
| <i>J. kraussii</i> | Sea Rush | Large upright tufted rush common near saltwater in salt marsh environments. |
| <i>Lepidosperma laterale</i> | Variable Swordsedge | Tufted plant with stiff upright seedheads. Forest and woodlands on sandy soils. |
| <i>Lomandra longifolia</i> | Common Mat Rush | Grows in a variety of habitats; very tough and long lived. |
| <i>L. multiflora</i> | Many-flowered Mat-rush | Grows chiefly in woodland and forest, on a variety of soils. |
| <i>Patersonia sericea</i> | Native Iris | Silver foliaged tufts of growth with purple flowers in spring. Well drained sandy soils. |
| <i>Thysanotus tuberosus</i> | Fringed Lily | Thin tufts of growth with amazing bright pinkish-purple fringed lily flowers in early summer. Sandy to clay soils. Forests. |
| <i>Xanthorrhoea arborea</i> | Grass Tree | Grows in sclerophyll forest, usually in sheltered sites, in sand or on sandstone |
| <i>X. media</i> | Grass Tree | Grows in sclerophyll forest on sandstone, usually on the drier, more exposed ridges and hillsides. |

Australian Horticultural Plants

| Botanical Name | Common Name | Notes |
|---|------------------------|---|
| <i>Abrophyllum ornans</i> | Native Hydrangea | Soft large leaved rainforest understorey plant with black berries |
| <i>Acmena smithii</i> var. <i>Minor</i> | Lilly Pilly | Smaller shrub form of its treed cousin. Dense, suitable for hedging. |
| <i>Austromyrtus dulcis</i> | Midgen Berry | Popular bushfood plant. Low spreading plant. From coastal heath in northern NSW north. |
| <i>Carex appressa</i> | Tall Sedge | Robust tough sedge which grows in moist soils in or near wetlands |
| <i>Cordyline petiolaris</i> | Palm Lily | Graceful palm like tall plant with purple flowers and chains of red berries |
| <i>Crocea exalata</i> | Small Crocea | Exquisite small shrub for sandy soils with bright pink flowers |
| <i>Dendrobium kingianum</i> | Rock Orchid | Small epiphytic orchid (on rocks or trunks) with sprays of pretty flowers in spring |
| <i>Eriostemon Profusion</i> | Wax Flower | Tough small shrub with aromatic foliage and masses of white flowers in spring. |
| <i>Graptophyllum ilicifolium</i> | Native Holly | Shade loving dense shrub with prickly leaves and crimson tubular flowers. Rare in the wild. |
| <i>Grevillea shiressii</i> | Blue Spider Flower | Rare plant with translucent bluish green flowers. Only grows at Mooney Mooney Ck. |
| <i>Hypoxis hygrometrica</i> | Golden Weather Stars | Tiny native lily with showy golden star shaped flowers in late summer autumn. |
| <i>Polystichium australense</i> | Mother Shield Fern | Beautiful fern that spreads vegetatively with new plantlets from older fronds as they touch the ground |
| <i>Prostanthera incisa</i> | Cut Leaf Mint Bush | Strongly scented foliage plant that has abundant lilac coloured flowers in spring. Well drained soil only. |
| <i>Prostanthera ovalifolia</i> | Oval Leaf Mint Bush | Taller Mint Bush with rounded aromatic leaves and mass floral display in early spring. |
| <i>Prostanthera scutellarioides</i> | Western Sydney Mint Bu | Tough non aromatic mint bush with deep purple flowers in spring. Tolerates a wide range of conditions. |
| <i>Trachymene incisa</i> | Native Parsnip | Erect perennial herb to 80 cm high with thick perennial rootstock. Attractive white flowers in tight heads. |