


Hornsby Floodplain Risk Management Study and Plan

Hornsby Floodplain Risk Management Study and Plan

NW30006



Prepared for
Hornsby Shire Council

23 February 2022



now



Contact Information

Cardno (NSW/ACT) Pty Ltd

ABN 95 001 145 035

Level 9 - The Forum

203 Pacific Highway

St Leonards NSW 2065

Australia

www.cardno.com

Phone +61 2 9496 7700

Fax +61 2 9439 5170

Document Information

Prepared for	Hornsby Shire Council
Project Name	Hornsby Floodplain Risk Management Study and Plan
File Reference	NW30006_R003_Hornsby_FRMSP_V8.docx
Job Reference	NW30006
Date	24 February 2022
Version Number	V8

Author(s):



Venus Jofreh

Senior Water Engineer

Effective Date 23/02/2022

Approved By:



Shefali Chakrabarty

Practice Lead - Urban Water Management

Date Approved 23/02/2022

Document History

Version	Effective Date	Description of Revision	Prepared by	Reviewed by
v1	4 Jun 2015	Draft report	Kieran Geraghty	Emma Maratea
v2	21 Jul 2015	Draft for Consultation	Fiona Coe	Emma Maratea
v3	17 Nov 2015	Draft for Exhibition	Fiona Coe	Emma Maratea
V4	1 Dec 2015	Revised for Client	Fiona Coe	Emma Maratea
V5	21 Jun 2021	Draft Report based on model revision	Venus Jofreh	Shefali Chakrabarty
V6	13 Oct 2021	Revised for Client	Venus Jofreh	Shefali Chakrabarty
V7	24 Jan 2022	Draft Report with Options Costing	Venus Jofreh	Hornsby Shire Council

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

Our report is based on information made available by the client. The validity and comprehensiveness of supplied information has not been independently verified and, for the purposes of this report, it is assumed that the information provided to Cardno is both complete and accurate. Whilst, to the best of our knowledge, the information contained in this report is accurate at the date of issue, changes may occur to the site conditions, the site context or the applicable planning framework. This report should not be used after any such changes without consulting the provider of the report or a suitably qualified person.

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

Our report is based on information made available by the client. The validity and comprehensiveness of supplied information has not been independently verified and, for the purposes of this report, it is assumed that the information provided to Cardno is both complete and accurate. Whilst, to the best of our knowledge, the information contained in this report is accurate at the date of issue, changes may occur to the site conditions, the site context or the applicable planning framework. This report should not be used after any such changes without consulting the provider of the report or a suitably qualified person.

Table of Contents

1	Introduction	8
1.1	Background	8
1.2	Study Context	8
1.3	Study Objectives	8
2	Study Area	9
2.1	Hornsby Shire LGA	9
2.2	Catchment Areas	9
2.3	Available Data	9
3	Existing Flood Environment	11
3.1	Background	11
3.2	Review of Previous Modelling	11
4	Consultation	23
4.1	Community Consultation Process	23
4.2	Floodplain Risk Management Committee	23
4.3	Public Exhibition of Draft Overland Flow Study	23
4.4	Consultation Pilot Program	27
4.5	Public Exhibition and Finalisation of FRMSP	28
5	Existing Flood Behaviour	29
5.1	Flood Hazard	29
5.2	Impacts of Climate Change	32
5.3	Types of Flood Risk Management Measures	33
6	Environmental and Social Characteristics	34
6.1	Demographic and Social Characteristics	34
6.2	Topography, Soils and Contamination	34
6.3	Water Management	35
6.4	Threatened Flora and Fauna	35
6.5	Heritage	37
6.6	Effects of Environmental and Social Characteristics	38
7	Emergency Management	39
7.1	Flood Emergency Response	39
7.2	Flood Emergency Response Documentation	39
7.3	Emergency Service Operators	42
7.4	Flood Warning Systems	42
7.5	Flood Event	43
7.6	Access and Movement during Flood Events	43
7.7	Flood Emergency Response Planning Classifications	44
7.8	Recovery	46
8	Policy and Planning Review	47

	8.1	Hornsby Local Environment Plan	47
	8.2	Current Land Use Zoning	47
	8.3	Development Control Plan	47
	8.4	Plans and Policies	48
	8.5	Flood Related Planning Matters	49
	8.6	Summary of Council's Planning Actions on Flood and Tidal Management	50
9		Floodplain Risk Management Options	51
	9.1	Types of Flood Risk Management Measures	51
	9.2	Flood Mitigation Strategy	51
	9.3	Identification of Flood Mitigation Works	51
	9.4	Classification of Flood Mitigation Areas	51
	9.5	Flood Damages Assessment	52
	9.6	Recommended Flood Modification Measures	53
	9.7	Recommended Flood Mitigation Measures	53
10		FRMP and Conclusions	57
	10.1	FRMSP Summary	57
	10.2	FRMSP Recommended Actions	57
	10.3	Funding and Implementation	57
	10.4	The Next Steps	58
	10.5	On-going Review of FRMSP	58
11		Acknowledgments	59
12		References	60

Appendices

Appendix A	Figures
Appendix B	Review of Previous Studies
Appendix C	Detailed Overland Flow Studies
Appendix D	Consultation Correspondence
Appendix E	Social and Environmental Data
Appendix F	Access Road Flooding
Appendix G	Land Use Zoning
Appendix H	Section 10.7 (formerly 149) Clauses
Appendix I	Damages Calculation Methodology
Appendix J	Locations of Recommended Flood Mitigation Measures
Appendix K	Report on Models Upgrade to ARR2019
Appendix L	Flood Mitigation Options Costing

Tables

Table 3-1	Criteria to Determine Flood Prone Properties(2010 Study)	12
Table 3-2	Summary of Properties Identified as Flood Prone	13
Table 3-3	Comparison of Properties identified on Flood Prone Land (2011 Review)	14
Table 3-4	Updates to the Hornsby TUFLOW Models	16
Table 3-5	Summary of Results for Determining Flood Prone Properties (Source : Council)	17
Table 3-6	Fort Denison Design Still Water Levels	19
Table 3-7	Adopted Flood Levels by Cardno at Key Locations (AWACS 1997)	20
Table 4-1	Issues Raised by Residents in Submissions	26
Table 5-1	Interim Climate Change Factors (Source: ARR DataHub)	32
Table 7-1	Primary Hazards	40
Table 7-2	Agencies Responsible for Flood Prevention and Mitigation	40
Table 7-3	Agencies Responsible for Public Education on Flooding	41
Table 7-4	Agencies Responsible for Provision of Warnings for Flood Hazards	41
Table 7-5	Extract from DISPLAN (Evacuation Authority)	41
Table 7-6	Key Access Road Flooding Durations in 1% AEP	43
Table 7-7	Emergency Response Requirements (after: DECC, 2016)	45
Table 7-8	Flood Emergency Response Planning Classifications	46
Table 9-1	Summary of Damages 1% AEP Event	52
Table 9-2	Recommended Flood Mitigation Measures	54
Table 10-1	Plan Recommendations	57
Table B1	Review of Previous Studies	64
Table C1	Hornsby Detailed Studies, Proposed Upgrade Scenarios	67
Table E1	Age Structure (ABS, 2014)	71
Table E2	Languages Spoken at Home (other than English) (ABS, 2014)	72
Table E3	Typical Land Values issued for Hornsby local Government Area (Source: NSW Government,2012)	73
Table E4	List of NSW Contaminated Sites Notified to the EPA	74
Table E5	POEO Licenses in Hornsby Shire	75
Table E6	Flora Records within Hornsby Shire (DPIE 2014)	77
Table E7	Fauna Records in Hornsby Shire (DPIE 2014)	79
Table E8	Australian Heritage Database Records (DPIE 2014)	81
Table E9	Items Listed by State Agencies under Section 170 of the Heritage Act	83
Table F1	Access Road Flooding	85
Table G1	Land Use Zoning Flood Affection	89
Table G2	Land Use Zone Descriptions	92

Figures

Figure 4-1	Resident Submissions by Suburb	24
Figure 4-2	Resident Submissions by Theme	25
Figure 4-3	Number of Submissions by Catchment	25
Figure 5-1	Flood Hazard Categorisation after the Floodplain Development Manual	30

1 Introduction

1.1 Background

The Hornsby Shire Council Local Government Area (LGA) covers a number of Sydney's northern suburbs, extending from North Epping in the south through to Wisemans Ferry in the north as shown in Figure 1-1 in Appendix A. The total area of the LGA is approximately 499.6 km² of which about 10% is zoned urban, 15% rural, 5% open space with the remainder being either National Park or Nature Reserve.

Mainstream flooding occurs through a number of creeks and tributaries within the LGA, as well as along the Hawkesbury River. However, the majority of these creeks are contained within the National Parks and Reserves, with only a relatively small number of properties affected by mainstream flooding. Overland flow flooding generally affects the upper catchments areas. It may result from obstruction of overland flow paths due to development, the conversion of natural creeks systems into piped systems, and other similar effects.

Cardno Pty Ltd (Cardno) was commissioned by Hornsby Shire Council to undertake a Floodplain Risk Management Study and Plan (FRMSP) for the urban areas within Hornsby LGA in 2014. This study was undertaken to define existing flood behaviour and associated hazards of the study area and to identify and assess potential flood mitigation options to reduce flood damages and risk. The finalisation of the FRMSP had to be put on hold until after the council amalgamation issue was settled.

In 2020 Hornsby Shire Council commissioned Cardno to update and finalise the 2014 Hornsby Floodplain Risk Management Study and Plan based on the latest Australian Rainfall and Runoff 2019 (ARR2019) guidance and data, and the 2019 Light Detection and Ranging (LiDAR) topographical data.

1.2 Study Context

The NSW Floodplain Management process progresses through six stages in an iterative process as detailed in the Floodplain Development Manual (2005), currently the 2023 version:

Stage 1: Formation of a Floodplain Management Committee

Stage 2: Data Collection

Stage 3: Flood/Overland Flow Study

Stage 4: Floodplain Risk Management Study

Stage 5: Floodplain Risk Management Plan

Stage 6: Implementation of the Overland Flow/Floodplain Risk Management Plan

This report covers Stages 4 and 5 of the NSW Floodplain Risk Management process.

1.3 Study Objectives

The overall objective of this project is to develop a Floodplain Risk Management Study and Plan (FRMSP) where management of flood related issues are investigated, assessed and recommendations made as to how flood prone land within the study area is to be managed. It provides the basis for future management of Hornsby Shire's urban and riverine catchments that are liable to flooding. The FRMSP will provide an assessment of:

- > Previous flood investigations;
- > Results of community consultation program undertaken as part of the study;
- > Flood behaviour including hazard categorisation and the impacts of climate change on existing flood behaviour;
- > Estimated flood damages;
- > Environmental, social and other planning issues related to the study;
- > Council's existing stormwater drainage Works Program and identification of proposed floodplain management measures to mitigate the impact of flooding and reduce risk within the study area; and
- > Existing flood related planning measures and recommended planning controls for future development as part of Council's adopted comprehensive Local Environmental Plan (LEP 2013).

2 Study Area

2.1 Hornsby Shire LGA

Hornsby Shire Council LGA covers approximately 499.6 km² which consists of corridors of urban developed areas along the main roads surrounded by rural land holdings and open spaces. The majority of the developed urban areas where stormwater drainage systems are present is concentrated towards the south of the Shire or is located along the Pacific Highway. The developed area which includes these stormwater systems is approximately 93.6 km².

2.2 Catchment Areas

In order to assess existing flood behaviour in the LGA, catchments have been broadly classified into two depending on the dominating flooding type:

- > The urban and rural area catchments that form the majority of the Shire; and
- > The Hawkesbury River which generally forms the northern boundary of the Shire but whose catchment extends well outside the Shire boundary.

The catchment classification is shown on Figure 2-1 in Appendix A.

2.2.1 Urban and Rural Areas

Urban and Rural areas have been divided into 14 major catchments and for administrative purposes these have been further subdivided into 52 subcatchments. Of these subcatchments, 38 have an urban component where a stormwater drainage system is present.

The dominating form of flooding in these areas is overland flow. The urban portion of these subcatchments contain the majority of the Shire's population and developed land and therefore is the main focus of this study. Rural catchment areas are not included in this assessment. The rural areas of shire will be subject of a separate study which will form an addendum to this report. An overview of these subcatchments is shown on Figure 2-2 in Appendix A.

2.2.2 Hawkesbury River

The areas of the Shire adjacent to the Hawkesbury River are predominately affected by riverine flooding (also commonly referred to as mainstream flooding). The rainfall resulting in mainstream flooding from the Hawkesbury River primarily falls on catchment areas located outside of the Hornsby LGA. In addition, the behaviour of flooding from the Hawkesbury River within the Hornsby LGA, is affected by numerous processes upstream. As such, the regional flooding issues associated with this mainstream flooding have not been modelled as part of this Floodplain Risk Management Study. Impacts of mainstream flood behaviour affecting the northern part of Hornsby LGA have been referenced from existing studies as discussed in Section 3.2. Infrastructure NSW (INSW) has undertaken a major flood study of the Hawkesbury-Nepean River (Hawkesbury-Nepean Valley Regional Flood Study, 2019); however the results of this, which will update mapping in this Flood Risk Management Study (FRMS), will not be available to Council until mid-2022.

2.3 Available Data

2.3.1 Previous Reports and Studies

The reports and studies that have been reviewed are outlined in Appendix B.

2.3.2 LiDAR Survey Data

LiDAR aerial survey data collected in 2010 was used as part of the Hornsby Overland Flow Study. Overland flow analysis in urban areas is complicated by terrain modifications such as the filling of some natural creeks and depressions for development and other modifications such as construction of underground drainage system to convey runoff to receiving watercourses. It is noted that the accuracy of LiDAR in areas of dense vegetation or standing water is significantly less than on hard surface and the need for additional survey is required in order to better define existing terrain. To address this, a number of locations have been identified as part of the preliminary option identification phase and have been surveyed.

2.3.3 Detailed Survey

Detailed feature survey of channel alignments, road and culvert crossings was undertaken in 2012 at a number of locations to refine expected flood behaviour during the Hornsby Overland Flow Study (Cardno 2010).

2.3.4 Floor Level Survey

A survey of property floor levels within the study area that comprised those properties considered to be significantly affected by overland flow was conducted in February and March 2014 with a total of 484 floor levels surveyed. Properties requiring survey were identified in consultation with Council and based on habitable buildings located within the 100 Year Average recurrence Interval¹(ARI) or 1% Annual Exceedance Probability² (AEP) flood extents.

2.3.5 Geographic Information System Data

The following data was supplied by Council as part of this assessment:

- > 2m contour information;
- > Stormwater channel, pipe and pit information;
- > Cadastral information;
- > Local Environmental Plan zoning information;
- > Heritage areas; and
- > Vegetation areas.

¹ Average Recurrence Interval (ARI): The long-term average period between occurrences equalling or exceeding a given value. For example, a 20 year ARI flood would occur on average once every 20 years.

² Annual Exceedance Probability (AEP): The probability of an event occurring or being exceeded within a year. For example, a 5% AEP flood would have a 5% chance of occurring in any year. An approximate conversion between ARI and AEP is provided. The AEP terminology has been adopted for this FRMSP.

AEP	ARI
63.2 %	1 year
39.3 %	2 year
18.1 %	5 year
10 %	10 year
5 %	20 year
2 %	50 year
1 %	100 year
0.5 %	200 year
0.2 %	500 year

3 Existing Flood Environment

3.1 Background

Hornsby Shire's urban development pattern is typical of many other urban LGAs in the Sydney basin. In older areas of the Shire, land development practices at the time were to either fill in and pipe watercourses or simply leave natural watercourses and build around them. Generally, where piped systems were employed their capacity was normally at a 5 year Average Recurrence Interval (ARI) event (or 20% Annual Exceedance Probability (AEP)) capacity or less. As urban drainage practice developed and with the introduction of major/minor drainage systems, such as has been the case in newer areas of Cherrybrook, the impact on overland flow flooding has been largely controlled. Today Council generally requires the provision of a 5% AEP piped drainage system and a dedicated overland flow path to convey floods up to the 1% AEP event. The older development pattern at best has resulted in nuisance overland flows through yards and at worst has resulted in serious flooding of and damage to both habitable and non-habitable areas.

The first significant rainfall event that was well documented within Hornsby Shire was a major storm event that occurred in April 1988. This has been estimated to be a 2% AEP event. In July 1990 another severe storm event estimated to be between 5% AEP and 2% AEP occurred. These two events resulted in serious flooding and property damage in many of Council's older urban areas. Following the 1990 event and to address the identified overland flow flooding that occurred, Council undertook a large scale resident survey in affected areas. Council subsequently implemented a 10 Year Drainage Improvement Program with the objective of increasing drainage system capacity in the worst affected areas.

As better quality drainage data became available and with the widespread introduction of computer based analytical methods, Council has sought to update its knowledge of the capacity and quality of its urban piped drainage system. This process was accelerated by undertaking a series of Catchment Management Plans (CMPs) for its 37 major piped urban subcatchments. This commenced in 1997 and was completed in 2003. This process identified further areas of under capacity in the piped stormwater network and enabled Council to continue its Drainage Upgrade Program in a rational way to build on the 10 Year Program which addressed the issues that arose from the 1988 and 1990 storm events.

With the inclusion of overland flow flooding in the 2001 version of the Floodplain Development Manual (FDM), giving it similar status to mainstream flooding, Council resolved to undertake a broad scale overland flow study of the Shire's urban areas in 2008. Since that time Council has steadily progressed through the various steps shown in the FDM noted in Section 1.2 that has resulted in the production of this Floodplain Risk Management Study and Plan. Details of this progress through these steps are detailed below.

3.2 Review of Previous Modelling

3.2.1 Hornsby Overland Flow Study (2010)

Although Hornsby Council had recorded a large amount of information on flooding extents from surveys following the 1988 and 1990 storms, and system capacity from the CMP program, this was not adequate to meet the requirements of a rigorous flood study as defined in the FDM (2005). To meet these requirements overland flow paths of the floodways need to be defined and superimposed on a cadastral plan to identify all the properties affected by flows modelled by this analytical technique.

To meet the main objective of identifying the urban properties affected by either overland flow or mainstream flooding, it was necessary to identify the areas to be modelled. Once these were defined, the appropriate type of modelling could then set up for each area:

- > Urban areas affected by overland flow/flooding; and
- > Urban areas affected by mainstream flooding.

Cardno completed a broadscale Overland Flow Study of all urban areas within the LGA in 2010 to identify properties potentially affected by overland flow and flooding. Hydrological modelling was undertaken using:

- > Direct Rainfall on grid – for all urban areas within the Hornsby LGA
- > Traditional hydrological modelling using XPRAFTS – for areas outside of the Hornsby LGA.

Based on the best technical advice currently available, the 1% AEP rainfall event has been adopted to determine flood planning levels within areas to be designated as flood planning areas. Note that no freeboard has been applied to the flow depths determined in the modelling process of the overland flow affected areas to define the flood planning level (FPL). While the addition of 0.5m freeboard to define FPL is normally applied

in riverine flooding, Council does not consider this appropriate in overland flow flooding, particularly for steep catchments such as in Hornsby Shire. This scale of freeboard is reasonable above wide floodplain and significant variations in the surface levels may occur. In urban overland flow however shallow and narrow flow paths are common and the addition of a significant freeboard, such as 0.5m, may exceed the actual calculated flow depth. This can extend the limits of the flood planning areas well beyond the physical flow paths. This will encumber many adjacent properties that will never experience overland flow. Where this level of freeboard has been applied in some LGAs it has been necessary to apply artificial cut-off limits for this. As these cut-off limits are not supported by any empirical evidence their use is highly questionable and not supported by any observational evidence.

For this analysis, Council has adopted the actual physical flow limits where the model has determined greater than 150mm depth of flow has been calculated. The FPA depicted on the FPMs are thus considered to be the physical limits of overland flows where flow depth exceeds 150 mm and are considered to provide the most accurate representation of the areas where flood planning controls are to be applied.

Two dimensional (2D) hydraulic modelling was carried out using TUFLOW to estimate overland flow behaviour within the 93.6 km² of urban areas for the 1% AEP event. As noted above, aerial survey data using LiDAR supplied by Council was used to create a 6m x 6m and 5m x 5m terrain grid and eight separate hydraulic models were created, based on the existing catchment boundaries at the time of study and are shown in Figure 3-1 in Appendix A. Major culverts and hydraulic structures were incorporated into the hydraulic models as 1D elements. The existing stormwater channel and pipe networks were assumed to be fully blocked in this rainfall event and were not modelled as part of this overland flow study. This assumption would produce the maximum possible overland flow volume during the 1% AEP storm event.

It is noted that an overland flow depth in excess of 150 mm was selected as the critical depth for the study area due to the relatively steep terrain of the Shire. This threshold depth or greater, in conjunction with the steep terrain and the relatively high velocity of overland flow would cause significant storm damage and create a hazard for the community. Overland flow extents defined by this criteria are high risk areas where development controls would be appropriate – Refer to Chapter 8 for further discussion of this.

The selected overland flow depth of 150 mm is less than the 300 mm depth stated in then Department of Planning (DoP) (now Department of Planning, Industry and Environment (DPIE)) guidelines for the preparation of Flood Planning Maps (FPMs). The FDM (2005) does however note that local drainage problems invariably involve shallow depths (less than 300 mm) with generally little danger to personal safety. As a result of the 150 mm overland flow depth was selected, a greater number of potentially flood prone properties have been identified which would not benefit from the NSW Government's complying development provisions, than if a 300 mm overland flow depth was used. The adopted overland flow depth in excess of 150 mm has been discussed and endorsed by the Hornsby Shire Flood Risk Management Committee (FRMC) as being more appropriate than 300 mm for urban areas of the Shire.

The following criteria were considered for use in identification of properties that would be potentially affected:

- > Criterion 1 – the property is shown to have a piped or open drainage line through any part of the property as shown in the GIS stormwater asset information provided by Council;
- > Criterion 2 – the property (or part thereof) is inundated by overland flow to a depth greater than 150 mm during a 1% AEP design storm event; and
- > Criterion 3 – any part of the property that lies within five metres (5m) of a piped or open drainage line identified under Criterion 1, provided the drainage line is not located in a road reserve.

Criterion 2 was considered the most effective way to identify affected properties and this decision was also endorsed by the FRMC.

In this study, a total of 4,879 urban properties out of the 45,062 urban properties within the Shire were identified as properties that may experience flooding due to overland flow (i.e. 10.3% of properties). A summary of the number of properties identified under Criterion 2 and Criteria 1 and 3 is tabulated below. It is noted that there are a number of properties which have been identified under both Criteria 1 and 3 and Criterion 2. Table 3-1 compares the number of flood prone properties under different criteria.

Table 3-1 Criteria to Determine Flood Prone Properties(2010 Study)

Criterion	Number of Properties	Percentage of Total Properties
Criteria 1 and 3	6,170	13.7%
Criterion 2	4,879	10.8%

Draft FPMs, based on the assessment using Criterion 2, were proposed to be included as an amendment to the Hornsby Shire Comprehensive LEP when gazetted (i.e. the FPMs were to be progressed as a separate Planning Proposal). The overland flow maps resulting from the assessment for all of the above three criteria are presented in Cardno (2010) to provide general stormwater management information to the community.

The Overland Flow Study and draft FPMs were placed on public exhibition from November 2010 to February 2011. The underlying assumption of the study is that during a 1% AEP event the local stormwater network is fully blocked, except for major hydraulic crossings such as culverts through railway embankments. This modelled scenario represents the worst case conditions for Hornsby Shire catchments and places an upper bound limit on the expected flood extents for the 1% AEP event. Further details of the methodology used can be found in Cardno (2010).

Flood extent mapping for mainstream flooding adopting Criterion 2 was also prepared for areas adjacent to the Hawkesbury River. This mapping is based on flood level information provided by Council from previous regional studies of the Hawkesbury River (AWACS, 1997) and resulted in a further 554 properties along the river being identified as subject to inundation from overland flow (Table 3-2).

Table 3-2 Summary of Properties Identified as Flood Prone

Overland Flow Affected	Mainstream Affected	Total
4,879	554	5,433

3.2.2 Hornsby Overland Flow Study Review (2011)

When Council exhibited the broad scale Overland Flow Study in November 2010 it received 644 written submissions. Many of these submissions questioned the approach adopted to flood mapping and the resulting classifications of properties.

Just after the close of the Public Exhibition period on 25 February 2011 the DPIE issued further planning provisions regarding flood control lots and complying development provisions under the Exempt and Complying Development SEPP. This introduced a change to the process for identifying flood control lots. Lots identified as 'high hazard/risk flood planning areas' on LEP maps would not benefit from the complying development provisions, while 'Low hazard/risk flood planning areas' may now benefit from the complying development provisions. It was decided that this change would be considered in preparing Hornsby's FPMs.

Based on community feedback received and in the light of these changes to the planning provisions for flood control lots, Council decided in 2011 to undertake an assessment of alternative methods for identifying high flood risk properties within Hornsby Shire. This would be used in a planned review of the draft FPM.

The objectives of the review were:

- > The identification of "high risk" overland flow affected properties in line with the amended DPIE guidelines; and
- > A sensitivity analysis of some of the key assumptions of the overland flow modelling.

While Cardno (2010) undertook a sensitivity analysis of key parameters such as rainfall and roughness, it did not consider the effects of including local drainage systems and/or the blockage of buildings on the estimated flood extents and the potential ramifications of these factors on the number of flood affected properties. Some residents also queried the accuracy of the flood modelling using a 6m x 6m or 5m x 5m grid resolution.

To identify the significance, or otherwise, of these factors, sensitivity analyses were undertaken on a small pilot area identified by Council as typical of its urban catchment areas. The sensitivity testing comprised:

- > Utilising a finer grid resolution of 2m x 2m across the pilot model area to determine the impact of grid size on the results and in one of the eight hydraulic models to determine the resulting change in number of properties identified;
- > Assessing the 20 % AEP storm event as a possible surrogate for the overland flow component of flooding in a 1% AEP storm event thus assuming a fully functional drainage system were in place. The drainage system has an assumed 20% AEP capacity;
- > Incorporation of pits and pipes into the pilot model to determine the impact that the stormwater infrastructure has on the 1% AEP overland flow extents;
- > Incorporation of buildings into the pilot model as raised elements (or completely blocked to overland flow) to determine the impact that this has on the 1% AEP overland flow extents; and

- > Mapping of properties impacted by overland flow depths greater than 150 mm, for both the 1% AEP with pipe and pits and the 20% AEP events assured to represent the overland flow component of the flood volume.

Based on results from the above scenarios, it was concluded that Council could consider adopting either of the following criteria for tagging high hazard properties in accordance with the revised DPIE SEPP and the subsequent development of revise FPMs:

- > Flood extents based on a 20% AEP event without drainage infrastructure and a 150 mm depth filter; or
- > Flood extents based on a 1% AEP event without drainage and a 300 mm depth filter and/or high hazard for depths greater than 150 mm.

The use of 150 mm depth was already established as the preferred criterion for determining flood extents with the topography type within Hornsby Shire. A further advantage of the 150 mm depth filter was that this appears to give contiguous zones and reduces the number of islands that appear with a 300 mm depth filter, thereby making interpretation of flood extents more consistent. Further details of this sensitivity analysis is documented in Cardno (2011).

In addition to adopting the above criteria and in order to avoid tagging properties which were not significantly intersected by the 150 mm flood depth extent, statutory property setbacks at the front, sides and rear boundaries of properties were applied as filters to the mapping. These setbacks allowed for areas of the block that could not be built on in a redevelopment scenario and hence the intrusion of overland flow here would not affect development approval under complying development provisions. This was applied to the cadastral maps and Table 3-3 outlines a comparison of results.

Table 3-3 Comparison of Properties identified on Flood Prone Land (2011 Review)

	Number of Properties Affected		
	Overland Flow	Hawkesbury	Total
Draft 2010 Mapping	4,870	554	5,424
Revised 2011 Mapping	2,221	554	2,775

Adoption of the revised methodology represents a 48% reduction in the number of properties identified as part of the original 2010 Overland Flow Study.

3.2.3 Detailed Overland Flow Studies

Following the Overland Flow Study Review (Hornsby Council, 2011), Council undertook a pilot program of community consultation to test how the revised outcomes would affect the community's acceptance of the FPMs. Although the residents contacted generally accepted the revised flood extents and modelling behind the FPMs, however, potential remediation strategies were requested with many of the responses. It was concluded that for the process to gain general acceptance from the community, remediation strategies were needed as well as the revised FPMs.

After this pilot program it was decided to:

- > Undertake further detailed flood studies of the worst affected areas to both provide more certainty of the broadscale flood extents and enable the development of mitigation strategies; and
- > Review Council's drainage upgrade program to include the mitigation strategies identified as part the detailed studies.

A number of detailed assessments were undertaken and these are described in Appendix C and results are summarised below:

- > Refining the grid size resolution from 5m x 5m to 2m x 2m generally resulted in a slight reduction in the estimated flood extents;
- > A comparison with results of Cardno (2010) indicated a general correlation between the detailed studies and the 20% AEP event flood extents, without the inclusion of the stormwater infrastructure network. This comparison validated the approach adopted in the earlier OFS and confirms the 20% AEP event with a fully blocked stormwater network is an accurate proxy for the 1% AEP event with a fully operational piped network.

Upon presentation of these results to Council in February 2013, it was decided that the best way to gain community acceptance was to proceed to the next stage in the Floodplain Risk Management process and undertake a full Floodplain Risk Management Study and Plan for the study area. Cardno was engaged to undertake this work and after detailed consultation with the then Office of Environment and Heritage (OEH) (now DPIE) to ensure their agreement, this was commenced in April 2014, and a draft document was produced in 2015.

3.2.4 ARR 2019 Assessment and Models Update

Due to the commencement of NSW Councils amalgamation in 2015/16, the draft document had to be held until this process was completed in 2019. During this period, there had been significant changes to both modelling technologies and State Government policy. As a result, a full review of the document to incorporate these changes has now been undertaken.

As a part of the review and update to the Floodplain Risk Management Study and Plan (FRMSP) a pilot study was undertaken in August 2020 to evaluate the changes in flood behaviour arising from updated data and guidance provided by the ARR2019 guidelines and to make a recommendation on the adoption of either the ARR1987 or ARR2019 editions of Australian Rainfall and Runoff for final model runs and options assessment. The Pennant Hills catchment was selected by Council for the pilot study as it covers a significant portion of the urban area and has sufficient variability to enable reasonable extrapolation of the study outcomes to the other urban catchments across the LGA.

The primary objective of the pilot study was to evaluate the impact on flood characteristics in the Pennant Hills catchment by adopting the updated data and guidance provided in ARR2019 Guidelines. The secondary objective was to assess the differences in flood levels based on the adoption of the CPU (classic) version or the GPU (HPC) version of the TUFLOW numerical engine with a view to re-running the hydraulic models with the latest version of the software (TUFLOW GPU) as long as this does not substantially change the assessed flood behaviour. A full detailed report of those changes is provided in Appendix K.

Based on the outcomes of the various assessments, it was recommended that the Hornsby FRMSP update be based on:

- > The 2019 LiDAR;
- > A 2 m x 2 m or 3 m x 3 m grid size (based on the size of the model); and TUFLOW 2020 HPC (GPU) engine (version AB).

The final decision on adopting ARR1987 or ARR2019 data needed to consider:

- > The ARR1987 runs that have already been undertaken;
- > The adoption of ARR2019 would require a complete update of all previous hydrological assessments;
- > The adoption of ARR2019 would slightly lower the estimated design flood levels in urban areas with an expected median reduction in peak 1% AEP flood levels of around 0.05 m; and
- > The adoption of ARR2019 may reduce the number of flood control lots by around 7% to 10%.

Based on the outcomes of the pilot study, Council decided to adopt ARR2019 data and guidance when upgrading the seven remaining flood models for Asquith, Beecroft, Berowra, Brooklyn, Cowan, Galston and Glenorie.

All seven remaining rainfall-on-grid (TUFLOW) flood models were updated using the latest LiDAR data as well as a finer grid size. This required a number of other updates to the model for the purpose of consistency. The updates applied to the Hornsby overland flow flood models included:

- > The adoption of rainfall IFD and storm burst temporal patterns from ARR2019;
- > The Digital Elevation Model (DEM) levels were updated using the latest 2019 LiDAR data.
- > Model grid cell sizes were refined from 6 m x 6 m and 5 m x 5 m to 3 m x 3 m or 2 m x 2m (depending on the size of each model and the resulting number of grid cells) to provide a more detailed representation of the catchment topography;
- > The TUFLOW numerical engine was updated to the latest version (2020-01-AB);
- > All models were run with the Heavily Parallelised Compute (HPC) GPU engine. The HPC version can achieve significantly shorter model run times which allows hydraulic models to be run in a timely manner with higher grid resolution across larger domains;

- > Drainage invert levels were updated to be consistent with the latest 2019 LiDAR data (where required); and
- > The model boundary was modified (where required) to ensure the contributing catchment is presented accurately and also a robust representation of hydraulic behaviour is achieved.

Table 3-4 provides details of the updates made into each of the Hornsby overland flow flood models.

Table 3-4 Updates to the Hornsby TUFLOW Models

Model Name	ARR2019	2019 Lidar	Cell Size	Drainage Invert Levels Updated	Model Boundary Updated
Asquith	Yes	Yes	2m x 2m	-	No
Beecroft	Yes	Yes	3m x 3m	Yes	No
Berowra	Yes	Yes	2m x 2m	-	Yes
Brooklyn	Yes	Yes	2m x 2m	Yes	Yes
Cowan	Yes	Yes	2m x 2m	-	Yes
Galston	Yes	Yes	2m x 2m	-	Yes
Glenorie	Yes	Yes	2m x 2m	-	Yes
Pennant Hills	Yes	Yes	3m x 3m	Yes	Yes

A comparison of the 2014 and 2020 flood levels for all the overland flow flood models disclosed that the 2020 models generally give lower 20% AEP and 1% AEP flood levels with the exception of some local increases which are attributed to differences between the 2014 and 2020 ground levels.

The full report providing details of the model's upgrade is provided in Appendix K.

3.2.4.1 Hornsby Overland Flow Modelling Filtering Method Selection and Validation

In 2016 Cardno undertook an assessment of different filtering criteria for the purpose of processing the flood model results. The objective was to find the best filtering approach that provides the most reasonable representation of results, considering the broad scale nature of the study. The filter trial aimed to resolve the disconnections were observed on real flowpaths and also ponding of water where no genuine flowpath exists. A number of filters were tested and the resultant flood extents were compared and verified against a number of detailed studies provided to Cardno by Council. Following the filter trials, Council undertook further investigations of the most recent flood extents (from models upgrade to ARR2019 and latest LiDAR data) in line with different filters and it was agreed with Council that the following criteria provides the best presentation of the flood behaviour within the study area:

- > Depth > 0.15 m OR Velocity (m/s) x Depth (m) > 0.05 m²/s AND Area > 300 m²

The above criteria has been adopted for FPM's for the current study.

3.2.4.2 Flood Affected Properties Identified by ARR2019 Assessment (undertaken by Council)

Using the above methodology a full assessment of the flood affectation of properties under this revised and updated technique was undertaken by Council. Table 3.5 provides a full summary of the various modelling techniques and flood control lot identification. The 2017 and 2019 revisions significantly increased the number of flood affected properties. This is due to the following factors:

- > Adoption of the above filter to enable accurate definition of the 1% AEP flowpaths;
- > Inclusion of subdivided and additional property developments;

- > Recognition that the assumption of a fully functional piped drainage system was not present in all urban areas and that significant lengths of the piped network had less than the 20% AEP capacity as assessed in the pilot study outlined in Section 3.2.2; and
- > Areas where no in-ground pipe system was present was best modelled by the original fully blocked system assumption.

The methodology adopted included a manual and site-specific methodology to identify properties to make up for the shortcomings of the original 2010 Flood Study. The current number of Flood Control Lots (FCLs) is higher than the reviewed methodology determined in 2011 but less than identified in the original 2010 study (3872 compared to 4535). The current mapping has eliminated the 2010/2011 modelling shortcomings and is based on much improved flowpath definition. The 2017 revision was based on the now superseded ARR 1987 hydrology and hydraulic while the current mapping has fully adopted the current ARR2019 hydrology. The increased FCL number identified in both the 2017 and 2021 revisions are generally different properties from those that were identified in the 2010 study. There is a high degree of confidence that the current mapping accurately represents the overland flowpaths and hence has identified accurately the extra FCLs affected by overland flows.

Table 3-5 Summary of Results for Determining Flood Prone Properties (Source : Council)

	2010	2011	2013	2017	2021
	DFMS*	Review DFMS*	FPMs Included in S149(5)(now S10.7)	Revised VxD for FMPs	FPMs**Revised with 2019 Guidelines
Total number of properties modelled	45062	45062		45062	43071
					(595* transferred to Parramatta LGA)
Flood control land parcels identified:					
Private	4535	2221	2149	3692	3872
Public	344	-	-	563	563
Rural		-	1174	-	-
Sub total	4879	2221	2149	4255	4435
Mainstream flooding (Hawkesbury River)					
Private	478	478	-	571	571
Public	76	76	-	76	76
Sub total	554	554	-	647	647
Total	5433	2775	2149	4902	5013
ARR Guidelines	1987	1987	1987	1987	2019
Model Engine	Tuflow-CPU	Tuflow-CPU	Tuflow-CPU	Tuflow-CPU	Tuflow-GPU(HPC)
Storm Event (ARI)	100	5	5	5	100
Grid interval	5m x 5m	5m x 5m	5m x 5m	3m x 3m	3m x 3m
D (m)	0.15	0.15	0.15	0.15	0.15
VxD	-	0.05	0.05	0.07	0.07
Area (m ²)	-	0.1	0.1	0.3	0.3
Storm Burst	1-2hrs	1-2hrs	1-2hrs	1-2hrs	1-2hrs
Lidar	2010	2010	2010	2013	2019
Contour	2m	2m	2m	2m	2m
Property setback					
Front	-	6m	6m	6m	6m
Rear	-	3m	3m	3m	3m

Side	-	1m	1m	1m	1m
Access Handle Land Parcel	-	-	-	Included	Included
Sub Division of parcels	-	-	-	Included	Included

*DFMS: Draft Flood Maps

**FPMs Flood Planning Maps

3.2.5 Hawkesbury River Flooding

Within the Hornsby LGA, land along the Hawkesbury River may be subject to inundation via one or more of the following processes:

- > Local catchment runoff;
- > Hawkesbury River flooding; and/or
- > Coastal processes, such as storm surge.

This Flood Risk Management Study and Plan (FRMSP) provides the results of new modelling for local catchment runoff, but employs previous and current studies for Hawkesbury River flooding and inundation due to coastal processes. Along the Hawkesbury River, this FRMSP provides local catchment modelling for Brooklyn only as this is the only urban community affected from this source.

Some areas along the Hawkesbury River are subject to a combination of two or more sources of inundation, such as Cowan and Berowra Creeks. These locations can be subject to inundation from the Hawkesbury River, ocean storm events and, in some cases, local catchment runoff.

3.2.5.1 Lower Hawkesbury River Flood Study by Australian Water and Coastal Studies

Australian Water and Coastal Studies Pty Ltd (AWACS, 1997) completed the Lower Hawkesbury River Flood Study (Report No. CF97/06). The flood extents derived from this study were included in Cardno's 2010 Draft Overland Flow Study and draft mapping as released for Public Exhibition in November 2010. This mapping of the 1% AEP event only covers the main river channel and entrances to major tributaries. Areas with significant residential lots such as Berowra Waters were not covered.

The AWACS study noted that the "interaction of catchment runoff and higher ocean levels at the entrance of the Hawkesbury River is a complex process" and "catchment flooding and ocean levels are independent events". The study investigated the joint occurrence of flooding and ocean tides, with the conclusion that "it would be reasonable to adopt the coincidence of design ocean level and flood peaks for design purposes". In other words, the study modelled the 1% AEP mainstream river flood event combined with a 1% AEP ocean level of RL 1.49 m AHD.

According to the AWACS study, the 1% AEP level would be determined by the ocean levels for the lower reaches of the Hawkesbury, around Brooklyn. Riverine flooding dominates upstream of Gunderman, which is approximately halfway between Brooklyn and Wisemans Ferry.

3.2.5.2 Mapping & Responding to Coastal Inundation by Sydney Coastal Councils & CSIRO

Sydney Coastal Councils and CSIRO (2012) have undertaken a study which has assessed the impacts of storm surge on a broad scale, including the estuarine area of the Hawkesbury River. It assessed storm surge levels and developed inundation mapping for the 65% AEP (1 year ARI) and 1% AEP (100 year ARI) events for the present day, and for the 0.4 m and 0.9 m sea level rise scenarios.

The study adopted a design storm approach where one specific design storm event is selected and parameters are adjusted so that the 1% AEP storm surge levels at Fort Denison are met. In this process, a range of more recent storm events (post 1992) are examined for which global wind model data were available. In order to design the 1% AEP event, the available storms were ranked on a range of bases including peak storm wave height, peak stormwater level and peak storm surge where five storms were selected for model system calibration. One storm was then selected for the 65% AEP (1 year ARI) event and a combination of two of those events was selected and prepared as the 1% AEP (100 year ARI) event.

The design still water levels adopted are presented in Table 3-6. It is noted that the sea level rise projections were adjusted for 1990 levels. A comparison of the tides showed the tidal behaviour between Patonga (on the northern side of the Hawkesbury River) and Fort Denison to be similar.

Table 3-6 Fort Denison Design Still Water Levels

ARI	Water Level (m AHD)		
	2010	2050 (+0.4m SLR)	2100 (+0.9m SLR)
1	1.24	1.58	2.085
100	1.44	1.78	2.28

SCCG/CSIRO prepared an extensive DEM as a basis for their modelling (see Figure 6 in SCCG & CSIRO, 2012). The finest scale models have grid sizes of 20 m (Figure 7, SCCG & CSIRO, 2012) that extend into Cowan Creek, Berowra Creek and the Hawkesbury River. However, the SWAN wave model shown in Figure 7 of SCCG & CSIRO (2012) does not appear to include any of Cowan or Berowra Creeks and only covers the lowermost portion of the Hawkesbury River (up to approximately Brooklyn), and hence wave parameters and wave set-up and run-up information cannot be obtained from the study for the areas beyond the SWAN model limits. The downstream reaches of Cowan Creek and the Hawkesbury River may be affected by ocean swell penetration; but the majority of the shorelines are affected by local wind waves. There are some areas that may be affected by both types of wave, the main differences being in wave period.

Mapped storm surge inundation extents were also prepared by CSIRO using a 'bath-tub' model, which relies on a comparison of the storm surge water level to ground elevation whereby elevations lower than the water level are assumed to be flooded. The CSIRO study data provides a reasonable indication of the extent of storm surge inundation however this approach takes no account of topographic details, flow pathways and event duration. Some of the limitations associated with the approach are outlined further below:

- > As the storms were derived to achieve the 1% AEP design storm tide levels at Fort Denison, it is noted that whilst an event may cause 1% AEP water levels at Fort Denison, it does not necessarily do so for every location in the study overall study area;
- > The storms adopted by the study have used south easterly sector winds, however for some locations winds from this south easterly direction may not necessarily result in the highest waves, wave set-up or wave run-up. These types of processes do not appear to have been taken into account in the CSIRO study;
- > Differences in design water levels may occur between the CSIRO results and those from a site specific study; and
- > The coastal inundation extents were established by contouring the design water levels on a Digital Elevation Model (DEM) comprised of relatively low resolution 20m grid cells developed from LiDAR data. As acknowledged in the report, the spatial resolution of the DEM is limited and this typically results in an underestimation of the inundation extents compared to a smaller grid size.

Based on Cardno's experience with similar analyses, it is appreciated that there are limitations on the use of DEMs for inundation assessments, as they may under or overestimate the potential for inundation. For example, storm surge ingress of the stormwater network may be a contributing factor to coastal inundation. Alternatively, as inundation arising due to storm tides only lasts for a short period of time, water levels only remain elevated for a short duration. This means that while a flow path may exist, the water may not have time to reach the full extent as indicated by the model.

The CSIRO study results are not recommended for use in a planning assessment. While they currently provide the best available estimates of the effects of coastal processes on the Hawkesbury River system, as noted above, there are limitations to their accuracy. Nonetheless, the extents developed are useful in providing an indication of the locations within the study area that would be vulnerable to storm surge and in areas such as Cowan and Berowra Creeks would provide the only estimates available.

3.2.5.3 Brooklyn Flood Mapping

The Hornsby Overland Flow Study undertook local catchment modelling for the Brooklyn area. This modelling focused on the local rainfall-runoff process and did not investigate coastal processes which were considered in Section 3.2.5.

One of the key considerations in modelling coastal/estuarine systems is the probability of occurrence of both ocean and rainfall events at the same time and the relative magnitude of both to be considered as coincident. Currently there is no set guideline on how to combine probabilities for these events however, it is often considered overly conservative to adopt the combination of a 1% AEP ocean event occurring concurrently with a 1% AEP rainfall event. Such a combination may have a much lower probability than either the 1% AEP

rainfall or ocean events alone. Although the AWACS study has adopted this conservative assumption as noted above, there is little current authoritative advice to guide practitioners, hence this FRMSP will adopt its findings until newer studies are available.

A comparison of the 1% AEP catchment dominated storm event (without Sea Level Rise) and CSIRO 1% AEP (without Sea Level Rise) ocean dominated mapping at Brooklyn is shown in Figure 3-2 in Appendix A. The comparison shows that properties may be affected by one or both sources of inundation. Higher river water levels are observed based on the CSIRO approach, as expected. However, these CSIRO extents were developed by adopting a relatively low resolution analysis and the limitations associated with this have been described above.

3.2.5.4 Hawkesbury River Mapping Comparison – CSIRO and AWACS

A comparison was undertaken between the 1% AEP Hawkesbury River flood event (without Sea Level Rise) based on flood level information provided by Council from previous regional studies of the Hawkesbury River (AWACS, 1997) and CSIRO 1% AEP (without Sea Level Rise) ocean dominated mapping. Figure 3-3 in Appendix A shows the result of this comparison for the length of the Hawkesbury River within the LGA. Notably, there are many areas where mapping is only provided for one study. There is reasonable correspondence of the flood extents and river levels in areas where both studies were undertaken, especially for the lower reaches of the Hawkesbury River. This is reasonable, as both studies employ 1% AEP ocean water levels, which dominate in the lower reaches of the Hawkesbury.

3.2.5.5 Hawkesbury River Sea Level Rise Flood Mapping

In 2019 Cardno was engaged by Council to develop the Hawkesbury River flood extents for the 1% AEP event plus sea level rise (0.4m and 0.9m). The extents were created based on available information and using GIS methods. This study has been informed by the following information:

- > Lower Hawkesbury River Flood Study (AWACS, 1997);
- > Mapping & Responding to Coastal Inundation (Stage 1) (CSIRO, 2012); and
- > 1m LIDAR data of Hawkesbury North and South (2011) – Provided to Cardno by Council.

The 1% AEP flood extents from the Lower Hawkesbury River Flood Study were not available as a GIS layer with flood level information. As a result, it was necessary to re-create the 1% AEP flood surface from the available reported flood levels to allow the Sea Level Rise scenario extents to be developed.

A centreline along the Hawkesbury River between Wisemans Ferry and the ocean was assumed and the levels presented in Table 3-7 were assigned to the key locations along the centreline. Inverse Distance Weighted Processing (IDWP) method was used to create a flood surface using the 1% AEP flood values.

After the flood surface was created in GIS the intersection between the flood surface and the terrain (2011 ALS data) was found to create the flood extents. A comparison with the AWACS flood extents showed a good correlation, except in isolated locations where it is clear that the AWACS flood extent did not interface with the current ALS data.

Table 3-7 Adopted Flood Levels by Cardno at Key Locations (AWACS 1997)

Location	1% AEP (m AHD)	1% AEP (m AHD) + 0.4m Sea Level Rise	1% AEP (m AHD) + 0.9m Sea Level Rise
Brooklyn	1.78	2.18	2.68
Spencer	2.7	3.1	3.6
Gunderman	5.2	5.2	5.2
Wisemans Ferry	6.7	6.7	6.7

To develop the 1% AEP flood extents, the worst case envelope of flood flows and ocean tide were used. The re-created AWACS flood level was applied to the areas upstream of Brooklyn, while downstream of Brooklyn, the 1% AEP ocean tide level of 1.78m AHD was applied.

Since the flood extent from the AWACS study doesn't extend along Berowra Creek, Cowan Creek and other smaller tributaries and inlets due to the limit of model extents, the nearest Hawkesbury River level was adopted and a bathtub method was used to develop the flood surface along these creeks. It was assumed that the flood levels along Cowan Creek are dominated by the ocean levels and tides so a flat 1% AEP level of 1.78 m AHD was assumed for Cowan Creek. Similarly, flood levels at Bar Point were adopted and applied for the whole length of Berowra Creek for the 1% AEP and sea level rise events.

3.2.5.6 *Determination of Riverine Flood Planning Criteria*

Flood planning involves the implementation of planning provisions for the purpose of managing the risks of flooding on property and life. A detailed review of Hornsby Shire's flood planning process is provided in Section 8. Two key components of flood planning is the identification of Flood Planning Areas (FPAs) and Flood Planning Levels (FPLs). Section 3.2.4.1 above has indicated how these were determined for areas of the Shire affected by overland flow and this section has presented details of two regional flood studies that are applicable to the Hawkesbury River precinct.

Three flooding regimes affect this precinct. The 1% AEP event of each of these regimes constitutes, in the terms of Hornsby Shires planning process, the "current" flood hazard (see Section 8.3). The estuarine portion of the Hawkesbury may also be subject to a "future" inundation hazard due to predicted sea level rise. Section 8.3 indicates how Hornsby Shire's planning process deals with these two flood hazards by way of notations on a property's Section 10.7 Certificate. Appendix H sets out details of the clauses added to this planning certificate.

The 1% AEP event therefore forms the basis of the "current" hazard for each regime and also for the "future" hazards in the estuarine areas. The following three 1% AEP events need to be considered:-

- > Local Catchment Runoff. Local catchment runoff affects all areas, but Brooklyn is the only part of the Hawkesbury River in the Hornsby LGA where local catchment runoff has been modelled and mapped. These areas have been identified in the Hornsby Overland Flow Study using the criteria in Section 3.2.5.3;
- > Hawkesbury River mainstream flooding. These areas are those where the rainfall event dominates and have been estimated by the AWACS study. The flood extents from this study have been updated by Cardno based on the latest Lidar data (Section 3.2.5.5); and
- > Hawkesbury River coastal event flooding. These are primarily the lower estuarine section of the river as modelled in the CSIRO study. The flood extents from this study have been updated by Cardno based on the latest Lidar data (Section 3.2.5.5).

Local Catchment Runoff Areas

The 1% AEP rainfall event as determined in Section 3.2.2 can be used to identify FPAs for these areas. A property level flood study must be undertaken to determine applicable FPL at the specific site. The results of the Hornsby Overland Flow Study can however be used to assist in determining the FPL for the specific site.

Estuarine Areas

The FPAs and FPLs in these areas are dependent on which 1% AEP event is dominant: mainstream river flooding or a coastal storm. Based on the results of the above discussion, the following is recommended:

- > For sections of the river where the AWACS study provides information, adopt the 1% AEP event level from this study to determine the FPA and FPL; and
- > For sections of the river where AWACS study has not extended, adopt the CSIRO study results.

Until further regional studies are available, this is considered to be the most reliable method available to determine the 1% AEP planning criteria. The "future" hazard due to sea level inundation extents and water surface levels can then be determined by adding 0.4 m (2050) and 0.9 m (2100), respectively.

3.2.5.7 *Hawkesbury – Nepean River Flood Study*

In 2020 Infrastructure NSW (INSW) commenced a detailed flood study of the Hawkesbury – Nepean River System. This will cover the river from the Warragamba Dam to Patonga. It will bring together all available information and provide a full 2-D model of the river system. Climate change effects including projected sea level rise scenarios will be included. Due to the major flood event in this river system in March 2021 the study's outcome is being delayed until mid-2022. This recent flood event provided a large amount of

accurately determined data and information which is currently being used to calibrate the 2D model. Once mapping for this study is available, the mapping currently determined as described above will be revised.

4 Consultation

4.1 Community Consultation Process

Community consultation is an important component in the development of a Floodplain Risk Management Plan. Consultation provides an opportunity to collect feedback and observations from the community on problem areas and potential floodplain management measures. It also provides a mechanism to inform the community about flood risk and seeks to improve their awareness and readiness for dealing with flooding.

The main consultation elements undertaken for this study are:

- > Formation of a Flood Risk Management Committee (FRMC) - May 2010;
- > Presentation of Draft Overland Flow Study to both FRMC and Councillors - October 2010;
- > Public Exhibition of Draft Overland Flow Study - November 2010;
- > Answering of phone enquiries resulting from Public Exhibition. Collation and acknowledgement of written submissions received relating to the Draft Overland Flow Study. – November 2010;
- > Presentation of review of Overland Flow Study as a result of both phone and written submission to both FRMC and Council. – May 2011;
- > Implementation of Overland Flow Study review process – June 2011 February 2013;
- > Commence Preparation of Draft FRMSP – April 2014; and
- > Update Draft FRMSP based on ARR2019 guidelines and new LIDAR – May 2019.

There will be additional opportunity for community participation in the final stage of this process during the public exhibition period of the FRMSP. Feedback and review from this exhibition will be incorporated into the final FRMSP documents which will then be presented to Council for its endorsement.

4.2 Floodplain Risk Management Committee

A Floodplain Risk Management Committee (FRMC) was formed in the early stages of the floodplain risk management plan to oversee the process. In particular the preparation and exhibition of the Overland Flow Study, FPMs and FRMSP.

The Hornsby Shire FRMC consisted of ten members comprising of two Councillors, three Council officers, three local community representatives and one officer each from the State Government and the State Emergency Services (SES).

The three community members were appointed after a wide advertising campaign seeking expressions of interest from the public. The final appointments were endorsed by Council at its Ordinary Meeting in May 2010 and had one representative from each of the three Wards that make up Hornsby Shire. The State Government Representative was a suitably qualified flood expert from the DPIE.

This committee has allowed for the views of a diverse range of stakeholders to be considered during and after the public exhibition of the Draft Overland Flow Study and has also endorsed Council's review of the Study for its incorporation into the FRMSP.

4.3 Public Exhibition of Draft Overland Flow Study

4.3.1 Background

The Hornsby Overland Flow Study (OFS) report and the accompanying Draft Hornsby Shire Flood Planning Maps (FPMs) and the Overland Flow Maps (OFMs) were endorsed by Council at its Meeting held on 20 October 2010 and were initially placed on public exhibition for a period of 28 days. This period was extended for an additional 1 month due to high community interest.

An individual letter that was sent to each affected property owner and included a Frequently Asked Questions (FAQs) leaflet attachment. These were also approved by Council at the same Meeting. Copies of the letter and leaflet are included in Appendix D.

Letters were sent to 4,535 affected property owners (excluding those that were Council owned) on 19 November 2010 and the advertisement of the public exhibition for the draft OFS and draft FPMs were placed in local newspapers on 23, 24, 25, 30 November and 1 and 2 December 2010. The relevant documents were

available for inspection at Council's Administration Centre and public libraries as well as on Council's website from 23 November 2010 to 28 February 2011. The initial closing date for the public exhibition was 24 January 2011. However, at the request of Councillors due to high community interest, the closing date was then extended to 28 February 2011 in late November 2010.

At the close of the Public Exhibition period, 644 written submissions and 388 phone enquiries had been received. A breakdown of resident submissions by suburb is shown in Figure 4-1 and indicates Epping, Hornsby, Cherrybrook, Beecroft and Normanhurst as the suburbs with the highest number of written submissions.

Common themes identified in local resident responses included the concerns regarding potential impact on property values, increasing insurance premiums, implications on future property re-sale values and restrictions on development as shown in Figure 4-2.

Figure 4-1 Resident Submissions by Suburb






Figure 4-2 Resident Submissions by Theme



The number of submissions has also been assessed by catchment and results are shown in Figure 4-3. Council's drainage works program and the proposed flood mitigation options are categorised by catchment, the number of written submissions provides an indication of the level of interest from residents within each catchment and will also be used to assist with prioritisation of the updated works program.

Figure 4-3 Number of Submissions by Catchment



In view of the further guidelines received from DPIE, noted in Section 3.2 above, and to address the comments both in the phone enquiries and written submissions, the proposed process for addressing the issues raised in them was presented for Council's consideration and endorsement at its May Ordinary Meeting in 2011. This enabled officers to have Council's direction to proceed with the consideration of the submissions and undertake an endorsed process to address the issues residents had raised.

4.3.2 Outcomes of Public Exhibition

Council had arranged for a hot line to handle the expected phone and drop-in enquiries. Three hundred and eighty-eight (388) enquiries received by phone were attended to by either Council's Customer Service Section or engineering staff with flood study experience. Many of these lead to written submissions. Each call was logged, and details were recorded. To enable the issue of concern from both written and phone submissions to be defined, a detailed analysis of the issues raised was not undertaken, however the main issues raised were evident as set out below:

- > Querying of the accuracy of the hydraulic model;
- > Residents claimed that there was little or no historical evidence of flooding at their property;
- > Concerns about effects on insurance, property value and re-sale;
- > Requests on how to make a written submission;
- > Confusion over the use of some terms particularly flood and flood prone; and
- > Consideration be given that the property be removed from list.

It was also evident during the phone discussions that very few of the residents had closely read either the notification letter or the FAQ sheet that accompanied it. While residents cannot be compelled to read notification letters, the presentation of information in future mail outs like this needs to be carefully considered and made as user friendly as possible.

The 644 written submissions were however fully recorded in Council's correspondence system and each received an individual acknowledgement. The responses have been consolidated into a database and fully reviewed. Table 4-1 indicates the issues raised, note that many submissions listed more than one issue.

Table 4-1 Issues Raised by Residents in Submissions

Issue	% Response
No known historical flooding	56
Questioning of Model Accuracy	41
Adversely affect Property Value	26
Object to property's inclusion	24
Request site meeting	19
Need upgrade drainage system	19
Adversely affect Insurance	18
Adversely affect Re-sale	7
Flooding effects on property insignificant	5
Adversely affect block development potential	5

It was evident from considering these issues, Council needed to address the first two issues in particular since by improving the community's confidence in the hydraulic modelling the other issues would to a large extent also be addressed. This approach has been prominent in the review of this draft and the preparation of the latest overland flow and Hawkesbury River Flood Mapping.

4.3.3 Process to Address Issues Raised

After the close of the public exhibition period, Council commissioned its consultant, Cardno to undertake a sensitivity analysis of the key assumptions of the modelling. This was undertaken as set out in Section 3.2.2 above in a pilot catchment in Normanhurst which was considered to be typical of much of Hornsby urban areas that contained piped drainage systems. In a report to Council in May 2011, and as noted in Section 3.2 and 3.2.4.1 above it was recommended that hydraulic model TUFLOW adopt the volume of the 20% AEP event as

overland flow assuming fully blocked pipes as a reasonable surrogate for the 1% AEP event (required to define Flood Planning Areas) with fully functioning pipes. A depth filter of 150 mm as applied in the original OFS was also adopted.

4.3.4 Hydraulic Model Review and Mapping Revisions (2012)

4.3.4.1 2012 Revision

Following Council's endorsement of the proposed revision of the Draft Flood Study it was necessary to run the model for all eight model zones, identified in Figure 3-1 in Appendix A.

On completion of the running of the model for all eight modelling zones, the exhibited draft FPMs needed to be revised. To identify Flood Control Lots with High Risk of Hazard, as per the DPIE SEPP, the following procedure was followed:

- > Undertake a desktop review of doubtful lots. The desktop review focused on doubtful lots where only a small extent of the property affected by the 20% AEP (surrogate for the 1% AEP) overland flow path and will consider:
 - Extent of lot affected by the overland flow;
 - Codes SEPP setback requirements; and
- > Undertake a site inspection or ground truthing to confirm whether the lot should be a Flood Control Lot. This would focus on whether the flood affected portion of the property is likely to be built on in the event that the property is redeveloped. Subsequently identification of the lot could be finalised.

4.3.4.2 Revisions since 2012

As set out in Section 3.2.4 above, further revisions of both the modelling and mapping, based on the described methodology above have been undertaken. The most comprehensive has been the 2020 review which incorporated the latest ARR2019 hydrology and hydraulic information. The mapping currently accompanying this FRMSP are the result of the 2020 review.

4.4 Consultation Pilot Program

In early 2012 a pilot program to test the community's reaction to these revisions was undertaken. Twenty five (25) residents who had lodged submissions were contacted on a one-on-one basis.

From this trial the following was found:

- > Although most residents accepted the mapping as a reasonable representation of the flood extents they expected remedial measures would have been considered to address their flood prone status; and
- > After the consultation process, where they still disagreed with the FPMs they then approached Councillors with their issues. This tended to tie up both staff and councillors in lengthy consultations in an attempt to reach a mutually acceptable outcome.

To address this circular process, it was decided that Council's current drainage works program should be reviewed and a remediation strategy developed to ensure that works in the program would address properties identified in the flood mapping zones as a priority.

To implement this process, further detailed studies which considered strategies for addressing overland flow flooding were undertaken. The results of these studies and this approach were presented to Council in February 2013. This approach that provided both the results of the mapping as well as a drainage improvement measures to address where possible the flooding issue identified was endorsed by Councillors.

In October 2013, after the detailed studies had been largely completed and preliminary drainage strategies were being developed for all Council's urban overland flow affected areas, a further presentation to Council to have their concurrence on the process was undertaken.

As a result, it was considered that the most effective way of finalising the Flood Planning Process was to proceed with the preparation of a Floodplain Risk Management Study and Plan (FRMSP), the next step in the process Floodplain Management Process as set out in the Floodplain Development Manual (FDM, 2005). The adoption of Council's proposed approach was fully discussed with DPIE, and received their full support. This approach combined the overland flow study results with a strategy to address the identified flooding problems and would address the gap in Council's approach identified in Council's pilot consultation process.

Following the preparation of a technical brief by Council and the approval by Council and DPIE of the resulting consultant's proposal, the FRMSP was commenced by Cardno in April 2014.

Council proceeded with the preparation of a draft FRMSP but this was not taken to public exhibition stage due to the council amalgamation process adopted by the NSW State Government. Now this process has been completed, Council has re-activated the preparation of the FRMSP and plans to have it go to public exhibition as soon as circumstances allow.

4.5 Public Exhibition and Finalisation of FRMSP

The draft FRMSP documents as revised in 2021 are to be placed on public exhibition to provide an opportunity for the community to provide comment. All submissions received during the exhibition period will be collated and reviewed. The document will then be reviewed and amended to incorporate the community feedback. The final FRMSP documents and FPMs will then be presented to Council for endorsement.

5 Existing Flood Behaviour

5.1 Flood Hazard

5.1.1 Background

This section examines the hazards associated with flood behaviour and how the risks associated with them are evaluated. The outcomes of this investigation are primarily related to how flood affects the human population of the LGA and subsequently the emergency measures required to ensure this population can adequately respond to major flood events, which are outlined in Section 7. Note that hazards determined here as 'high' and 'low' with their associated risk should not be confused with the similar terms used in Sections 3.2.5, 3.2.2 and 9.4, which are used there in a planning context to identify residential blocks affected by inundation and how planning controls will reduce the flood hazard evaluated for them. The high and low risk in this chapter is concerned with the risk associated with the flood hazards caused by a combination of water velocity and depth as shown in Figures 5-1 to 5-2 in Appendix A and as explained in Sections 5.1.2 and 5.1.3 below.

5.1.2 Provisional Flood Hazard

Flood hazard can be defined as the risk to life caused by a flood. The hazard caused by a flood varies both in time and place across the floodplain. Provisional flood hazard is determined through a relationship developed between the depth and velocity of floodwaters and is based strictly on hydraulic considerations. The Floodplain Development Manual (FDM) (NSW Government, 2005) defines two categories for provisional hazard – high and low, as shown in Figure 5-1 in Appendix A.

- > High hazard – possible danger to personal safety, evacuation by trucks difficult, able-bodied adults would have difficulty in wading to safety, potential for significant structural damage to buildings; and
- > Low hazard – should it be necessary, a truck could be used to evacuate people and their possessions, able-bodied adults would have little difficulty in wading to safety.

5.1.3 True Flood Hazard

Provisional flood hazard does not consider a range of other factors that influence the "true" flood hazard. In addition to water depth and velocity, other factors contributing to the true flood hazard include:

- > Size of the flood;
- > Effective warning time;
- > Flood readiness;
- > Rate of rise of floodwaters;
- > Duration of flooding;
- > Ease of evacuation;
- > Effective flood access; and
- > Type of development in the floodplain.

In the Hornsby LGA, due to the nature of its catchments, many of the above factors are not significant contributors in terms of affecting the hazard classification. However, they have all been considered in this report to provide a thorough assessment process.

Size of Flood

The size of a flood and the damage it causes varies from one event to another. In order to define the "true" flood hazard in varied magnitudes of storm events, flood hazard of significance to Hornsby LGA has been assessed for the PMF and 1% AEP in this study.

This study and plan from an engineering and planning perspective, focuses on the effects the 1% AEP event. Experiences from the 1980/90 and 2010 flood events would suggest that Hornsby Shire Council's infrastructure is generally able to accommodate flood events up to this magnitude. Section 7 covers the emergency response and discusses how Hornsby LGA will be managed for the flood events of all magnitudes.




Figure 5-1 Flood Hazard Categorisation after the Floodplain Development Manual

Effective Warning Time

The effective warning time is the actual time available prior to a flood during which people may undertake appropriate actions (such as lift or transport belongings and/or evacuation). Effective warning time is always less than the total warning time available to emergency service agencies. This is related to the time needed to pass the flood warning to people located in the floodplain and for them to begin effective property protection and/or evacuation procedures. Refer to Chapter 7 for further information on emergency response.

The critical duration for the storm events is around 30 minutes to 90 minutes throughout most of the catchments. As critical durations are fairly homogenous, all regions are subject to flash flooding, and consequently no region is more at risk due to warning time than any other.

Flood Readiness

Flood readiness or preparedness can greatly influence the time taken by flood-affected residents and visitors to respond in an efficient manner to flood warnings. In communities with a high degree of flood readiness, the response to flood warnings is prompt, efficient and effective.

Flood readiness is generally influenced by the time elapsed since the area last experienced severe flooding. The major flood events occurred in the LGA were in April 1988 which was roughly equivalent to a 2% AEP event, February 1990 which was roughly between a 5% AEP to 2% AEP event. Problems were reported by a total of 1,150 properties arising from the 1988 and 1990 storms, suggesting that longer term residents would be aware of significant flooding events in the LGA.

Council undertook a large works program after the 1988 and 1990 events which resulted in many fewer responses being required during the February 2010 event. No events of this magnitude have occurred since 2010.

Flood readiness in the Hawkesbury River area is more a regional response and is discussed in Chapter 7.

Rate of Rise of Floodwaters

The rate of rise of floodwater affects the magnitude of the consequences of a flood event. Situations where floodwaters rise rapidly are potentially far more dangerous and cause more damage than situations where flood levels increase slowly. The rate of rise of floodwaters is affected by catchment and floodplain characteristics.

Generally, rate of rise of 0.5 m/hr is adopted as indicative of high hazard. However, it is important to note that if an area has a rate of rise greater than 0.5 m/hr this does not automatically result in the area being categorised

as high hazard. For instance, if the rate of rise is very high but flood depths only reach 200 mm, this is not considered to pose any greater hazard than slowly rising waters. Therefore, peak flood depths are considered in conjunction with the rate of rise in defining areas affected by true high hazard.

A flood depth of 500 mm, combined with a rate of rise greater than 0.5 m/hr is generally selected as the trigger depth to identify hazardous conditions. In this instance, areas within the LGA which may be considered high hazard due to rate of rise are already identified in the preliminary high hazard categorisation.

Duration of Flooding

The duration of flooding or length of time a community, town or single dwelling is cut off by floodwaters can have a significant impact on the costs and disruption associated with flooding. Flooding durations in urban areas of Hornsby LGA, except for Brooklyn, are generally less than two hours, and as such this is not considered as a key issue for Hornsby LGA. Areas along the Hawkesbury affected by mainstream flooding are covered in Chapter 7.

Ease of Evacuation

The levels of damage and disruption caused by a flood are also influenced by the difficulty of evacuating flood-affected people and property. Evacuation may be difficult due to a number of factors, including:

- > The number of people requiring assistance;
- > Mobility of those being evacuated;
- > Time of day; and
- > Lack of suitable evacuation equipment.

A flood event in the LGA, except along the Hawkesbury River, is likely to be a flash flood scenario, with limited warning time and exposure time. Any decision to evacuate is handled by the SES and residents would be advised of this at the time of the event as set out in Chapter 7. It is noted that the percentage of people aged between 0 and 4 is lower than the NSW average, as is the percentage of residents aged over 60. Within the study area, both aged care and child care facilities were classified as having difficult evacuation requirements due to the demographics of the residents at these locations. Fifteen of these facilities have been identified within the PMF flood extents with only two of these locations affected in the 1% AEP event.

Effective Flood Access

The availability of effective access routes to or from flood affected areas can directly influence personal safety and potential damage reduction measures. Effective access implies that there is an exit route available that remains trafficable for sufficient time to evacuate people and possessions.

Flood access issues vary across the LGA. For this assessment, properties were identified as being in one of four flood access categories:

- > Site is flooded and evacuation required through a high hazard flooded roadway;
- > Site is flooded and evacuation is required through a flooded roadway;
- > Site is flooded and evacuation is possible through a non-flooded roadway directly from site; and
- > Site is flood free, however all road access is impeded by floodwaters.

To consolidate these categories and determine the implication of flood access issues on hazard mapping, criteria were set to establish effective flood access. It was determined that effective access is a road which is flooded by less than 0.3 m of water. For the purposes of this assessment 0.3 m is the threshold depth at which vehicles become unstable, even at very low velocities.

Access road flooding is discussed in Section 7.6.1, with locations identified on Sheet 1 to Sheet 6 (Appendix F), and was used as part of the hazard assessment.

Type of Development

The degree of hazard to be managed is a function of the type of development and resident mobility. This may alter the type of development considered appropriate in new development areas and may also change management strategies in existing development areas. The land-use in the Study Area is predominantly residential, with some commercial and industrial areas.

Preliminary and true hazard mapping for the 1% AEP and PMF events is shown in Figure 5-1 and Figure 5-2 included in Appendix A.

5.2 Impacts of Climate Change

Changes to climate conditions are expected to have adverse impacts on sea levels and rainfall intensities.

A feature of the ARR DataHub is the guidance provided on the Interim Climate Change Factors. The guideline values for the Hornsby LGA obtained from ARR2019 are shown in Table 5-1. ARR2019 further recommends that consideration be given to the RCP 4.5 and RCP 8.5 scenarios.

Table 5-1 Interim Climate Change Factors (Source: ARR DataHub)

Year	RCP 4.5	RCP 6	RCP 8.5
2030	0.869 (4.3%)	0.783 (3.9%)	0.983 (4.9%)
2040	1.057 (5.3%)	1.014 (5.1%)	1.349 (6.8%)
2050	1.272 (6.4%)	1.236 (6.2%)	1.773 (9.0%)
2060	1.488 (7.5%)	1.458 (7.4%)	2.237 (11.5%)
2070	1.676 (8.5%)	1.691 (8.6%)	2.722 (14.2%)
2080	1.810 (9.2%)	1.944 (9.9%)	3.209 (16.9%)
2090	1.862 (9.5%)	2.227 (11.5%)	3.679 (19.7%)

5.2.2 Rainfall Increase

As disclosed in Table 5-1 the highest increase in rainfall (19.7%) is associated with RCP 8.5 in 2090. After discussions with Council, it was decided to adopt the following climate change scenarios for the 2020 update assessments:

- > 2090 RCP 4.5 (rounded up to 10%)
- > 2090 RCP 8.5 (rounded up to 20%)

To evaluate the effects of increased rainfall intensity under this scenario, the hydraulic models were run for the 1% AEP event (only 1% AEP event for the identified critical burst durations for each model) with increased rainfall intensities of 10% and 20%. The differences in peak water levels based on a 20% increase in rainfall intensity are shown in Figure 5-3 in Appendix A. Results indicate widespread increases in water levels along all overland flow paths with significant increases along the main creeks as the greater volume of runoff reaches the creeks. These results are only intended to indicate what may happen under these predicted conditions and in the context of planning controls are viewed as per the descriptions in Section 8 as a 'future' hazard.

The effects of climate change on flood mapping are dealt with further in Section 8.

5.2.3 Sea Level Rise

The DPIE (which now includes the former Department of Environment, Climate Change and Water (DECCW)) guideline, Practical Consideration of Climate Change (2007), provides advice for consideration of climate change in flood investigations. The guideline recommends sensitivity analysis is conducted for:

- > Sea level rise – for low, medium, and high level impacts up to 0.9 m.

Sea level rise planning benchmarks for assessing potential flood risk impacts due to sea level rise in coastal areas are listed in two documents:

- > NSW Coastal Planning Guideline: Adapting to Sea Level Rise (August 2010, prepared by the NSW Department of Planning); and
- > Flood Risk Management Guide - Incorporating sea level rise benchmarks in flood risk assessments (August 2010, prepared by the Department of Environment, Climate Change and Water NSW).

The benchmarks are a projected rise in sea level relative to the 1990 mean sea level of 0.4 m by 2050 and 0.9 m by 2100. Sea level rise impacts would be realised along the Hawkesbury River and the Brooklyn hydraulic model was run for the 1% AEP event with a tailwater level increase based on two scenarios:

- > +0.4 m to 0.4 m AHD; and

> +0.9 m to 0.9 m AHD.

It is noted that previous modelling has been undertaken based on a tailwater level of 0 m AHD to demonstrate the impacts of catchment dominating flooding. The estimated increases in peak water level based on a tailwater increase of 0.9 m is shown in Figure 5-4 in Appendix A and shows increases in water levels are expected along all flowpaths through urban areas of Brooklyn. For comparative purposes the 1% AEP sea level rise extents were also mapped with the CSIRO sea level rise predictions as shown in Figure 5-5 in Appendix A to contrast the differences in estimated extents based on catchment dominating flooding and ocean dominated flooding in the area, noting the limitations of the CSIRO modelling as outlined in Section 3.2.5.3.

The current NSW Government Policy has dispensed with the State wide application of these sea level rises when the NSW Sea Level Risk Policy Statement 2009 was repealed. The effect of sea level rise on planning is discussed further in Chapter 8. As noted above the hazards associated with predicted sea level rise are now accounted for by planning for it as a 'future' hazard.

5.3 Types of Flood Risk Management Measures

Measures for managing flood risks can be divided into three types as per the NSW Floodplain Development Manual (2005):

1. Flood behaviour modification works (refer to Section 9)
2. Property modifications measures that aim to minimise flood damage (refer to Section 8)
3. Measures that aim to modify human response to flooding (refer to Section 7)

Flood behaviour modifications normally involve the construction of engineering assets that aim to lower flood levels, divert flood waters from flood prone areas or otherwise employ structures to contain and modify the flood flows. These are traditionally measures that Council has adopted for inclusion in its Drainage Upgrade Program and are designed to provide a predetermined minimum service level of flood protection to affected properties. These might include works such as providing drainage conduits to convey the 5% AEP flood flow. Table 9-2 provides a list of works that have been investigated and may provide possible flood behaviour modifications for identified flood planning areas within the Shire.

Property modification measures are mainly non-engineering measures designed to minimise flood damage. These include activities such as voluntary purchase of flood affected properties, house raising and development controls such as those that apply through the implementation of Council's LEP (2013). Within the Hornsby Shire LGA, these methods, if applicable, may either form part of an engineering option or they may also be used as a sole solution. Although development controls can add additional costs to development, they are very effective in ensuring that the potential for flood damage is minimised. These controls as outlined in Section 8 are therefore seen as a major component of flood risk management.

The modification of human response to flooding is discussed in Section 7 as it primarily relates to the emergency response to flood events. Normally, Council's role in this area is one of facilitation and support of the actions undertaken by emergency management authorities such as the SES.

In general, the purpose of flood behaviour and property modifications is to reduce the need to modify the human response to flooding.

6 Environmental and Social Characteristics

Floodplain management can impose a variety of social and environmental costs on flood affected communities and areas. For example the relocation or disruption of a community, the clearing of vegetation or reshaping of a waterway to improve hydraulic efficiency and lower flood levels, or the construction of levees can all have various social and environmental implications. Further, the implementation of risk management measures may provide an advantage for some groups of the community but not others. Alternatively, in some cases floodplain management can be used to enhance both environmental and social aspects of a community, for example creek rehabilitation in conjunction with improved hydraulic efficiency.

In addition, environmental and social characteristics of the study area may influence the type and extent of flood management options able to be implemented. Environmental characteristics, such as habitats, threatened species, topography and geology are constraints on structural flood modification sites. Social characteristics such as housing and demographics may impact the community's response to flooding and therefore affect the type of flood management options proposed.

The following environmental and social characteristics have been considered in the assessment:

- > Demographic and social characteristics;
- > Topography, soils and contamination;
- > Water management;
- > Threatened flora and fauna; and
- > Aboriginal and non-Indigenous heritage.

6.1 Demographic and Social Characteristics

Knowledge of the demographic character of an area assists in the preparation and evaluation of floodplain management options that are appropriate for the local community. For example, in the consideration of emergency response or evacuation procedures, information may need to be presented in a range of languages and/or additional arrangements may need to be made for less mobile members of the community.

The Hornsby LGA comprises 23 suburbs and is the second largest LGA in the Sydney region (HSC, 2004). Demographic data for the Hornsby LGA, sourced primarily from the Australian Bureau of Statistics (ABS) 2016 Census, was reviewed to gain an appreciation of the social characteristics of the area.

Census data showed that the population of the Hornsby LGA in 2016 was 142,667, with a median age of 40 years, slightly higher than the median for NSW (38). Approximately half the people living in the Hornsby LGA are aged between 15-54 years, which suggests that the community is likely to be generally able-bodied and able to evacuate effectively. However, very young children (0-4 years) and the elderly (>75) make up a substantial portion of the population, (approximately 20,000) so it is important to consider these members of the community in flood risk management planning.

English was the only language spoken in the majority of homes (approximately 65.3%) in the Hornsby LGA. However, there were number of other languages spoken at home including Mandarin 7.2%, Cantonese 4%, Korean 2.3%, Hindi 1.6% and Persian 1.2%. This suggests that language barriers (e.g. during evacuation, or for flood education), may occur, and consideration should be given to the inclusion of multi-lingual brochures and personnel where appropriate.

More detailed 2016 Census data has been tabulated in Appendix E (Tables E1 and E2).

6.2 Topography, Soils and Contamination

Topography

The Hornsby LGA consists of steep areas, particularly adjacent to waterways, and undulating terrain, with development generally along ridgelines (e.g. Waitara, Hornsby, Asquith, Berowra and Mount Colah).

Soils

Geotechnical and soil investigations may be required for structural floodplain risk management measures that result in below ground works, earth movement or excavation, to ensure that environmental risks are considered and mitigated. A review of the Soil Landscape Map of Sydney (Scale 1:100,000) indicates that the Hornsby LGA is located on several soil landscape groups, and some limitations to development may be present. Key

soil limitations are outlined below and these may need to be considered during floodplain risk management options development and design:

- > Colluvial Landscape (Hawkesbury) – Generally higher limitations to development, including mass movement hazard, rock fall hazard and erosion hazard ranging from moderate to extreme.
- > Erosional Landscape (Glenorie) – Generally minor limitations to development although erosion hazard may be moderate to very high.

In addition to the above limitations, acid sulfate soil risk is present in the area according to Councils LEP mapping (HSC, 2013). Acid sulfate soil is the common name for soils that contain metal sulfides. The presence of these soils is to be expected due to the generally low-lying topography of the floodplain areas. In an undisturbed and waterlogged state, acid sulphate soils generally pose no or low risk. However, when disturbed, an oxidation reaction occurs to produce sulfuric acid which can negatively impact on the surrounding environment in a number of ways.

According to the mapping, locations in the vicinity of large waterway areas including Berowra Creek are likely to be subject to high risk from acid sulfate soils. Locations near smaller tributaries are less likely to be affected.

Contaminated Land

Contaminated land refers to any land which contains a substance at such concentrations as to present a risk of harm to human or environmental health, as defined in the Contaminated Land Management Act 1997. Where possible, contamination issues have been considered in the development of the flood management options. A more detailed consideration of contamination issues would need to be done during the design stage.

The DPIE regulates contaminated land sites and maintains a record of written notices issued by the Environment Protection Authority (EPA) in relation to the investigation or remediation of site contamination. Searches were undertaken of the online DPIE Contaminated Land Record and the List of NSW Contaminated Sites notified to the EPA, on 22 December 2014. A total of 16 premises were listed, and these are provided in Appendix E (Table E4). The majority of the sites are service stations lying on main roads and highways. It is important to note that there are limitations to the registers and sites may be contaminated that are not listed.

6.3 Water Management

Hornsby Shire Council prepared the Sustainable Water Best Practices document to accompany the Sustainable Water Development Control Plan, 1997 (Draft) which applies to all development on all lands under the Hornsby Shire Council Local Environment Plan, 1994. The primary purpose of the Development Control Plan (DCP) is to provide development controls to ensure that all activities adopt a water sensitive approach in the pursuit of Ecologically Sustainable Development. The DCP defines what tasks and/or devices must be implemented whilst this document defines what the practices, devices and activities are. This document has been considered when identifying and implementing flood mitigation options for the catchment.

A search of the Protection of the Environment Operations Act 1997 (PoEO Act) licensed premises public register on 24 September 2014 identified 42 premises within the LGA that have pollution discharge licences. A list of these is provided in Appendix E (Table E5).

6.4 Threatened Flora and Fauna

A search of the Australian Government's Environment Protection and Biodiversity Conservation Act (EPBC) (1999) undertaken in August 2021 indicated that seven threatened ecological communities are likely to occur in the area, namely:

- > Blue Gum High Forest of the Sydney Basin Bioregion (Critically Endangered);
- > Littoral Rainforest and Coastal Vine Thickets of Eastern Australia (Critically Endangered);
- > Turpentine-Ironbark Forest in the Sydney Basin Bioregion (Critically Endangered);
- > Western Sydney Dry Rainforest and Moist Woodland on Shale (Critically Endangered);
- > Coastal Upland Swamps in the Sydney Basin Bioregion (Endangered);
- > Shale/Sandstone Transition Forest (Endangered); and
- > Subtropical and Temperate Coastal Saltmarsh (Vulnerable).

Review of the vegetation communities present in the Hornsby LGA (P & J Smith Ecological Consultants, 2008) indicated several Endangered Ecological Communities (EECs) being present in the LGA (some in addition to the EPBC search) namely:

- > Two critically endangered ecological communities listed under Commonwealth legislation:
 - Turpentine-Ironbark Forest; and
 - Blue Gum High Forest;
- > One endangered ecological community listed under Commonwealth legislation:
 - Shale/Sandstone Transition Forest;
- > One critically endangered ecological community listed under NSW legislation:
 - Blue Gum Diatreme Forest (forms part of 'Blue Gum High Forest' as listed under NSW legislation, but not 'Blue Gum High Forest' as listed under Commonwealth legislation); and
- > Nine endangered ecological communities listed under NSW legislation:
 - Duffys Forest;
 - Rough-barked Apple River-flat Forest;
 - Forest Red Gum River-flat Forest;
 - Shale Gravel Transition Forest;
 - Swamp Oak Floodplain Forest;
 - Coastal Saltmarsh,
 - Swamp Mahogany Forest;
 - Floodplain Paperbark Scrub; and
 - Floodplain Reedland.
 - Turpentine Ironbank Forest

The Hornsby LGA comprises a number of National Parks and Reserves including:

- > Lane Cove National Park;
- > Marramarra National Park;
- > Ku-Ring-Gai Chase National Park;
- > Dural Nature Reserve;
- > Long Island Nature Reserve;
- > Muogamarra Nature Reserve;
- > Berowra Valley Regional Park;
- > Maroota Historic Site.

These are protected under the *NSW National Parks and Wildlife Act 1974*.

SEPP 14 wetlands do not occur in the Hornsby LGA (the nearest being approximately 5km away).

A search of the various DPIE (2014a) databases and datasets was undertaken to assess relevant biodiversity features within the Hornsby LGA. Approximately 2000 threatened flora sightings have been recorded in the LGA, consisting of 39 species (Appendix E, Table E6). Approximately 1000 threatened or migratory fauna sightings have been recorded in the LGA, consisting of 31 bird species, 15 mammal species, 3 amphibian species and 2 reptile species (Appendix E, Table E7).

Records for both threatened flora and fauna are scattered across the LGA, with clusters tending to form in more vegetated areas.

A search of the Australian Department of the Environment's Protected Matters Search Tool (DoE, 2014) undertaken in December 2014 indicated that a total 84 threatened species and 46 migratory species are known, likely or may occur in the area.

The large number of threatened communities and species that occurs or has the potential to occur within the LGA should be considered in the development and implementation of any proposed flood modification options

or flood protection works. Species type, abundance and distribution should be considered, and further investigation may be required if impacts are anticipated.

6.5 Heritage

6.5.1 Aboriginal Heritage

Hornsby Shire Council recognises the Traditional Custodians of the land that includes Hornsby Shire, the Dharug and Gu-ring-gai people (HSC, n.d.) and acknowledges and upholds the intrinsic connections and continuing relationships they have to Country.

The Aboriginal heritage of Hornsby Shire is at least 15,000 to 20,000 years old and consists of places, traditions, beliefs, customs, values, and objects that represent the living history of past Aboriginal generations. There are more than 200 registered Aboriginal heritage sites in the Shire, including rock-shelters, middens and engravings (HSC, n.d.). In 2020, Council commenced an Aboriginal cultural heritage study that may identify additional sites.

One burial site is known to exist in the Ku-ring-gai Chase National Park and middens and carvings can be found at Bobbin Head, Berowra Waters and throughout Ku-ring-gai Chase National Park. A collection of ceremonial carvings can be found off the Pacific Highway near Berowra (HSC, n.d.).

The National Parks and Wildlife Act 1974 (NPW Act) protects all registered and unknown deposits, objects or material evidence of Aboriginal occupation in NSW including Aboriginal remains. An Aboriginal Heritage Impact Permit (AHIP) is required under the NPW Act to carry out activities that may harm Aboriginal heritage.

An Aboriginal Cultural Heritage Due Diligence Assessment should be undertaken to inform project design development, and further investigation undertaken if required. Project parameters should specify that known Aboriginal heritage objects, sites and places should remain undisturbed. Provision for managing any unforeseen Aboriginal heritage impacts that may arise during a project should also be considered.

6.5.2 Statutory Heritage Lists

A desktop review of statutory heritage lists that identify Indigenous, Natural and Non-Indigenous heritage was undertaken for the Hornsby LGA. Searches were undertaken of the following:

The Australian Heritage Database

The database includes the World, National and Commonwealth Heritage Lists established under the Commonwealth Environment Protection and Biodiversity Conservation Act 1999 (EPBC Act) as well as some other items and places.

One place on the National Heritage List was recorded in Hornsby Shire, the Ku-ring-gai Chase National Park, Lion, Long and Spectacle Island Nature Reserves. A further 24 items not included in the EPBC lists were recorded (Appendix E, Table E9).

The NSW Heritage Act 1977

The State Heritage Register of the NSW Heritage Act includes 9 heritage items located in Hornsby Shire:

- > Ahimsa, 67 Cobran Road, Cheltenham
- > Bridge over Tunks (Pearces) Creek, Main Road 161, Galston
- > Gilligaloola, 82-84 Pennant Hills Road, Normanhurst
- > Hawkesbury River Rail Bridge and Long Island Group, Main Northern railway, Brooklyn
- > Hawkesbury River Railway Station group, Main Northern railway, Brooklyn
- > Highlands, 9 Highlands Avenue, Wahroonga
- > Mount Wilga House, 2A Manor Road (Rosamond Street), Hornsby
- > Old Man's Valley Cemetery, Old Man's Valley, off Quarry Road, Hornsby
- > Pipe Organ from Bourke Street Congregational Church (former), School Road, Galston

An additional 23 items were also identified as being listed by State Agencies under Section 170 of the Act (Appendix E, Table E9).

Schedule 5 of the Hornsby Local Environmental Plan 2013 (HLEP)

The HLEP heritage schedule includes 847 items, most of which are of local significance and nine heritage conservation areas. Following Council boundary changes in 2016, those located in Epping and Carlingford are now in the City of Parramatta Council area but remain in the HLEP until a new Parramatta LEP comes into force.

- > Beecroft/Cheltenham Heritage Conservation Area;
- > Hornsby West Side Heritage Conservation Area;
- > The Crescent (Pennant Hills) Heritage Conservation Area;
- > Wahroonga Heritage Conservation Area;
- > Wahroonga (North) Heritage Conservation Area; and
- > Barker College Heritage Conservation Area.

6.6 Effects of Environmental and Social Characteristics

The substantial number of significant sites across the LGA needs to be taken into consideration when undertaking structural floodplain risk management works or development in a heritage or conservation area. Where alteration of an heritage item or undertaking development in an heritage conservation area is proposed, the proponent must refer to the Hornsby LEP (2013) for heritage provisions and development guidelines. Depending on the nature of any structural flood mitigation works proposed, an assessment of the environmental and heritage impacts may be required.

The above analysis has identified a wide variety of environmental and social sites. It is therefore recommended that where flood mitigation measures are proposed the impact on the sites' environmental and social characteristics needs to be evaluated.

7 Emergency Management

7.1 Flood Emergency Response

The urban areas of Hornsby LGA include a diversity of topographies, which are affected by a range of flood types, comprising a combination of overland flow and riverine flooding. Emergency response to flooding will be guided by the advice of the NSW SES and police. The SES have responsibilities for overall management of the flood response while the police are responsible for managing evacuation.

7.1.1 Flash Flooding and Overland Flow

Overland flow or flash flooding characteristically occurs quickly resulting in rapid onset of increased water levels that may be elevated for only short periods of time. The flooding occurs primarily due to overland runoff from the catchment, rather than inundation from a watercourse, although many areas experience a combination of flood types.

This flooding behaviour results in a limited time period in which to provide a flood warning or to arrange for evacuations. Due to the short steep catchment characteristics within the urban areas of Hornsby LGA, the warning time is likely to be less than one hour. Due to this rapidly occurring situation, the appropriate response for a given flood event will be managed by SES and Police.

As discussed in Section 3.1 Hornsby Shire has experienced three significant overland flow events in 1988, 1990 and 2010, over the last 30 years. These have resulted in both habitable area and yard inundation. Contact with residents post the event revealed that the elevated water levels only lasted between half to one hour and generally no wide-scale evacuation were required although SES did attend to many instances of storm damages to properties.

The inclusion of road water levels up to the PMF and evacuation centres in Local Flood Plans is considered to be good practice. Their inclusion coupled with the frequency and accuracy of Bureau of Meteorology (BoM) reports should generally be sufficient to ensure resident awareness of flash/overland flooding events. Experience to date as a result of these events indicates that SES and police actions managed the flooding and that a special public flood awareness campaign is probably not required in these areas.

7.1.2 Riverine Flooding

Riverine flooding usually has slower onset of increased water levels and is normally coupled with extended durations of inundation. Areas adjacent to the Hawkesbury River, particularly around Brooklyn, are the most affected within Hornsby LGA. Although river communities at Dangar Island, Berowra Waters, Milson Passage and Wisemans Ferry can also be impacted

When the Hawkesbury River floods, such an event is on a regional scale. Flood emergency response in these instances is managed at a regional scale and, as discussed in Section 7.2 below, is covered by a number of regional and state plans. This FRMSP intends to briefly discuss and summarise these, but does not intend to make any recommendations, as these require resources at a State Government level to be effective.

7.2 Flood Emergency Response Documentation

Flood emergency measures are an effective means of reducing the costs of flooding and managing the continuing and residual risks to the area. There are a number of documents relating to emergency preparedness and response for flood events, including:

- > New South Wales State Emergency Management Plan (EMPLAN, 2018) ;
- > New South Wales State Flood Plan (SES, 2018);
- > Hawkesbury-Nepean Valley Flood Emergency Plan (2020) - Sub plan of State Emergency Management Plan (EMPLAN);
- > Guideline on Emergency Planning Response to Protect Life in the Event of Flash Floods (AFAC, 2013);
- > Hornsby Ku-ring-gai Local Disaster Plan (DISPLAN) (SES, 2008);
- > Hornsby Shire Local Flood Plan (SES, 2013); and
- > North West Metropolitan Regional Emergency Management Plan (EMPLAN 2018);

For Brooklyn and other areas on the Hawkesbury River, the Hawkesbury Nepean Flood Emergency Sub Plan (SES, 2020) also applies.

Current flood emergency response arrangements for flooding in the Hornsby LGA are discussed with reference to the key documents below.

7.2.1 North West Metropolitan Emergency Management District Disaster Plan

The North West Metropolitan Emergency Management District covers many local government areas (LGAs) including Hornsby, and incorporates areas from the Blue Mountains, Hawkesbury, and Parramatta to the Northern Beaches. The aim of the North West Metropolitan Emergency Management District (2018) is for a coordinated and efficient management of the prevention, preparation, response and recovery arrangements for emergencies within the District. It describes the arrangements and agency responsibilities and provides policy direction for the preparation of supporting plans.

The North West Metropolitan Emergency Management District Disaster Plan lists significant assets and risks within the District, including:

- > Motorways/Freeways/Highways/Tunnel – Pacific Highway, Sydney - Newcastle Freeway (F3), M2 Motorway; North-Connex
- > Significant connecting roads – Epping / Beecroft Roads, Pennant Hills Road, Old Northern Road, Galston Road, Castle Hill Road;
- > Significant rail lines - The North Shore Line, The main Northern Line;
- > Waterways – Lane Cove River;
- > Water Storage Areas / Prescribed Dams – Thornleigh Reservoir;
- > Correctional centres – none; and
- > Industry and Critical Infrastructure - Caltex Sydney to Newcastle Fuel Pipeline, Sydney to Newcastle Gas Pipeline, aged care facilities, retirement villages, a major shopping complex at Hornsby and other smaller shopping centres.

The primary hazards which could require district level response related to this Floodplain Risk Management Study are listed in Table 7-1.

Table 7-1 Primary Hazards

Hazard	Threat level			Comments
	Likelihood	Consequence	Risk Rating	
Severe Storms	Likely	Major	High	General threat throughout the District.
Flash Flood	Likely	Major	High	General threat throughout the District
Riverine Flood	Likely	Major	High	Refer to NSW SES Flood Plans

The agencies, organisations and/or committees with responsibilities to facilitate prevention and mitigation measures in potential flood disaster situations are listed in Table 7-2.

Table 7-2 Agencies Responsible for Flood Prevention and Mitigation

Hazard	Agency Responsible	Mitigation / Prevention Strategies
Flood	Local Councils	<ul style="list-style-type: none"> § Regulate property development & building construction through LEPs & DCPs. § Development & maintenance of flood mitigation works. § Preparation of floodplain management plans.
	NSW Department of Finance and Services and the EPA	<ul style="list-style-type: none"> § Preparation of mitigation schemes and floodplain management studies and plans.

Responsibility for the conduct and coordination of public education in relation to flooding and severe storm is the NSW State Emergency Service (SES) as listed in Table 7-3.

Table 7-3 Agencies Responsible for Public Education on Flooding

Hazard	Agency Responsible
Flooding	NSW SES is responsible for ensuring that residents are aware of the flood threat and how to protect themselves against it.
Severe Storm	NSW SES is responsible for ensuring that the residents of their divisions are aware of the likely effects of storm impact and how to protect themselves against it.

Responsibility for the provision of warnings to the community, participating organisations and other agencies in relation to flood hazards or threats are listed in Table 7-4.

Table 7-4 Agencies Responsible for Provision of Warnings for Flood Hazards

Hazard	Agency Responsible	Warning Provided
Flooding	NSW SES Region Controllers	Local Flood Bulletins & Evacuation Warnings to: flood affected communities via the electronic media; the DEOCON; and Relevant agencies and functional areas.
	Bureau of Meteorology	Local Flood Advices and Warnings.

The Standard Emergency Warning Signal (SEWS) is a nationally adopted distinctive sound which may be broadcast over radio or television immediately before an urgent public safety message. The SEWS is designed to attract the attention of the public to an urgent safety message. The NSW Government Ministry for Police and Emergency Services (MPES) advises Following the signal there will be a message, pay immediate attention, listen to the announcement, and follow any instructions given. As part of a coordinated national emergency plan, an audio signal has been adopted to alert the community to an urgent safety message relating to an identified emergency such as a flood, fire, or earthquake aftershocks."

The MPES also advises of the Emergency Alert telephone warning system as "one of a number of ways we can warn the community of NSW about an emergency threat or emergency situation". If a decision is made to issue a warning via telephone during an emergency, an Emergency Alert would be sent to landline telephones based on the location of the handset, and to mobile phones based on the billing address within an area defined as under threat or affected by the situation. Emergency Alerts will only be used as a complement to other existing warning mechanisms such as door-knocking, broadcasts via local media outlets such as television, radio and newspapers and public address systems.

Evacuation of persons or animals from an area of danger or potential danger is a possible strategy in combating a flood event. Table 7-5 is an extract from the DISPLAN (SES, 2010) and lists some individuals and organisations which have authority to order an evacuation of persons or animals and under which circumstances they have this authority. Disseminating warnings and advice to the public is generally through electronic media, but if urgently required, evacuation warnings will be reinforced by public address systems fitted to emergency services vehicles and door knocks of affected areas by evacuation teams (emergency services personnel and others as necessary).

Table 7-5 Extract from DISPLAN (Evacuation Authority)

Individual / Organisation	Authority
A member of the Police Force	Recognise and support the authority of, and assist, the Commissioner of NSW Rural Fire Service and any member of rural fire brigade or fire control officer acting under Commissioner's direction. [s 41 Rural Fires Act]
A Police officer, and all members of emergency service organisations	Recognise authority of, and assist, Director-General SES and emergency officers acting under the orders of the Director-General, division controller or local controller. [s 21 State Emergency Service Act]

Individual / Organisation	Authority
Director-General SES; or "Emergency service officer" when authorised by Director- General	Direct a person to: leave premises and move out of an emergency area or any part of it; take any persons in their care with them; and/or not enter an emergency area or any part of it, including doing all such things as are reasonably necessary to ensure compliance, including use of reasonable force. [s 22 State Emergency Service Act]

7.2.2 Hornsby Shire Local Flood Plan

The Hornsby Shire Local Flood Plan is a Sub-Plan of the North West Metropolitan Emergency Management District Disaster Plan.

The Sub-plan sets out the emergency management aspects of prevention, preparation, response and initial recovery arrangements for flooding and the responsibilities of agencies and organisations with regards to these functions.

There is a requirement for the development and maintenance of a Flood Sub-plan for:

- a) The State of New South Wales;
- b) Each SES Region; and
- c) Each council area with a significant flood problem. In some cases the flood problems of more than one council area may be addressed in a single plan or the problems of a single council area may be addressed in more than one.

The Local Flood Sub Plan also lists the following key responsibilities for Dam Failure Warning Systems:

- > Brooklyn Retarding Basin and Thornleigh Reservoir (Sydney Water);
- > Killara Reservoir (Sydney Water); and
- > Warragamba Dam (Sydney Catchment Authority).

The Hornsby Shire Local Flood Plan (SES, 2013) does not list locations in (or near) the catchment recommended for use as flood evacuation centres.

7.2.3 Hawkesbury-Nepean Valley Flood Emergency Plan

The Hawkesbury-Nepean Valley Flood Emergency Plan is a Sub Plan of the State Emergency Management Plan (EMPLAN).

The Sub-plan sets out the emergency management aspects of prevention, preparedness, response and initial recovery arrangements for flooding. The Sub Plan also sets out a concept of operations, including strategies and decision making.

7.3 Emergency Service Operators

The emergency response to any flooding of the Hornsby LGA will be coordinated by the lead combat agency, the SES, from their Local Command Centre located at 33 Sefton Road, Thornleigh or any other location determined by the lead combat agency.

7.4 Flood Warning Systems

Flooding in the catchment would result from both local catchment overland flooding and riverine flooding. Flooding in the catchment is of a flash flooding nature, where the warning time is in general far less than six hours. The time to a flooding event and potential response times limits the effectiveness of a flood warning system.

In the case of flash flood catchments, the BoM provides general warning services, including:

- > Severe Thunderstorm Warnings;
- > Severe Weather Warnings; and
- > Flood Watches.

These services are typically issued for a much larger region, or catchment, e.g. the Hawkesbury-Nepean River, that includes the Hornsby LGA. In some cases, two to three days advanced notice may be available (e.g.

where an East Coast Low develops off Sydney). However, at other times it may only be possible to issue a flood warning a few hours in advance, if at all.

7.5 Flood Event

The DISPLAN and Flood Emergency Sub Plan (Section 7.2) list responsibilities for organisations during a flood event. Actions during a flood event are undertaken in three core stages –Preparedness, Response and Recovery.

7.5.1 Preparedness

Tasks under this stage include - maintenance of the Plan, development of flood intelligence, development of warning systems, training and maintenance of resources.

7.5.2 Response

Response operations begin on receipt of a BoM flood warning or advice or when other evidence leads to an expectation of flooding. The primary response strategies of the NSW SES are information provision and warning, property protection, evacuation, rescue and re-supply.

When the immediate danger to life and property has passed the NSW SES will issue an 'all clear' message signifying that response operations have been completed.

In the Response stage, planning tasks include collating situational information (such as rainfall data and roads closed by flooding) and provision of flood information and warnings. Operational tasks include deployment of resources, road and traffic control, managing flood rescues, managing evacuation operations, managing resupply operations.

7.5.3 Recovery

The recovery committee will develop a Recovery Action Plan, coordinate the activities of agencies responsible for services during recovery, and ensure that stakeholders and the community are involved in the development and implementation of recovery strategies. A review of the response operation and organisations will be undertaken to identify further and future actions.

7.6 Access and Movement during Flood Events

Any flood response suggested for the study area must take into account the availability of flood free access, and the ease with which movement may be accomplished. Movement may be evacuation from flood affected areas, medical personnel attempting to provide aid, or SES personnel installing flood defences.

7.6.1 Access Road Flooding

Maximum flood depths for access roads within the study area are shown in Appendix F, Sheets 1-6. Maximum flood depths for the access roads shown on the figures are also presented in a table in Appendix F.

From the start of a storm event, limited warning time is available before flood depth on roads start to increase, and inundation may be within one hour. The duration that key access roads in the study area are not trafficable as a result of flooding is shown in Table 7-6. A road has been considered trafficable when the depth of flooding is less than 200 mm.

Table 7-6 Key Access Road Flooding Durations in 1% AEP

7.6.2 ID	7.6.3 Location of Road Flooding	7.6.4 Duration of Flooding when Road is not Trafficable
7.6.5 39	7.6.6 Pacific Motorway	7.6.7 More than 2 hours
7.6.8 17	7.6.9 Cumberland Highway	7.6.10 Approximately 1 hours

7.6.11 Evacuation

Evacuation of persons or animals from an area of danger or potential danger is a possible strategy in combating a hazardous event. Flooding in the study area is primarily of a flash flooding nature resulting in limited warning

time to prepare and respond for evacuation. Section 7.2 summarises the relevant regional DISPLAN and local flood plan's proposed approach to evacuation.

Census data showed that the median age in the Hornsby LGA in 2016 was 40 years. Approximately half the people living in the Hornsby LGA are aged between 15-54 years, which suggests that the community is likely to be generally able-bodied and able to evacuate effectively. However, very young children (0-4 years) and the elderly (>75) make up a substantial portion of the population, (approximately 20,000) so it is important to consider these members of the community in flood risk management planning.

Several schools and aged care facilities are located in the catchment, but are generally not inundated in the 1% AEP flood event.

In a PMF event, properties not affected by the 1% AEP event, may be inundated by floodwater. Many of the roads in the catchment would also be inundated resulting in hazardous conditions. This is the most extreme event that is considered to be possible and rationally all emergency responses to it will be completely under police and SES control.

7.7 Flood Emergency Response Planning Classifications

7.7.1 Introduction

The NSW *Flood Emergency Response Planning Classification of Communities* (FERPC) guideline was prepared in 2007 in conjunction with the NSW SES. It provides guidance on the classification of different areas of the community based on their relative vulnerability in flood emergency response.

The FERPC:

- > Assists emergency managers with identifying the type and scale of information needed for emergency response planning; and
- > Assists planners in identifying suitable areas for development.

A key point to note with the classifications is that they are intended for the planning phase and not for management of emergency response during the flood event. The response classification in its current form should be developed prior to a Flood Emergency Management Response Plan for the floodplain. The intention of the classification is to provide a rapid assessment methodology to highlight the key areas of concern. It can be used as a first pass system to enable emergency response classification to occur in catchments which do not have a fully robust Flood Emergency Response and Management Plan present.

One of the key strengths of the system as it currently stands is the ability to rapidly assess large areas of floodplain – this is due to the broad scale nature of the study, the limited data required and the simple logic path.

It should be mentioned that Australian Disaster Resilience (ADR) Handbook 7 is an alternative reference for classifying areas in regards to isolation and access considerations. However, for the purpose of this study FERPC guidelines were adopted.

7.7.2 Definitions

The following are the classification definitions of communities within a flood affected region as described within the FERPC (DECC, 2007)

- > **Flood Islands:** These are inhabited or potentially habitable areas of high ground within a floodplain linked to the flood-free valley sides by a road across the floodplain and with no alternative overland access. The road can be cut by floodwater, closing the only evacuation route and creating an island. Flood islands can be further classified as:
 - High Flood Island (the flood island contains enough flood free land to cope with the number of people in the area or there is opportunity for people to retreat to higher ground).
 - Low Flood Island (the flood island does not have enough flood free land to cope with the number of people in the area or the island will eventually become inundated by flood waters).
- > **Trapped Perimeter Areas:** These would generally be inhabited or potentially habitable areas at the fringe of the floodplain where the only practical road or overland access is through flood prone land and unavailable during a flood event. The ability to retreat to higher ground does not exist due to topography or impassable structures. Trapped Perimeter Areas are further classified according to their evacuation route:

- High Trapped Perimeter (the area contains enough flood free land to cope with the number of people in the area or there is opportunity for people to retreat to higher ground).
- Low Trapped Perimeter (the area does not have enough flood free land to cope with the number of people in the area and will eventually become inundated by flood waters).
- > **Areas Able to be Evacuated:** These are inhabited areas on flood prone ridges jutting into the floodplain or on the valley side that are able to be evacuated.
 - Areas with Overland Escape Route (access roads to flood free land cross lower lying flood prone land).
 - Areas with Rising Road Access (access roads rise steadily uphill and away from the rising floodwaters).
- > **Indirectly Affected Areas:** These are areas which are outside the limit of flooding and therefore will not be inundated nor will they lose road access. However, they may be indirectly affected as a result of flood damaged infrastructure or due to the loss of transport links, electricity supply, water supply, sewage or telecommunications services and they may therefore require resupply or in the worst case, evacuation.
- > **Overland Refuge Areas:** These are areas that other areas of the floodplain may be evacuated to, at least temporarily, but which are isolated from the edge of the floodplain by floodwaters and are therefore effectively flood islands or trapped perimeter areas.

7.7.3 Application of the Guideline to Hornsby LGA

As most of the LGA is subject to flash flooding as opposed to long duration riverine flooding, care has been taken when using the guideline to assess appropriate response measures. As the guideline's outcomes centre around evacuation response and re-supply, consideration of the available warning time, timing of peak water levels, and the applicability of these outcomes to the catchment is required.

7.7.4 Results of the FERPC Assessment

Urban areas of the Hornsby LGA are largely located in hilly terrain along ridge lines and high points. Areas are generally indirectly affected or lie on flood perimeters, with ability to seek higher ground in many cases. The notable exception is Brooklyn, which lies on the Hawkesbury River and is a known problem area for flood access issues. There are several other localised pockets of concern, which typically comprise a cluster of houses.

Table 7-7 outlines the response recommended in the *Flood Risk Management Guideline* (DECC, 2016) for different flood emergency response planning classifications. It is noted that although evacuation is recommended in these guidelines for both of the emergency response classifications, the catchment is primarily affected by short duration flash flooding and evacuation may not always be possible or safe in these circumstances. The classification should be used by emergency response providers to identify that these areas will potentially be isolated for a short period of time and appropriate response to this situation is required.

Table 7-8 shows Emergency Response Classifications for Hornsby LGA areas.

Table 7-7 Emergency Response Requirements (after: DECC, 2016)

Classification	Response Required		
	Resupply	Rescue / Medivac	Evacuation
High Flood Island	Yes	Possibly	Possibly
Low Flood Island	No	Yes	Yes
Area with Rising Road Access	No	Possibly	Yes
Area with Overland Escape Routes	No	Possibly	Yes
Low Trapped Perimeter	No	Yes	Yes
High Trapped Perimeter	Yes	Possibly	Possibly
Indirectly Affected Areas	Possibly	Possibly	Possibly

Table 7-8 Flood Emergency Response Planning Classifications

Area	Classification	Major Access Roads	Accessibility	Comments
Asquith	Indirectly Affected Areas High & Low Trapped, Perimeter	Pacific Highway	Generally trafficable, but cut at Asquith	Located on a high point and largely flood free in a PMF, Limited trapped areas
Beecroft	Indirectly Affected Areas, High & Low Trapped Perimeter	Pennant Hills Road Beecroft Road	Generally trafficable, with significant exceptions	Located on high areas and largely flood free in a PMF, Limited trapped areas
Berowra	Indirectly Affected Areas, High & Low Trapped Perimeter	Pacific Highway	Generally trafficable	Isolated, but located on a high point and largely flood free in a PMF, Limited trapped areas
Brooklyn	High Trapped Perimeter	Brooklyn Road	Untrafficable	Isolated area with access cut off Known problem area with monitoring by SES
Cowan	Indirectly Affected Area	Pacific Highway	Not significant	Isolated, but located on a high point and largely flood free in a PMF
Galston	Indirectly Affected Area	Galston Road	Generally trafficable	Isolated, but located on a high point and largely flood free in a PMF
Glenorie	Indirectly Affected Area, Areas with Rising Road Access, Low Trapped Perimeter	Old Northern Road Tecoma Drive Cairnes Road	Untrafficable in parts	Isolated, generally flood free with few problem areas
Pennant Hills (includes Hornsby Town Centre)	Indirectly Affected Areas, High & Low Trapped Perimeter Very Few High Flood Islands	Pennant Hills Road Old Northern Road Pacific Highway	Generally trafficable, with significant exceptions	Located on high areas and largely flood free in a PMF, Limited trapped areas Notable roads cut in floods include New Line Road, Boundary Road, the Comenarra Parkway, the Pacific Highway at north Hornsby and Jersey St at Asquith

7.8 Recovery

In a major flood event, potentially rarer than the 1% AEP, structural damage to flood-affected properties may occur and residents may need to be accommodated temporarily during the recovery operation. The Department of Community Services is responsible for the long term welfare of the affected community. However, the immediate action is likely to be undertaken by the SES Local Controller.

8 Policy and Planning Review

Development in the Hornsby LGA is controlled through the Hornsby Local Environment Plan (LEP) 2013 and the Hornsby Development Control Plan (DCP) 2013. The LEP is a planning instrument which designates land uses and development in the LGA, while the DCP regulates development with specific guidelines and parameters. Development may also be carried out as exempt development or complying development under various State Environmental Planning Policies (SEPP). Management policies and plans are often used to provide additional information regarding development guidelines and parameters.

This section reviews flood controls covered by the LEP, the DCP, policies and plans.

8.1 Hornsby Local Environment Plan

The Hornsby Local Environmental Plan 2013 is Council's principal governing environmental planning instrument, and determines what can be developed and where and how much development can occur.

The LEP 2013 consists of a written instrument and a number of maps. Clause 6.3 contains provisions for development of land at or below the flood planning level. The Flood Planning Level is defined as the 1% AEP in urban overland flow affected areas and 1% AEP flood event plus 0.5 metre freeboard in areas along the Hawkesbury River affected by riverine flooding. The mapping of "Flood Planning Areas" is integral to this section of the LEP.

The objectives of Clause 6.3 are as follows:

- > To minimise the flood risk to life and property associated with the use of land;
- > To allow development on land that is compatible with the land's flood hazard, taking into account projected changes as a result of climate change; and
- > To avoid significant adverse impacts on flood behaviour and the environment.

8.2 Current Land Use Zoning

An analysis of flood affection for each area covered by the flood models shown in Figure 3-1 in Appendix A was undertaken. This provides an indication for each land use zoning of the area that is predicted to be inundated in the 1% AEP and PMF events. An estimate of the area of each land use zoning inundated in these events is presented in Appendix G, together with figures, Sheets 1-6 showing the 1% AEP flood and PMF extents on the Zone Mapping.

In general, the analysis found that the degree of flood affectation is low in developed areas, and higher in more compatible zones such as parks and water ways. This indicates that the current zoning is generally consistent with the pattern of flooding in the LGA. In the areas where a flooding risk has been identified, Council will manage this risk by implementing the works program discussed in Section 9.

8.3 Development Control Plan

The HLEP 2013 described above is principally a land use policy plan, however it is not a definitive statement for detailed development control. Accordingly, Council adopted the Hornsby Development Control Plan (HDCP) 2013 to complement the HLEP 2013. The HDCP 2013 provides simple guidance on how development may occur. The DCP structure incorporates general environmental controls for all applications (in Part 1), while the remaining parts provide land use and area based controls.

Section 1C.3.2 of the HDCP 2013 relates specifically to flooding, and has the desired outcome of enabling development that is located within the floodplain and designed to minimise the risk to life, property and the environment from flooding.

The flood planning level for urban overland flow areas is defined as the 1% AEP and for areas along the Hawkesbury River affected by riverine flooding is defined as 1% AEP flood event plus 0.5 metre freeboard.

Prescriptive measures are outlined in this section of the DCP in general terms and with respect to sea level rise, as follows:

General

- > Where a development proposal is on land shown as “Flood Planning Areas” on the HLEP Flood Planning Map, or is on other land at or below the flood planning level, a comprehensive flood study is to be submitted with any development application on land that demonstrates that:
 - The development addresses the provisions of Clause 6.3 of the HLEP, and
 - The development complies with best practice;
- > Development should not obstruct overland flow paths, and is required to demonstrate that any overland flow is maintained for the 1% AEP (1:100 average recurrence interval (ARI)) flood; and
- > All potential pollutants that are stored or detained on-site (such as on-site effluent treatment facilities, chemicals or hazardous materials) should be stored 0.5 metres above the 1% AEP flood level as a minimum. The Special Flood Consideration Clause introduced in the State Government Flood-prone Land Packages 2021 will be considered for inclusion in the LEP in 2022 and may vary this requirement.

Sea Level Rise

In October 2009, the NSW Government adopted the Sea Level Rise Policy Statement (DECCW, 2009) which incorporated two sea level rise planning benchmarks for the NSW coast, namely 0.4 m by 2050 and 0.9 m by 2100.

The NSW Government has since altered the State wide application of standard 0.4 m and 0.9 m Sea Level Rise (SLR) benchmarks when it repealed the NSW Sea Level Rise Policy Statement (2009). In accordance with Planning Circular – Coastal Hazard Notations on Section 10.7, the NSW Government now requires that each local government area determine its own SLR benchmarks. This indicates that land adjacent to tidal waters is subject to both a “current” and “future” exposure to tidal inundation.

Land within stormwater overland flow affected areas is now only considered to be subject to a “current” hazard although land within river settlements and riverside rural lands may also be subject to a “future” risk (refer to description below). “Current” exposure to tidal inundation is based on sea level plus a 1 in 1% AEP storm event identified initially by the Hornsby Overland Flow Study (2010) and new revisions related to ARR 2019. “Future” exposure to tidal inundation risk is based on sea level predictions for the years 2050 and 2100, having regard to sea level rises above the 1990 mean sea level of 0.4 m and 0.9 m, respectively. Hornsby Shire Council has an adopted position in the HDCP 2013 that promotes differing planning responses for properties affected by the 0.4 m and 0.9 m SLR benchmarks. These are now set out in Clause 7 and 7A of Part 2 and Clause L of Part 5 of Council’s Section 10.7 Certifications. Details of these clauses are set out in Appendix H.

The HDCP 2013 states that development on land adjacent to tidal waters, including the Hawkesbury River and Berowra Creek, should be designed to minimise the risk to property and the environment from sea level rise in the event of a 1% AEP flood by:

- > Siting the floor level of habitable rooms, wet areas and other sensitive uses (e.g. on-site wastewater disposal areas) above the 2100 (year) NSW sea level rise planning benchmark of 0.9 metres; and
- > Siting other non-habitable structures (e.g. sheds, decks, pergolas) above the 2050 (year) NSW sea level rise planning benchmark of 0.4 metres.

In addition to Section 1C.3.2, other sections of the HDCP 2013 that comprise clauses relating to flood planning include:

- > Section 2.5.4 Rural – Soil and Water Management – Runoff Controls (Clause m); and
- > Section 6.1.1 Subdivision – General Provisions – Flood Prone Land (Clause e).

8.4 Plans and Policies

8.4.1 Hornsby Shire Council Water Management Plan

This Plan has been developed to better prioritise and integrate the range of water management initiatives currently being delivered within Hornsby Shire and those which are planned to be delivered over the medium to long term. The Plan sets goals and targets for water consumption and quality within the Shire and develops a framework within which stakeholders understand their place within the management of the water cycle in this region (HSC, 2004)). Although not directly relating to flooding, this document contains considerable information on the characteristics of catchments in the Shire and any floodplain management options assessed as part of the FRMSP should consider any benefits or impacts the options may have of water management initiatives across LGA.

8.4.2 Berowra Creek Estuary Management Study and Plan

This document covers the broader water quality, ecological and human use issues affecting the estuary waterways and foreshores of Berowra Creek upstream from the Hawkesbury River including Marramarra Creek (HSC, 2002). Any proposed floodplain risk management options for the Berowra creek catchment should be reviewed in accordance with this document to ensure consistency.

8.5 Flood Related Planning Matters

The LEP2013 is Council's principal governing environmental planning document and all other planning controls such as the DCP2013 must be consistent with the provisions outlined therein. The flood related provisions in the LEP2013 apply to all land identified within the flood planning area shown on the associated mapping and other areas below the Flood Planning Level. The LEP defines the Flood Planning Level as the *1% AEP flood event for stormwater overland flow areas and 1% AEP plus 0.5 metre freeboard for areas affected by riverine flooding along the Hawkesbury River*. This definition has now been discarded as this provision has been superseded by the new NSW Government Flood-Prone Land Package 2021 – refer to 8.5.2.

The DCP2013 outlines flood related controls that are consistent with the LEP2013.

8.5.1 Flood Planning Areas

The methodology to determining lots at high risk in overland flow situations is outlined in Section 3.2.2. The lots identified by this process are those defined as being within Flood Planning Areas. Thus the 1% AEP with a depth greater than 150 mm and no freeboard has been employed to determine these areas.

All blocks identified by this process will have a standard notation included on this Section 10.7 certificate to this effect. These properties as detailed previously will not be able to employ complying development provisions and will be required to proceed through the Development Application (DA) process should any development be proposed on that block. Mapping showing these areas subject to Council resolution in 2022 will be available to residents on Council website.

All waterfront properties along the Hawkesbury River are within Flood Planning Areas and will be noted in Part 2 of the Section 10.7 certificate to this effect. They will be subject to the DA process.

Rural areas of the LGA subject to the Interim Rural Lands Flood Control Lot Mapping will be reassessed under Stage 2 of the Hornsby Overland Flow Study. As noted in Section 2.2.1 rural areas were not included in the Overland Flow Study nor are they covered by the Hawkesbury River Flood Studies. After the completion of the Stage 2 process, 1% AEP flow paths will be identified and mapping for the HELP (2013) will be updated and Rural Flood Planning Areas identified.

8.5.2 NSW Government Flood Prone Land Package 2021

This package, only released in July 2021, updates and expands the application of Flood Risk Management principles in the floodplain. The Guidelines (see 'Considering Flooding in Land Use Planning- Guidelines' DPIE July 2021) sets out the scope and outcomes to be enacted with the package. The main components affecting Flood Risk Management within Hornsby's LGA area:

1. The current flood controls in Clause 6.3 of the LEP and the associated LEP Flood Planning Area mapping have been revised.
2. A new Mandatory Clause 5.21 Flood Planning has been introduced into Hornsby's LEP.
3. An Optional Clause 5.22 relating to Special Considerations is available for Council to consider including into its LEP.

This package's main effect on development in the floodplain is to extend development controls beyond the current FPMs, where they are limited to areas below the Flood Planning Level (FPL), which Hornsby Council has set at the 1% AEP, to areas between this limit and the Probable Maximum Flood Level (PMF). Previously, this area of the floodplain has not been specifically designated to apply planning controls however the package aims to allow councils to consider its development and what controls overall may be appropriate. These would be mainly Special Use developments which are listed in the Guideline. Domestic developments controls will not be affected in this newly identified area.

Council's FRMSP is not affected by these changes, unless Council decides to implement the Optional Clause. Should this decision be made in the future, the FRMSP can have this included as an addendum. The updated draft FRMSP, subject of this report, applies to developments up to the FPL, this situation is not affected by (1) and (2) above. The FPMs will similarly be amended to show this additional area where flood planning controls apply.

8.5.3 Sea Level Rise

As noted with the repeal of the NSW Sea Level Rise Policy Statement (2009), Council has adopted the 0.4 m and 0.9 m SLR benchmarks as appropriate flood planning levels for Hornsby Shire and has referenced this in the HDCP 2013. The 0.5 m free board should be applied to the 2050 and 2100 flood planning levels and the HDCP will be updated accordingly.

8.5.4 Climate Change Effects

Council has considered viability due to climate change predications in the Overland Flow Study. As noted in Section 5.2 current recommendation on these effects have been fully allowed in the current study.

8.5.5 Other Flood Planning Level Considerations

At this stage Hornsby Council is still considering specific provisions for the special land uses such as hospitals between the 1% AEP and PMF and the inclusion of the Special Flood Consideration Clause will be adhered in 2022. They would not be located within any defined Flood Planning Areas.

In Section 8.3 provisions applying to areas where hazardous materials and similar land uses are detailed.

8.6 Summary of Council's Planning Actions on Flood and Tidal Management

The following actions have been completed to promote best practice for flood and tidal management within Hornsby Shire:

- > Clauses 7 and 7A of Council's Section 10.7(2) Planning Certificate have been updated to note that river settlement and riverside rural land identified by the *Hornsby Overland Flow Study* and/or land subject to tidal inundation have both a 'current' and 'future' exposure to the tidal inundation/flood hazard.
- > Clause 7A of Council's Section 10.7(2) Planning Certificate has been updated to note that all remaining Flood Control Lots identified by the *Hornsby Overland Flow Study* and *Interim Rural Land Flood Control Lot Mapping* within the Shire have a 'current' exposure to the hazard.
- > Interim notations under Council's Section 10.7(5) Planning Certificate have been applied on any additional river settlement and riverside rural properties that are identified by the *CSIRO/SCCG Sea Level Rise Maps* to have a 'future' exposure to the tidal inundation/flood hazard.

Refer to Appendix H for further details on the Section 10.7 Certificate notations.

The following actions are proposed be undertaken to ensure that best practice is achieved into the future:

- > Upon completion of the review, Council endorse the *Hornsby Overland Flow Study* maps and endorse the 1% AEP storm event flow paths for public exhibition.
- > As discussed in Section 3.2, The *CSIRO/SCCG Sea Level Rise Maps* to be reviewed having regard to the convergence of the expected increase in storm surge with a 1 in 1% AEP storm event in Council's catchment areas. Council's endorsement be sought for the maps for upload to Council's website and inclusion of a reference to the relevant webpage in the Flooding element of the *Hornsby DCP 2013*.
- > Once Council has endorsed the reviewed *CSIRO/SCCG Sea Level Rise Maps*, apply notation in Clauses 7 and 7A of Council's Section 10.7(2) Planning Certificates on any additional river settlement and riverside rural properties subject of future' exposure to tidal inundation/flood hazard. The interim notations in Council's Section 10.7(5) Planning Certificate be removed upon Council's application of the Clause 7 and 7A notations.
- > As discussed in Section 2.2.1, Council will undertake Stage 2 of the *Hornsby Overland Flow Study* for the rural areas of the Shire to refine the *Interim Lands Flood Control Lot Mapping* by identifying the 1% AEP storm event flow paths for the purpose of updating the *Hornsby 2021 Flood Planning Area Map*.

9 Floodplain Risk Management Options

9.1 Types of Flood Risk Management Measures

As discussed in Section 5.3, measures for managing flood risks can be divided into three types:

- > Flood behaviour modification works;
- > Property modifications measures that aim to minimise flood damage; and
- > Measures that aim to modify human response to flooding.

This section deals with the works that need to modify flood behaviour through the construction of engineering works.

9.2 Flood Mitigation Strategy

As outlined in Section 2, there are two flooding mechanisms in the Hornsby LGA: mainstream or riverine flooding and overland flow. Measures that protect properties against mainstream flooding areas are typically costly, for example, the construction of dams, levees or other large engineering structures, and these measures may often be beyond the capacity of councils to employ. Within Hornsby LGA, these flood regimes occur primarily in rural areas and along the Hawkesbury River and are typically managed using property and response modification measures.

Council's flood strategy as set out in the FRMSP is primarily intended to address overland flow problems within its urban areas, because rural areas are relatively sparsely populated with residences generally not affected by well-defined overland flowpaths, and modification of mainstream flooding within the LGA is often dependent on regional solutions. Council's Stormwater Management Policy sets out criteria and standards that stormwater works should meet. In general these urban areas are those identified as Flood Planning Areas in Council's Flood Maps as defined in Hornsby Council's LEP (2013) and recently amended by the NSW Government Flood Prone Land Package 2021 and discussed in section 8.5.2.

9.3 Identification of Flood Mitigation Works

As discussed in Section 3, Council has undertaken mapping of high risk properties affected by overland flow, which generally are those where 150 mm or greater water depth occurs in a 1% AEP event. To further define the worst affected areas within these zones, Council undertook a floor level survey as described in Section 2.2. This has assisted in the identification of the worst affected areas and hence where Council's flood modification works should be targeted. The risk classification methodology outlined below has been used to determine the hazard in different areas of the Shire.

9.4 Classification of Flood Mitigation Areas

To provide a guide to the priority of areas to have mitigation works included into Council's Drainage Works Program, the following classification has been adopted for overland flow affected areas:

- > High Priority Overland Flow Areas;
- > Low Priority Overland Flow Areas; and
- > Low Priority Other Areas.

9.4.1 High Priority Overland Flow Areas

High Priority Overland Flow Areas are defined as areas where properties are located within the 1% AEP flood extents as shown on Council's Flood Mapping within Flood Planning Areas and are affected by overland flow depths greater than 150 mm. These would be subject to habitable, non-habitable or overground (yard) flooding, with individual properties potentially suffering from one or a combination of these.

Council's strategy generally gives the highest priority for works that protect habitable areas flooding, followed by non-habitable areas and finally yard inundation.

9.4.2 Low Priority Overland Flow Areas

These are areas located within the 1% AEP flood extents but where less than 150 mm of the flow depth occurs. These areas are generally not in Flood Planning Area and are mainly subject to non-habitable or overground (yard) flooding and would generally have a lower priority than those identified in 9.4.1.

9.4.3 Low Priority Other Areas

These areas are also located outside the Flood Planning Areas that have not been identified in Council's Flood Mapping but may be subject to nuisance flows, ponding or other local effects. They would generally have the lowest priority and the problems can often be dealt with as either part of Council's Road Improvement Program or Council's Drainage Maintenance Program.

9.5 Flood Damages Assessment

A flood damages assessment for the existing catchment and floodplain conditions has been undertaken as part of the current study to quantify in dollar terms the effects on properties identified as High Risk in Section 9.4. The assessment is based on damage curves that relate the depth of flooding on a property to the potential damage within the property.

Ideally, the damage curves should be prepared for the particular catchment for which the study is being carried out. However, damage data for most catchments is not available and to address this, DPIE has carried out research and prepared a methodology (draft) to develop damage curves based on state-wide historical data. This methodology is only available for residential properties and does not cover industrial or commercial properties. Refer to Appendix I for details of the methodology used to determine damages within Hornsby LGA.

9.5.1 Results

The results for the damages analysis based on the 1% AEP event is shown in Table 9-1 and indicates a total estimated damage of \$21,721,869. The damage assessments primarily cover the tangible direct costs of overland flooding. It is noted that the damages analysis uses the flood extents of the 20% AEP event without pipe drainage in the model as an approximation for the 1% AEP flood with pipe drainage in place. Pipe drainage was generally not modelled due to the significant additional cost and time required.

Table 9-1 Summary of Damages 1% AEP Event

	No. of Properties	No. of Properties with Overfloor Flooding	Average Overfloor Flooding Depth (m)	No. of Properties with Overground Flooding	Total Damage (\$ May 2021)
Residential	355	272	0.24	355	\$25,374,822
Commercial	8	5	0.14	8	\$51,539
Public	3	3	0.07	3	\$10,197
Total	366	280		366	\$25,436,558

9.5.2 Economic Impact of Flooding

Flood damage estimates should include allowance for both tangible and intangible damages. In addition, tangible damages can include both direct and indirect damages such as disruption costs, costs for alternate accommodation and many others matters that are more difficult to quantify. Intangible damages, on the other hand are related to social costs and are even more difficult to quantify. A full cost benefit approach would need to evaluate both tangible and intangible direct and indirect costs to arrive at a full community cost.

Stormwater and flood management is an essential service provided by Council. As overall costs and benefits for these works are very difficult to fully quantify, an evaluation of mitigation measures based solely on a strict cost/benefit approach is not considered adequate to decide on the inclusion or exclusion of a project in the Drainage improvement Program. As Council's aim is to provide the community with an acceptable level of flood protection the construction costs may in some cases outweigh their assessed tangible benefits. In the context of this FRMP, a core criterion for deciding the feasibility of a mitigation measure is to consider if its purpose is to eliminate of flooding of habitable areas as far as economically possible. Thus the cost of flood mitigation measures is to be weighed against alternatives such as voluntary purchase or redevelopment of the site rather than adopt a strict assessment based on its cost benefit ratio.

The estimated damage costs noted above will however be considered in undertaking the prioritisation of the projects described in Table 9-2 which are intended for inclusion in Council's Stormwater Program as detailed in its Operational and Delivery Plans.

9.6 Recommended Flood Modification Measures

In evaluating the recommended engineering measures for the various areas identified as having flood risk, the following range of options were considered:

- > Detention basins to attenuate peak flows and reduce downstream flood extents and water levels. Basins may be formally excavated or created by construction of an embankment across on overland flow path;
- > Bunds/flood walls to provide protection to individual, or groups of, properties by diverting overland flow away from the property;
- > Stormwater network improvements including building of new pipes and culverts, new stormwater pits on existing pipe networks and improvements to existing pits to convey more flow within existing networks; and
- > Improvements to overland flow paths may include reshaping or clearing.

The range of measures derived for the most adversely affected properties are described in Table 9-2 below. Location of the proposed works are shown in Appendix J. This list is only intended to cover the properties that have been identified as High Risk Overland Flow areas. In the case of Low Risk Overland Flow areas and Low Risk Other, due to the high cost of constructing drainage works and the relatively low value of damages associated with these areas, it is generally not economically feasible to undertake major structural solutions that upgrade drainage infrastructure capacity to meet desirable service levels. Once the service level requirements within the High Risk areas are addressed, further evaluation of measures for the Low Risk areas will be considered. To ensure community expectations for adequate drainage service levels are maintained, Council will however continue to fully maintain the existing stormwater infrastructure and, ensure structural improvements are undertaken as part of the redevelopment process.

9.7 Recommended Flood Mitigation Measures

These measures are only targeted at the urban areas investigated by the Hornsby Overland Flow Study. Due to the nature of the flooding there are no structural measures that are considered appropriate for the rural and Hawkesbury precincts at present.

The categorisation of flood mitigation measures in Table 9-2 is based upon the following criteria:

- > High: These measures are proposed in areas where a significant number of properties have been identified as subject to habitable and non-habitable inundation in a 1% AEP event.
- > Medium: These measures are proposed in areas where lower numbers of properties have been identified as subject to habitable and non-habitable inundation in a 1% AEP event.
- > Low: These measures are proposed in areas where a significant number of properties have been identified as affected by non-habitable area inundation.

Cardno undertook a preliminary costing of the mitigation measures which is provided in Appendix L.

Due to the complexity of factors affecting the decision to proceed with flood mitigation measures, it has been found that no single prioritisation method has adequately addressed this issue. The above categorisation has been adopted to determine the priority at a strategic level. Council will however undertake a detailed feasibility, costing and prioritisation process as part of its investigation of suitability of the proposed measures for inclusion in Council's Delivery Program and Operational Plan. This investigation will include consideration of land ownership, where relevant.

The implementation of this Floodplain Risk Management Study and Plan through Council's Delivery Program and Operational Plan would include detailed investigation of the social and environmental effects of each measure.. Investigation of environmental impacts would form part of the feasibility studies.

Table 9-2 Recommended Flood Mitigation Measures

Measure ID	Catchment	Suburb	Measure Description	Priority for Implementation
101-A	101-1	Mount Colah	Additional pipe network from Colah Road/Gray Street intersection to Myalla Road	High
102-A	102-1	Galston	Two detention basins, one located at Galston Road and the other basin at the rear of the properties on Arcadia Road New 900 diameter pipe combined with improvements to the overland flow path from The Glad to Glen Street Flood walls/bunds to rear of the properties of Nancey Place to obstruct the flows and divert flows into the small basin at Arcadia Road	Medium
102-B	102-2	Glenorie	Potential for detention basins upstream of Cairnes Road on each branch, given availability of open space Proposed 900 mm pipe to divert flows from affected properties on Tecoma Drive	High
103-A	103-3	Berowra Heights	Proposed 900 mm diameter pipe connecting to the existing system at rear of the properties at Woodcourt Road, extending down the road and connecting to a surcharge pit	High
104-A	104-1	Asquith	Drainage works along flowpath. Amor Street flowpath, Old Berowra Road	Medium
104-B	104-1	Asquith	Proposed drainage works along flowpath. Amor Street flowpath, Bouvardia Street	Medium
104-C	104-3	Mount Colah	Additional 900 mm diameter pipe to reduce flood depth at Gloria Close	Medium
104-D	104-4	Berowra	Proposed 1200 mm diameter pipe from Geneva Street to downstream of Bambil Road	Medium
104-E	104-4	Berowra Heights	New inlet pits along the overland flowpaths and proposed 450 mm pipe at Clinton Close	Medium
106-A	106-2	Waitara Hornsby Wahroonga	Park Avenue Drainage Works - Proposing new 900 mm diameter pipe network from existing system at Balmoral Street to Park Avenue and to the proposed Waitara Park detention system Wentworth Avenue Drainage Works - Proposed 900 mm diameter pipe from Balmoral Street, connecting to proposed 1050mm diameter pipe along existing overland flow path at rear of properties on Wentworth Avenue	High
106-B	106-2	Hornsby Asquith	Jersey Street Drainage Works - New 600 mm pipe from Citrus Avenue (rear of the properties) to the proposed detention basin. A 375 mm pipe from the basin outlet connecting to the existing pipe network. Also a flood wall to protect the properties along Citrus Avenue and divert flows into the basin Sherbrook Road Drainage Works - Proposing detention basins upstream and downstream of Northcote Road (near Sherbrook Road). Additional 900 mm pipe from the storage basin (corner of Northcote Road and Sherbrook Road) along Sherbrook Road to the downstream of Kings Road. Also proposing a bund/flood wall near Northcote Road to protect the adjacent properties.	High

Measure ID	Catchment	Suburb	Measure Description	Priority for Implementation
106-C	106-2	Hornsby	Proposed 600 mm pipe connecting to the existing system at Arthur Street and runs along Denison Street to Sherbrook Road. Flood walls located along the flowpath to provide protection to properties Proposed 1200 mm/1500 mm pipe along flow path from Heath Street to Salisbury Road	High
107-A	107-1	Thornleigh	Proposed flood wall and an additional 900 mm pipe from Lockerbie Road to the open channel downstream along Sefton Road	Medium
107-B	107-1	Thornleigh	Koorringal Avenue Flowpath - Proposed flood wall at the rear of the properties along Koorringal Avenue. Additional 450 mm pipe at Wareemba Avenue Gilgandra Avenue Flowpaths - Additional 600 mm diameter pipes and inlet pits along the two flowpaths	High
107-C	107-1	Thornleigh	Wareemba Avenue Flowpath - Proposed flood wall at the rear of the properties along Koorringal Avenue and an additional 600 mm pipe along the flowpath Yaralla Crescent Flowpath - Proposed bund rear of the properties of Nattai Close and also a basin to detain flood waters. Additional 900 mm pipe from the basin outlet.	High
107-D	107-2	Normanhurst	Proposed expansion of existing detention basin at St. Leo's College adjacent to Unwin Road, proposed additional pipe network along Edwards Road and Karinya Place to existing railway culvert	High
107-E	107-2	Normanhurst	Proposed 1500mm Diameter Pipe and increase pit inlet capacities along the Denman Parade / Woodbine Avenue flowpath.	Medium
108-A	108-3	Castle Hill	Proposed detention basin along overland flow path east of Old Northern Road. New 600 mm diameter pipe from De la Salle Place to downstream of David Road	High
108-B	108-3	Cherrybrook	Two detention basins, one located upstream of Robert Road and the other small basin at Roslyn Place. Proposed 1200 mm pipe from Roslyn Place to Dantic Place	High
108-C	108-3	Cherrybrook	Enlarge existing inlet pits at Darlington Drive and Chiswick Place. Proposed 750 mm and 1200 mm pipe connecting to the existing system at Chiswick Place	Medium
108-D	108-3	Cherrybrook	Additional 600 mm/900 mm/1050mm diameter pipe network at New Line Road and Rowena Place	Medium
109-A	109-1	Cherrybrook	Proposed detention basins and additional pit and pipe network along the flowpaths	High
109-C	109-2	West Pennant Hills	Proposing bund/flood wall upstream of Boyd Avenue, detention basins upstream of Campbell Park Additional 750 mm/1200 mm diameter pipes and inlet pits along the flow paths	High
109-D	109-3	Pennant Hills	Additional pit and pipe network along the flowpaths in Stevens Street and Bellamy Street	High

Measure ID	Catchment	Suburb	Measure Description	Priority for Implementation
109-E	109-4	Thornleigh	Proposed 1500 mm diameter pipe beneath railway. Additional inlet pits along existing network along the flowpath	Medium
109-G	109-5	Cherrybrook	Additional 900 mm pipe from Gumnut Road to Tallowwood Avenue. A proposed 1200 mm pipe network from Sheoak Close to Kenburn Avenue	High
109-H	109-5	Westleigh	Proposing a detention basin between Quarter Sessions Road and Eucalyptus Drive to benefit downstream properties at Elouera Road. Additional inlet pit and 600 mm pipe at Elouera Road	High
210-A	210-2	Thornleigh	Additional 1500 mm pipe at Alinta Close	High
212-A	212-1	Beecroft	Flood walls at Ludovic Blackwood Mem. Sanctuary (upstream of Spring Street) to attenuate creek flows, local flood wall along Hull Road Additional 900 mm/1500 mm/1800 mm diameter pipes along the flowpaths	High
212-B	212-1	Beecroft	Proposed bund/flood wall at Fearnley Park (upstream of Hannah Street) to attenuate creek flows Additional 1200 mm/2400mm diameter pipes along flowpaths	High

10 FRMP and Conclusions

10.1 FRMSP Summary

Cardno were commissioned by Hornsby Shire Council to undertake a Floodplain Risk Management Study and Plan (FRMSP) for all urban areas within its LGA. This report follows on from the Hornsby Broadscale Overland Flow Study (OFS) (Cardno, 2010) which produced draft Flood Mapping based on estimated 1% AEP overland flow extents within the study area. Flooding can pose a hazard to some residents and properties located along both overland flow paths and riverine areas and the purpose of this study is to build on the findings of the flood study by investigating options and proposing measures for management of flood hazard within urban areas of Hornsby LGA.

This report outlines a review of available information including previous studies and modelling undertaken within Hornsby LGA relevant to FRMSP. A summary of the extensive community consultation that has been undertaken by Council is also included and outlines how the community have been informed, how their comments have been taken into consideration and kept up to date over the progress of the study.

Additional modelling has been completed to supplement that undertaken by the OFS. This modelling in particular identified the 20% AEP modelled as overland flow as an accurate surrogate for the 1% AEP with a fully functioning drainage system. The 20% AEP extents have been generally adapted to estimate flood extents to identify Flood Planning Areas within Hornsby Shire. Assessment of PMF extents, flood hazard categorisation and the impacts of climate change on existing flood behaviour have been carried out to complete the analysis of flood behaviour necessary to meet the requirements of the FRM process.

In 2020, the flood models were updated based on the latest Australian Rainfall and Runoff 2019 (ARR2019) guidance and data, the latest Light Detection and Ranging (LiDAR) topographical data and TUFLOW hydraulic modelling software. The updated models were used for the purpose of finalising the 2014 FRMSP. Further to that, all the relevant sections of the FRMSP have been reviewed and updated based on the latest flood modelling results.

10.2 FRMSP Recommended Actions

This document has examined all the significant aspects of flood behaviour and measures for its control within the urban areas of the Hornsby LGA. The following table (Table 10-1) summarises the various actions and measures that have been identified in each major flood area examined.

Table 10-1 Plan Recommendations

Aspect	Plan Section Reference
Environmental and Social Characteristics	Section 6.6
Emergency Management	Section 8.6
Flood Modification Works	Section 9.7 and Table 9-2

10.3 Funding and Implementation

10.3.1 Costing

Preliminary costing has been undertaken for the various flood modification measures set out in Table 9-2 and is presented in Appendix L. As all these measures will be subject to a rigorous evaluation process as discussed in Section 9.7, these costs will form a commencement point for this evaluation. It should be noted that these costings can be subject to significant change upon further evaluation. The final adoption of any of the measures will depend on how they are deemed to perform under the following broad criteria (i) hydraulic benefit, (ii) environmental impact, (iii) economic and social impacts. The works which show a positive community benefit from this process will then be prioritised and listed for inclusion in Council's Operational (or current annual) program and Delivery (or future) Plans.

10.3.2 Funding and Implementation

The FRMSP will be implemented as stated in Section 10.2 above.

Funding for the prioritised works, after the evaluation process discussed above, will generally come from Council's own funds currently as budgeted through its Drainage Improvement Program. While the FRMP has assumed this source will form the bulk of the available funding, the following additional sources will also be investigated where appropriate:-

- > State funding through DPIE. This funding is not guaranteed and is allocated on an annual basis to competing projects throughout the state. Funding from this source is generally most applicable to riverine projects where large numbers of properties are affected by habitable area flooding.
- > Developer contributions, either as part of the normal DA process or where rezoning in particular has occurred or is planned via Section 94 contribution.

Measures noted in Sections 6, 7 and 8 are primarily non-structural and are either part of the planning process or administered by a State Government authority such as the SES. The main contribution by Council in these areas is via staff resources, which would be funded through the existing Council budget for the area providing the service. Thus, it is not necessary generally to have to budget for significant funding to be made available for their implementation.

10.4 The Next Steps

The next steps in progressing the floodplain risk management process are:

- > The draft Floodplain Risk Management Study and Plan (FRMSP) is to be placed on public exhibition;
- > Council is to review the comments and submissions received on the draft document;
- > Any amendment to the documents necessary will be made and a final report will then be prepared and submitted to Council for its consideration and adoption; and
- > Implementation of the Plan in accordance with provisions and priorities outlined.

10.5 On-going Review of FRMSP

The FRMSP should be regarded as a dynamic instrument requiring review and modification over time. The need for change could be new flood data, legislative change, alterations to funding availability or changes to the local planning strategies. The reviewing of the FRMSP is essential to ensure its ongoing relevance to the Hornsby LGA.

11 Acknowledgements

Cardno wishes to acknowledge the assistance of Councillors, Hornsby Shire Council staff and Floodplain Management Committee in carrying out this study as well as the NSW Government (Department of Planning, Industry and Environment) and the residents of Hornsby Shire. The study was jointly funded by NSW Government and Hornsby Shire Council.

12 References

ABS 2016 *Census*, Australian Government. <http://www.abs.gov.au/census>

Australian Water and Coastal Studies Pty Ltd (AWACS, 1997) Lower Hawkesbury River Flood Study (Report No. CF97/06)

Cardno (2010) Hornsby Broadscale Overland Flow Study, prepared for Hornsby Shire Council

Cardno (2019) Hawkesbury River Sea Level Rise Flood Mapping

Cardno (2020) Hornsby Flood Models Upgrade to ARR2019

DECCW (2009). NSW Sea Level Rise Policy Statement. Department of Environment, Climate Change and Water

DLG (n.d). *Draft Aboriginal Protocols Department of Local Government*. Retrieved September 2014 from: <http://www.dlg.nsw.gov.au/dlg/dlghome/documents/GIPA/Aboriginal%20Protocols%20for%20DLG.pdf>

DoE (2014). *Environmental Protection and Biodiversity Conservation Act 1999 (EPBC Act) Protected Matters Search Tool*, 19 December 2014. Australian Department of the Environment.

Hornsby Shire Council (2004). *Hornsby Shire Council Water Management Plan*

Hornsby Shire Council (2013a). Hornsby Local Environmental Plan (HLEP).

Hornsby Shire Council (2013b). Hornsby Development Control Plan (HDCP)

Hornsby Shire Council (2002). Berowra Creek Estuary Management Study and Management Plan

HSC (2014) *Hornsby Shire Council Local Environment Plan 2014 Mapping*. Retrieved 19 December 2014, from <http://maps.hornsby.nsw.gov.au/silverlight/?Viewer=hlep>

HSC (n.d). *Aboriginal heritage*. <http://www.hornsby.nsw.gov.au/council/about-our-shire/history/aboriginal-heritage>. Hornsby Shire Council.

Hornsby Ku-ring-gai Local Emergency Management Committee (2008) Hornsby Ku-ring-gai Disaster Plan (DISPLAN)

NSW Government (May 2018) North West Metropolitan Regional Emergency Management Plan

NSW Government (May 2018) New South Wales State Emergency Management Plan (EMPLAN)

NSW Government (2012). *Land values issued for Hornsby Local Government Area*. Department of Finance and Services.

NSW Government (2020). Hawkesbury Nepean Flood Emergency Sub Plan

OEH (2014) *Bionet Atlas of NSW Wildlife*, NSW Government. Retrieved 19 December 2014, from: <http://www.bionet.nsw.gov.au/>

Sydney Coastal Councils & CSIRO (2012) Mapping & Responding to Coastal Inundation

Hornsby Floodplain Risk Management Study and Plan

APPENDIX

A

FIGURES




now





LEGEND:

□ Shire



LEGEND:

- Shire
- Hawkesbury River Catchments
- Urban/Rural Catchments




Figure 2-1
1:110,000 Scale at A3
km
0 2.5 5

**Hornsby Floodplain Risk Management
Study and Plan**
Hornsby Shire Broad Catchments




Map Produced by National Water & Environment (Water)
Date: 2021-3-22 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:


- Shire
- RAFTS Detailed Subcatchments



LEGEND:


Shire

Hornsby Shire Wide Hydraulic Model Boundary



LEGEND:

- Hawkesbury River 100yr ARI Extent
- Shire
- Brook_Study Area
- CSIRO (ARR1987) 100yr ARI Extent



HORNSBY
SHIRE COUNCIL

Figure 3-2
1:17,000 Scale at A3

m

0 250 500

**Hornsby Floodplain Risk Management
Study and Plan**

Comparison of Flood Extents




N



Cardno

Map Produced by National Water & Environment (Water)
Date: 2021-3-22| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:

- Shire
- Hawkesbury River 100yr ARI Extent
- CSIRO (ARR1987) 100yr ARI Extent




Figure 3-3
1:110,000 Scale at A3
km

0 2.5 5

**Hornsby Floodplain Risk Management
Study and Plan**
Comparison of 1% AEP Flood Extents
Overall Figure



Map Produced by National Water & Environment (Water)
Date: 2021-3-23 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:

- Shire
- Hawkesbury River 100yr ARI Extent
- CSIRO (ARR1987) 100yr ARI Extent





Figure 3-3
1:66,000 Scale at A3
km
0 1 2 km

**Hornsby Floodplain Risk Management
Study and Plan
Comparison of 1% AEP Flood Extents
Sheet 1**



Map Produced by National Water & Environment (Water)
Date: 2021-3-23 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>





LEGEND:

- Shire
- Hawkesbury River 100yr ARI Extent
- CSIRO (ARR1987) 100yr ARI Extent




Figure 3-3
1:54,000 Scale at A3
km



**Hornsby Floodplain Risk Management
Study and Plan
Comparison of 1% AEP Flood Extents
Sheet 3**



Map Produced by National Water & Environment (Water)
Date: 2021-3-23 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:

- Shire
- Hawkesbury River 100yr ARI Extent
- CSIRO (ARR1987) 100yr ARI Extent



Figure 3-3
1:66,000 Scale at A3
km
0 1 2

**Hornsby Floodplain Risk Management
Study and Plan
Comparison of 1% AEP Flood Extents
Sheet 4**



Map Produced by National Water & Environment (Water)
Date: 2021-3-23| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:

- Shire
- Hawkesbury River 100yr ARI Extent
- CSIRO (ARR1987) 100yr ARI Extent




Figure 3-3
1:18,000 Scale at A3
km
0 0.25 0.5

**Hornsby Floodplain Risk Management
Study and Plan**
Comparison of 1% AEP Flood Extents
Sheet 5



Cardno
Map Produced by National Water & Environment (Water)
Date: 2021-3-23 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:


- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard



Figure 5-1
1:86,000 Scale at A3
km
0 1 2 km

Hornsby Floodplain Risk Management Study and Plan **1% AEP True HazardOverall Figure**

Cardno
Map Produced by National Water & Environment (Water)
Date: 2021-5-25| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:





-  Shire
-  Effective Flood Access
-  Low Hazard
-  High Hazard




Figure 5-1
1:21,000 Scale at A3
km
0 0.5 km

**Hornsby Floodplain Risk Management
Study and Plan
1% AEP True Hazard
Sheet 1**



Map Produced by National Water & Environment (Water)
Date: 2021-4-22 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>



LEGEND:

- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard




Figure 5-1
1:22,000 Scale at A3
km
0 0.5 km

**Hornsby Floodplain Risk Management
Study and Plan
1% AEP True Hazard
Sheet 2**



Map Produced by National Water & Environment (Water)
Date: 2021-4-22 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgz <REV 1>



LEGEND:

- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard





Figure 5-1
1:34,000 Scale at A3
km
0 0.5 km

**Hornsby Floodplain Risk Management
Study and Plan
1% AEP True Hazard
Sheet 3**




Map Produced by National Water & Environment (Water)
Date: 2021-4-22 | Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>






LEGEND:

- Shire
- Effective Flood Access
- Low Hazard
- High Hazard




LEGEND:

- Shire
- Effective Flood Access
- Low Hazard
- High Hazard




LEGEND:

- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard



LEGEND:

- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard



LEGEND:

- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard





Figure 5-2
1:22,000 Scale at A3
km
0 0.5 km

Hornsby Floodplain Risk Management Study and Plan PMF True Hazard Sheet 2



Map Produced by National Water & Environment (Water)
Date: 2021-5-25| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>





LEGEND:

- Shire
- Effective Flood Access
- Low Hazard
- High Hazard




Figure 5-2
1:33,000 Scale at A3
km
0 0.5 km

**Hornsby Floodplain Risk Management
Study and Plan
PMF True Hazard
Sheet 4**





Map Produced by National Water & Environment (Water)
Date: 2021-5-25| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>





LEGEND:


- Shire
- Ease of Evacuation
- Effective Flood Access
- Low Hazard
- High Hazard






















LEGEND:

□ Shire

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

☐ Shire

 < -0.30
 -0.30 to -0.20
 -0.20 to -0.10
 -0.10 to -0.05
 -0.05 to -0.01
 -0.01 to 0.01
 0.01 to 0.05
 0.05 to 0.10
 0.10 to 0.20
 0.20 to 0.30
 > 0.30





Figure 5-3
1:23,000 Scale at A3
km

20% Climate Change Scenario Water Level Difference (CC Less Existing)-Sheet 5



Map Produced by National Water & Environment (Water)
Date: 2021-5-25| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs.qgz <REV 1>




LEGEND:

□ Shire

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30




LEGEND:

Shire

Brooklyn Study Area

Water Level Difference (m)

< -0.30
-0.30 to -0.20
-0.20 to -0.10
-0.10 to -0.05
-0.05 to -0.01
-0.01 to 0.01
0.01 to 0.05
0.05 to 0.10
0.10 to 0.20
0.20 to 0.30
> 0.30



LEGEND:

- Shire
- ARR2019 1% + 0.9m Sea Level Rise
- CSIRO (ARR1987) 100yr ARI + 0.9m Sea Level Rise
- Brooklyn Study Area

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

B

REVIEW OF PREVIOUS STUDIES



now



Table B1 Review of Previous Studies

Study	Description	Implications for Hornsby FRMSP
Summary report on Study of Major Stormwater Drainage System Koorngal Avenue, Gilgandra Avenue, Thornleigh (SRB 2014)	<p>Study of major drainage system and concept design of stormwater upgrade works within the Larool Creek catchment in Thornleigh. Parts of the existing drainage network estimated to have less than 1 year ARI capacity.</p> <p>Major scope of the project was the determination of the extent of existing surface flows within the catchment and the concept design of stormwater network upgrades to meet 5% AEP capacity including pit and pipe upgrades, diversion pipes and a detention system.</p>	Concept options such as pit and pipe upgrades and pipe diversions to be included in Council's Drainage Works Program update.
Summary Report on Proposed Stormwater Drainage Upgrade Works, Myra Street to Park Avenue, Wahroonga (Bannister & Hunter 2014)	The existing stormwater network within the Wahroonga catchment is estimated to have less than 20% AEP capacity. Potential improvement options including pipe upgrades and pit inlet improvements.	Concept options such as pit and pipe upgrades and pipe diversions to be included in Council's Drainage Works Program update.
Myall Road Catchment, Mount Colah, Major Stormwater Drainage Upgrade (SRB 2014)	Option assessment for stormwater network upgrades between Berowra Road and Myall Road. Concept design for preferred option.	Preferred option noted for inclusion in Council's Drainage Works Program update.
Hornsby Overland Flow Study, Detailed Local Assessment, Ida Street and Hyacinth Street, Hornsby (Cardno 2013)	<p>Update of existing conditions hydraulic model with survey and existing stormwater network to refine flood behaviour for the 1% AEP events.</p> <p>Flood mitigation options considered include upgrading existing stormwater network on Old Berowra Road and Bouvardia Street.</p>	Proposed flood mitigation options to be considered as part of Council's Drainage Works Program update.
Hornsby Overland Flow Study, Detailed Local Assessment, Cardinal Avenue, West Pennant Hills (Cardno 2013)	<p>Update of existing conditions hydraulic model with survey and existing stormwater network to refine flood behaviour for the 1% AEP events.</p> <p>Potential options considered include a proposed bund south of Boyd Avenue and proposed pipe north of Victoria Road.</p>	Proposed flood mitigation options to be considered as part of Council's Drainage Works Program update.
Hornsby Overland Flow Study, Detailed Local Assessment, Woodbine Avenue, Normanhurst and Unwin Road, Wahroonga (Cardno 2013)	<p>Update of existing conditions hydraulic model with survey and existing stormwater network to refine flood behaviour for the 1% AEP events.</p> <p>Proposed upgrade works include a pipe on Woodbine Avenue to reduce the impact of overland flow on properties, expansion of the existing detention basin at St Leo's School adjacent to Unwin Road and a proposed pipe on Unwin Road and Karinya Place.</p>	Proposed flood mitigation options to be considered as part of Council's Drainage Works Program update.
Summary Report on Study of Major Stormwater Drainage System – Russell Avenue and Unwin Road, Wahroonga (Bannister & Hunter 2013)	<p>Study of major drainage system and concept design of stormwater upgrade works within the Waitara Creek catchment. Major scope of the project was the determination of the extent of existing surface flows within the catchment and the concept design of stormwater network upgrades to meet 5% AEP capacity.</p> <p>Assessment was undertaken using local DRAINS and HEC-RAS models.</p>	Preferred upgrade works to be incorporated into Council's Drainage Works Program update.
Detailed Study of Major Stormwater Drainage System, Glenelg Close and Sutherland Road, Beecroft	<p>Assessment of existing stormwater drainage system capacity using DRAINS which was found to be less than Councils required 5% AEP capacity.</p> <p>Development of four flood mitigation options at Glenelg Place involving construction of a detention system at</p>	Preferred options to be considered as part of Council's Drainage Works Program update, noting potential environmental and

Study	Description	Implications for Hornsby FRMSP
(Brown Consultants 2013)	Booth Park and providing new or amplified drainage network.	heritage constraints with the proposed detention system option at Booth Park.
Hornsby Drainage Projects, Quarter Sessions Road, Timbarra Road (Brown Consultants 2013)	Design drawings for proposed drainage improvement works.	Noted and to be reviewed as part of Council's Drainage Works Program update.
The Knoll, Galston, Option Assessment (Hornsby Shire Council 2012)	Option assessment for drainage improvement works along overland flow path including pipe diversions, upgrades and reshaping of flow paths, detention systems and creek restoration works.	Options to be reviewed and incorporated into Council's Drainage Works Program update.
Summary Report on Study of Major Stormwater Drainage System, Edgeworth David Avenue, Wahroonga (Bannister & Hunter 2012)	Assessment of existing stormwater drainage system capacity within Hornsby catchment using DRAINS. The existing network was found to have capacity less than 50% AEP capacity in places. A number of concept design options were developed to provide drainage system capacity to Council's required 5% AEP threshold, where possible. Options included upgrading existing pipe networks combined with improvements to pit inlet capacity and new pits.	Noted and to be reviewed as part of Council's Drainage Works Program update.
Royston Parade, Asquith, Local Road and Drainage Improvements (Hornsby Shire Council 2012)	Design drawings for proposed drainage improvement works.	Noted and to be reviewed as part of Council's Drainage Works Program update.
Survey and Design of Major Stormwater Drainage Upgrade Works, Norman Avenue, Derribong Place, Thornleigh (Bannister & Hunter 2011)	Concept design drawings for proposed drainage improvement works.	Noted and to be reviewed as part of Council's Drainage Works Program update.

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

C

DETAILED OVERLAND FLOW
STUDIES



now



A number of detailed assessments were undertaken to build upon the modelling completed as part of the Overland Flow Study (2010-2011) including the following:

- > Ida Street and Hyacinth Street, Hornsby;
- > Cardinal Avenue, West Pennant Hills;
- > Cardinal Avenue, Beecroft; and
- > Woodbine Avenue, Normanhurst and Unwin Road, Wahroonga.

The objective of each individual study was to incorporate the existing channel, pipe and pit network and feature survey information gathered for existing channels and road crossings to improve the accuracy of model terrain and thereby improve the definition of overland flow. A potential upgrade scenario was identified and assessed at each location to mitigate the impacts of overland flow on residential properties and these are summarised below:

Table C1 Hornsby Detailed Studies, Proposed Upgrade Scenarios

Detailed Study Location	Proposed Upgrade Scenarios
Ida Street and Hyacinth Street, Hornsby	Proposed 1.35m diameter pipe pipes along Old Berowra Road to outlet to creek. Proposed 1.2m diameter pipe along Bouvardia Street and Gardenia Street to creek combined with reshaping of linear Reserve. Pit inlet capacity assessment indicates that a number of pipes were flowing below capacity and have the potential to accommodate additional flow.
Cardinal Avenue, West Pennant Hills	Potential options considered include a proposed detention basin or bund south of Boyd Avenue. Additional pipes north of Victoria Road.
Cardinal Avenue, Beecroft	Potential bund/flood wall upstream of Spring Street and Blackwood Avenue Additional 1.2m diameter pipe adjacent to Hull Road and culvert upgrade Improvement to stormwater pits to improve inlet capacity
Woodbine Avenue, Normanhurst and Unwin Road Wahroonga	Proposed 1.5m/2.1m diameter pipe along Unwin Road and Karinya Place Enlargement of the existing detention basin at St Leos School Proposed 1.5m pipe diversion on Woodbine Avenue from intersection with Malsbury Avenue to creek.

The updates and refinements made to the existing hydraulic models resulted in enhance overland flow extents, noting the following:

- > Refining the grid size resolution from 5m x 5m to 2m x 2m did not result in a significant reduction in the estimated flood extents; and
- > A comparison with results of the Overland Flow Study (2010-2011) indicated general correlation between the detailed studies and the flood extents of this study. This comparison validated the approach adopted in the earlier Overland Flow Study and confirms the 20% AEP event with a fully blocked stormwater network is an accurate proxy for the 1% AEP event with a fully operational pipe network.

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

D

CONSULTATION
CORRESPONDENCE



now



Your Reference:
Our Reference: F2010/00292
Related Record:
Contact Person:
Hours: 9.30am – 4.30pm
Telephone:
Fax:

19 November 2010

Owner
Owner's Address
Owner's Address

Dear Owner

Flood Prone Land within Hornsby Shire

The NSW Government has introduced a Flood Prone Land Policy that affects all local Government areas of the State. The Policy aims to improve the protection of life and property from the threat of flood. It requires all councils to identify and map flood prone land within their local government area using guidelines set out in the Floodplain Development Manual (2005). This Policy requires that land that may be affected by flooding in certain circumstances be identified.

As part of this process Council has now completed the Hornsby Overland Flow Study and has identified those properties that are likely to be so affected. Such properties are shown on the draft Flood Planning Maps (FPMs) as Flood Planning Areas. The Study Report and draft FPMs were considered by Council at its Ordinary Meeting held on 20 October, 2010 when it resolved to endorse for Public Exhibition for a period of 28 days, the Hornsby Overland Flow Study Report and draft Flood Planning Maps.

Council's records indicate that you own the following property in Hornsby Shire that has been identified to be designated as a Flood Planning Area in the draft FPMs:

Property No <<Formatted_House_Street_Number, Suburb, Postcode etc>>

Land identified as Flood Planning Areas in the draft FPMs are those inundated by overland flow to a depth greater than 150mm during a 100 Year Average Recurrence Interval (ARI) design storm event. The resulting flood flows may hold a significant risk to property and/or life. The areas of the Shire identified as flood planning areas are the areas between the two blue lines shown on the draft Flood Planning Maps currently on public exhibition.

Flood Planning Areas may be developed with the consent of Council provided that certain conditions that may be imposed by Council at the time of development are complied with. Any proposed development will have to be submitted under a Development Application (DA) and a hydraulic study will be required depending on what development is proposed.

Letter to Property Owner re Flood Prone Land Page 2

The extent of the hydraulic study will be dependent on whether the development would be within the area affected by the overland flow.

A copy of the Hornsby Overland Flow Study Report and draft Flood Planning Maps have been placed on Public Exhibition for a period of 28 days and are available for public inspection at Council's Administration Building and libraries during business hours. The Study Report and draft FPMs are also available on Council's website www.hornsby.nsw.gov.au

A leaflet containing frequently asked questions (FAQs) about flooding, Flood Planning Areas and FPMs is attached to assist property owners in understanding the issues arising from listing of the property as a Flood Planning Area in the draft FPMs.

If you have any questions concerning Council's Overland Flow Study Report and draft Flood Planning Maps, or would like to make an appointment with a Council officer to discuss your concerns about the listing of your property, please contact Council's hotline on 9847 6940.

Written submissions will be accepted by Council regarding this matter and should be addressed to the General Manager. The closing date for submissions is Monday, 24 January 2001.

On completion of the public exhibition period and following consideration of submissions and comments a further report will be prepared for Council to consider and adopt the Study Report and Flood Planning Maps.

Yours faithfully

NICK BERMAN
Mayor

Attachment: Frequently Asked Questions Leaflet (4 pages)

Public Exhibition

Draft *Hornsby Overland Flowpath Study* and draft *Hornsby Shire Flood Planning Maps*



the bushland shire

Frequently asked questions

Why does flooding occur?

Flooding is a natural process. It happens periodically as a result of heavy rainfall in a catchment when the water level in a creek or river rises. Specifically, it occurs when the runoff generated from the storm exceeds the capacity of the drainage system.

The effects of flooding in the Hornsby Shire are magnified by the proximity of urban development to natural and modified creeks and channels. Floodwaters overflow the banks of creeks and channels inundating the floodplain which may include roads, residential, commercial and industrial properties.

What are the consequences of flooding?

Flooding causes severe economic damage and emotional distress. Flooding in urban and rural NSW is estimated to cost our economy about \$250 million each year, and the human impact is even greater.

Flooding can be dangerous to people and animals and cause damage to buildings, infrastructure and utilities. It may also cause the loss of valuable belongings and disruption of essential services. Some examples of the risks associated with flooding:

- Fast moving waters may knock down a person
- Only about 600mm of moving water can cause an average vehicle to float and wash away

- Nearly 50 percent of deaths in moving floodwaters result from people trying to escape from a flood affected area in a motor vehicle

What is flash flooding?

Flash flooding occurs following intense rainfall with resulting flood levels rising to their peak within a very short time, typically between 30 minutes and two hours. This tends to occur in steep urbanised catchments such as in the Hornsby Shire and gives residents very little warning time and little time to prepare.

What is a 1 in 100 year flood?

A 1 in 100 year flood (sometimes called a 100 year flood) is a flood that has a 1 percent (or 1 in 100) chance of occurring in any year. If an area has experienced a 1 in 100 year flood in a certain year, it does not mean that there is no chance of another 1 in 100 year flood occurring in the next 99 years. In fact, some parts of NSW have had more than one of these floods in a single decade. It is a large flood and is often used as the standard for setting flood controls on properties.

What is the Probable Maximum Flood?

The Probable Maximum Flood (PMF) is the largest flood that, based on knowledge of the characteristics of a catchment, engineers and planners consider could conceivably occur within a particular catchment. It is a very rare event, but is used for design purposes, risk assessment and disaster planning.

What is Council doing to manage the flooding problem in Hornsby Shire?

Hornsby Shire Council's responsibility is to manage lands subject to flooding on two levels.

Firstly, in accordance with the NSW Government's Flood Prone Land Policy and the Floodplain Development Manual 2005, Council is responsible for formulating and implementing Floodplain Risk Management Plans. These plans involve catchment-wide studies that identify significant flooding issues and floodplain management studies that identify potential flood mitigation solutions and strategies. Flood mitigation options could typically involve floodplain modification, property modification and emergency response measures.

Secondly, Council has a responsibility to ensure future developments are compatible with flood hazards and do not create flooding problems in other areas. As such Council may enforce planning (development) controls such as minimum heights of floor levels above ground level and prohibiting specific land uses in areas prone to flooding.

How are floodplains managed in NSW?

In NSW, local government has the primary responsibility for controlling development on flood prone land, but the NSW Government, through the Department of Environment, Climate Change and Water (DECCW) and the State Emergency Service (SES), also has an important role to play in managing the flood risk across the State.

The Environmental Planning and Assessment Act 1979 (EP&A Act) requires that a Local Environmental Plan (LEP) consider the potential for and consequence of flooding. This must be done in accordance with the Floodplain Development Manual 2005 and various Ministerial Directions under Section 117 of the EP&A Act. The flood prone land mapping has to be based on the 1 in 100 year ARI storm event plus a freeboard (usually 500mm).

The NSW Government's Flood Prone Land Policy and the Floodplain Development Manual 2005 are directed at providing solutions to existing flooding problems in developed areas and ensuring that future developments will not create flooding problems in other areas.

The State Government subsidises flood mitigation works to alleviate existing problems and provides specialist technical advice to assist councils with their floodplain management responsibilities. The NSW Government provides technical and financial support to local councils to develop Floodplain Risk Management Plans which consist of the following stages:

1. Flood Study
2. Floodplain Risk Management Study
3. Floodplain Risk Management Plan
4. Implementation of the Plan

Read more about these stages below.

What is a Flood Study?

The first stage in the development of a Floodplain Risk Management Plan for a particular catchment involves a Flood Study. A Flood Study is a comprehensive technical investigation of flood behaviour for that catchment. These Flood Studies show the distribution, extent, levels and velocity of floodwaters across sections of the floodplain for different flood events including the 1 in 100 year flood and Probable Maximum Flood.

What is a Floodplain Risk Management Study?

Following a Flood Study, the next stage in the floodplain risk management process is a Floodplain Risk Management Study. The purpose of the study is to identify, assess and compare various risk management options and consider opportunities for environmental enhancements as part of mitigation works. The risk management study draws together the results of the flood study and data collection exercises. It provides information and tools to allow strategic assessment of the impacts of management options for existing, future and continuing flood risk on flood behaviour and hazard and includes the social, economic, ecological and cultural issues in addition to an assessment of costs and benefits of all options. The study also considers and informs suitable Flood Planning Levels and planning controls to guide future development.

Undertaking a Floodplain Risk Management Study is a very long and involved process.

What is a Floodplain Risk Management Plan?

A Floodplain Risk Management Plan formalises and prioritises mitigation works and other floodplain management measures that are recommended in the Floodplain Risk Management Study. The Plan is formally adopted and implemented by Council.

Scientists are warning of rising temperature and less volume and frequency of rain. Why are we going to experience flooding if there is less rainfall?

Climatologists have suggested for some time that climate change would lead to more intense rainfall globally. They suggest that while frequency of smaller rainfall events may decrease and we may experience drought conditions, more extreme events such as a 1 in 10 year event and larger may occur more often. This may result in more flooding events globally.

What is the scope of the Flood Study that has been undertaken by Council?

The Flood Study is being carried out in stages as follows:

Stage 1 - mapping the extent of flooding in urban areas, river settlements and waters edge rural areas.

Future Stages - mapping the balance of rural areas and recalibrating flood prone land mapping based on sea level rise and other climate change predictions.

This information will be used to develop planning controls as detailed below.

What is the purpose of the Overland Flowpath Study and Flood Planning Maps and the resulting planning controls?

The flooding investigation and new planning controls guide development of land in areas subject to flooding in the Hornsby Shire Local Government Area (LGA), pending the completion of Floodplain Risk Management Studies for each of the catchments comprising the overall drainage system.

The broad objectives of the new planning controls are to:

- Provide controls for the assessment of applications on land in flood prone areas.
- Alert the community to the potential hazards and extent of land affected by flooding.
- Inform the community of Council's policy in relation to the use and development of land in flood prone areas in the Hornsby Shire LGA.
- Reduce the risk to human life and damage to property caused by flooding through controlling development in flood prone areas.

What are the different types of flooding?

The flooding investigation looks at the two types of flooding which result in inundation of property in flood prone areas of the Hornsby Shire LGA – Main Stream Flooding and Local Overland Flooding (see definitions below).

What is Main Stream Flooding?

Main stream flooding is the flooding of normally dry land which occurs when water overflows the natural or artificial banks of a stream, river, estuary, lake or dam, e.g. along the Hawkesbury River. On the Hawkesbury River Maps, the extent of Main Stream Flooding is shown by a pale blue outline.

What is Local Overland Flooding?

Local Overland Flooding results from runoff which travels as sheet flow over grassed and paved surfaces, overland flow beside natural watercourses or overland flow from underground stormwater drainage systems.

The Overland Flooding Investigation caters for two levels of Local Overland Flooding, Local Drainage and Major Drainage, which are distinguished by the depths of flooding and the potential danger to personal safety and damage to property.

At the lower end of the scale, Local Drainage problems may involve shallow depths of overland flooding, up to 150mm deep with generally little danger to personal safety. Problems could typically arise because of deficiencies in building practice where floor levels are too close to finished ground levels.

At the upper end of the scale, Local Overland Flooding may involve the flow paths of original drainage lines, whether natural or altered by urban development, and may be categorised as Major Drainage. Depths of flooding are generally in excess of 150mm and conditions may result in danger to personal safety and damage to property (premises and vehicles).

On the Overland Flow Maps, the extent of Local Overland Flooding- Major Drainage is shown by pale blue outlines.

My property is affected by the pale blue outlines on a map. What does this mean and what controls apply to it?

- If your property is affected by a pale blue outline on the Overland Flow Maps, the area within the pale blue outline is subject to Local Overland Flooding - Major Drainage.
- If your property is affected by a pale blue outline on the Hawkesbury River Maps, the area within the pale blue outline is subject to Main Stream Flooding.

For more information refer to the definitions above and maps.

Will the new planning controls affect my property?

The new planning controls apply to the areas of land which are affected by Local Overland Flooding – Major Drainage or Mainstream Flooding in their respective catchments.

Information specific to your property will be available from Council as part of a Section 149 certificate. For a property identified as a Flood Control Lot, the s149(2) or (5) Certificate would include the following clauses:

3. Complying Development

General Housing Code

Complying development under the General Housing Code may not be carried out on the land.

and

7A. Flood related development controls information

- (1) Development on the land, or part of the land, for the purposes of dwelling houses, dual occupancies, multi dwelling housing or residential flat buildings (not including development for the purposes of group homes or seniors housing) is subject to flood related development controls.

- (2) Development on the land, or part of the land, for any other purpose is subject to flood related development controls.

This means that if a property owner wishes to develop or undertake works on their property, A Development Application will need to be submitted and considered by Council. Provided certain requirements can be satisfied, development may be able to proceed.

What is the process for classifying land as Flood Prone Land in a LEP?

Once Council has endorsed the draft flood prone land maps for the purposes of informing Council's LEP, it will prepare a planning proposal. Council will then need to endorse and submit the planning proposal to the Department of Planning seeking a "gateway determination" to exhibit the proposal for community comment. Where a gateway determination is granted, Council will exhibit the proposal in accordance with the requirements specified in the determination, review the submissions received and report the matter to Council for final endorsement. Where endorsed, the proposal will be forwarded to the Department of Planning for the making of the plan.

What are the implications of parts of my property being identified as flood prone (i.e. a flood control lot) if I want to carry out development on my site?

If your land is identified as being a flood control lot, you will not be permitted to undertake development specified in the General Housing Code provisions of State Environmental Planning Policy (Exempt and Complying Development Codes) 2008 as Complying Development (i.e. by the issue of a Complying Development Certificate).

Any such development specified therein would require the submission of a Development Application (DA) to Council for approval.

What additional information will I need to provide as part of a DA?

The DA will need to address the matters for consideration in the LEP flood planning provisions and this may include the need to submit a detailed hydrological study, prepared by a suitably qualified consultant. This study will need to show the extent of any overland flowpath through the property and to set the minimum floor level for habitable and non-habitable areas of any proposed dwelling. Such studies are already required for any DA submitted to Council that is identified as being affected by an overland flowpath.

Can Council provide flood advice or a flood study for individual property owners?

Council does not currently have the resources or sufficient information to provide flood advice or to set minimum floor levels for individual properties. Council can provide calculated stormflow rates for the one in 100 year storm for use by the property owner's hydraulics consultant.

Will the value of my property be altered if it is identified as a flood control lot?

If your property is deemed to be subject to Main Stream or Local Overland Flood related planning controls the real flood risks on your property have not changed, only Council's classification has been altered. A prospective buyer of your property could have previously discovered this flood risk if they had made the appropriate enquiries.

Will I be able to get house and contents insurance if I am flood affected?

Flood cover, as part of some home and contents insurance policies, has recently been made available in NSW by some insurers. Premiums for flood cover will vary and are typically based on the assessed flood risk for individual properties which are

determined by the insurer. In general, flood cover is available for properties subject to low flood risk at minimal cost. Properties with a higher flood risk may be charged a premium to reflect the likelihood and seriousness of impacts of a flood on that property.

However, it should be noted that flood cover has traditionally not been available as part of standard home and contents insurance, or has been subject to strict conditions either limiting the source of flooding or capping coverage, or both.

Contact your insurer to check if your insurance policy needs to be updated. You should confirm the availability of flood cover, and any relevant conditions and costs that might apply with your insurer.

What can I do to be flood prepared?

Visit the NSW State Emergency Service website at www.ses.nsw.gov.au for further information regarding flood preparation measures, in particular the NSW Flood Safe Guide.

What can I do to minimise flooding?

Flooding is a significant issue which affects the entire community, and actions by individuals may have serious consequences on others within the catchment. To play your part:

- Be aware if your property is affected by flooding or contains a potential overflow path
- Be aware of what drainage easement affects your property
- Be conscious of flow paths around your dwelling and keep them clear - be careful not to dispose of grass clippings and other garden cuttings in or near the watercourse and remove any obstructions that may cause blockages

- New fences for properties subject to flood related planning controls need to incorporate measures to allow the passage of overland flows
- Do not construct raised gardens or plant significant trees or vegetation within flow paths. Certain species such as jacaranda, poplar, willow, fig, camphor laurel, rubber trees and other types with aggressive root systems can cause pipelines to become blocked or cracked
- Do not perform any significant work (earthworks, creek bank protection, bridges, piping, etc) to the watercourse through your property without first consulting Council
- Do not lay any pipes, construct a bridge or divert a watercourse without first consulting Council. Unapproved work can increase flooding for both you and your neighbours
- Do not fill in low lying areas of your yard without seeking Council approval as this may cause water to pond and increase flooding potential on both your property and your neighbours'.

With your help, we can minimise flood risks and damages.

Who can I contact for more information?

Contact Hornsby Shire Council on 9847 6940.

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

E

SOCIAL AND ENVIRONMENTAL
DATA



now



Table E1 Age Structure (ABS, 2014)

Age Group (Years)	Number of Persons in the Hornsby LGA	% of Total Persons in the Hornsby LGA	Number of Persons in NSW	% of Total Persons in NSW
0-4 years	9,549	6.1	458,736	6.6
5-9 years	10,080	6.4	434,608	6.3
10-14 years	10,816	6.9	439,168	6.3
15-19 years	11,321	7.2	443,416	6.4
20-24 years	10,054	6.4	449,685	6.5
25-29 years	7,990	5.1	473,160	6.8
30-34 years	8,841	5.6	468,336	6.8
35-39 years	10,821	6.9	488,124	7.1
40-44 years	11,956	7.6	483,502	7.0
45-49 years	12,459	7.9	481,428	7.0
50-54 years	11,879	7.6	469,024	6.8
55-59 years	9,833	6.3	419,612	6.1
60-64 years	8,607	5.5	390,678	5.6
65-69 years	6,503	4.1	304,327	4.4
70-74 years	5,066	3.2	237,362	3.4
75-79 years	3,843	2.5	186,032	2.7
80-84 years	3,414	2.2	150,724	2.2
85 years and over	3,816	2.4	139,735	2.0

Table E2 Languages Spoken at Home (other than English) (ABS, 2014)

Languages Spoken at Home	Persons in the Hornsby LGA	% of Total Persons in the Hornsby LGA	Number of Persons in NSW	% of Total Persons in NSW
Cantonese	8,085	5.2	136,373	2.0
Mandarin	7,625	4.9	139,822	2.0
Korean	4,298	2.7	47,423	0.7
Hindi	2,308	1.5	52,781	0.8
Arabic	1,610	1.0	184,251	2.7

Table E3 Typical Land Values issued for Hornsby local Government Area
(Source: NSW Government, 2012)

Size	Location	Value
Residential		
697m ²	Burdett Street, Hornsby	\$500,000
771m ²	Capella Place, Normanhurst	\$447,000
797m ²	Dartford Road, Thornleigh	\$427,000
696m ²	Dudley Street, Asquith	\$435,000
702m ²	Fiona Road, Beecroft	\$620,000
732m ²	Francis Greenway Drive, Cherrybrook	\$395,000
751m ²	Laurence Street, Pennant Hills	\$467,000
Commercial		
412m ²	Florence Street, Hornsby	\$1,180,000
405m ²	Pacific Highway, Asquith	\$340,000
623m ²	Pennant Hills Road, Thornleigh	\$517,000
706m ²	Pennant Hills Road, Pennant Hills	\$1,090,000
230m ²	Station Street, Hornsby	\$413,000.
Industrial		
4,331m ²	Beaumont Road, Mount Kuring-gai	\$665,000
1,197m ²	Brennan Close, Asquith	\$443,000
556m ²	Leonard Street, Hornsby	\$395,000
2,201m ²	Pioneer Avenue, Thornleigh	\$960,000

Table E4 List of NSW Contaminated Sites Notified to the EPA

Suburb	Site description	Address	Activity that caused contamination
Asquith	BP Service Station	462 Pacific Highway	Service Station
Berowra	7-Eleven Service Station	965-969 Pacific Highway	Service Station
Berowra	Caltex Service Station Berowra	12-14 Berowra Waters Rd	Service Station
Berowra	Shell Coles Express Berowra	955 Pacific Highway	Service Station
Brooklyn	Former Oyster Farm	Off Government Road	Unclassified
Cherrybrook	Caltex Service Station	67 Shepherds Dr	Service Station
Hornsby	Coles Express Hornsby	196-200 Pacific Highway	Service Station
Hornsby	Midas Car Care Centre	2A Linda Street	Other Petroleum
Hornsby	Shell Coles Express Hornsby	194- 206 Pacific Highway	Service Station
Mount Colah	Caltex Service Station	603 Pacific Hwy	Service Station
Thornleigh	Caltex Service Station	200-202 Pennant Hills Rd	Service Station
Thornleigh	Shell Coles Express Thornleigh	188 - 190 Pennant Hills Road	Service Station
Waitara	Caltex Service Station	59-61 Pacific Hwy	Service Station
West Pennant Hills	Mobil Service Station	552 Pennant Hills Road	Service Station

Table E5 POEO Licenses in Hornsby Shire

Name	Location	Licence Status	Issued date
Amdel Limited	5 Kelray Place, ASQUITH, NSW 2077	Surrendered	30-Apr-02
Anspec Pty. Limited	9 CHILVERS ROAD, THORNLEIGH, NSW 2120	Surrendered	27-Jun-00
Ausgrid	51-59 Bridge Road, HORNSBY, NSW 2077	No longer in force	23-Feb-04
Boral Resources (Nsw) Pty Ltd	23 SEFTON ROAD, THORNLEIGH, NSW 2120	No longer in force	22-Aug-00
Cameron Brae Pty Ltd	199 BAY ROAD, BEROWRA WATERS, NSW 2082	Surrendered	25-Oct-99
Csr Limited	QUARRY ROAD, HORNSBY, NSW 2077	Surrendered	4-Sep-00
Etra Pty Ltd	Lot 2 Old Telegraph Road, MAROOTA, NSW 2756	Issued	12-Oct-00
Etra Pty Ltd	OLD NORTHERN ROAD, MAROOTA, NSW 2756	Issued	9-Jul-01
Fort Dodge Australia Pty Limited	11 MOORES ROAD, GLENORIE, NSW 2157	Surrendered	18-Sep-00
Glenorie Holdings Pty Ltd	11-15 Moores Road, GLENORIE, NSW 2157	Issued	5-Jul-13
Hanson Construction Materials Pty Ltd	3 PIONEER AVE, THORNLEIGH, NSW 2120	No longer in force	24-May-00
Hawkesbury River Holdings Pty Ltd	31 BROOKLYN ROAD, BROOKLYN, NSW 2083	Issued	30-Jan-01
Hawkesbury River Marina Pty Ltd	9 DANGAR ROAD, BROOKLYN, NSW 2083	Surrendered	11-Aug-00
Holcim (Australia) Pty Ltd	12 CHILVERS ROAD, THORNLEIGH, NSW 2120	No longer in force	14-Mar-00
Hornsby Shire Council	412 GALSTON ROAD, GALSTON, NSW 2159	Surrendered	27-Sep-99
Hornsby Shire Council	203 PACIFIC HIGHWAY, HORNSBY, NSW 2077	Surrendered	27-Sep-99
Hornsby Shire Council	Cnr Dartford and Pennant Hills Roads, THORNLEIGH, NSW 2120	Surrendered	5-Sep-00
Hornsby Shire Council	DANGAR ROAD, BROOKLYN, NSW 2083	Surrendered	18-May-01
Hornsby Shire Council	OLD NORTHERN ROAD, WISEMANS FERRY, NSW 2775	Surrendered	20-Aug-01
Jalco Cosmetics Pty. Limited	45 KING ROAD, HORNSBY, NSW 2077	Issued	23-Jun-00
Keith Harris & Co Ltd	7 SEFTON ROAD, THORNLEIGH, NSW 2120	Surrendered	19-Jan-00
Leighton Contractors Pty Limited	6km corridor along the existing Northern Rail Line between Epping Station and Thornleigh Station, HORNSBY, NSW 2077	Issued	16-Aug-13
Mccarroll's Of Moss Vale Pty Ltd	42-54 PACIFIC HIGHWAY, WAITARA, NSW 2077	No longer in force	4-Feb-00
Metromix Pty Limited	11 SALISBURY ROAD, HORNSBY, NSW 2077	No longer in force	27-Jun-00
National Can (N.S.W.) Pty Ltd	50A DUFFY AVE, THORNLEIGH, NSW 2120	Surrendered	26-Jun-00
Northern Sydney And Central Coast Area Health Service	PALMERSTON ROAD, HORNSBY, NSW 2077	No longer in force	28-Mar-00
Oscrag Pty Ltd	216 BROOKLYN ROAD, BROOKLYN, NSW 2083	Surrendered	28-Jun-00

Name	Location	Licence Status	Issued date
Rail Corporation New South Wales	1B STEPHEN STREET, HORNSBY, NSW 2077	No longer in force	17-Dec-02
Ridley Agriproducts Pty Ltd.	4777 OLD NORTHERN ROAD, MAROOTA, NSW 2756	Issued	16-May-00
Roads & Traffic Authority Of New South Wales	Sydney - Newcastle Freeway, BEROWRA, NSW 2081	Surrendered	15-Dec-06
Steggles Foods Mt Kuring-Gai Pty Limited	4 - 6 Mundowi Road, MOUNT KURING-GAI, NSW 2080	Issued	12-Feb-10
Summertime Chicken Pty Limited	26-28 CROSSLANDS ROAD, GALSTON, NSW 2159	Issued	27-Nov-00
Sydney Water Corporation	PIKE ROAD, HORNSBY HEIGHTS, NSW 2077	Issued	25-May-00
Sydney Water Corporation	OFF VALLEY ROAD, HORNSBY, NSW 2077	Issued	25-May-00
Sydney Water Corporation	LOT 4 BROOKLYN ROAD, BROOKLYN, NSW 2083	Issued	15-May-06
Sydney Water Corporation	Including the township of Cowan, MOUNT KURING-GAI, NSW 2080	Issued	11-Jan-13
Sydney Water Corporation	GALSTON, NSW 2159	Issued	28-Jul-14
The Uniting Church In Australia Property Trust (Nsw)	7 VISION VALLEY ROAD, ARCADIA, NSW 2159	Surrendered	1-Aug-00
The Wrigley Company Pty. Ltd	MICHIGAN AVENUE, ASQUITH, NSW 2077	No longer in force	26-Jun-00
Transgrid	1103 Old Northern Road, DURAL, NSW 2158	No longer in force	28-Mar-01

Table E6 Flora Records within Hornsby Shire (DPIE 2014)

Family	Scientific Name	Common Name	Status (NSW)	Status (Commonwealth)
Asteraceae	<i>Olearia cordata</i>		V,P	V
Dilleniaceae	<i>Hibbertia superans</i>		E1,P	
Elaeocarpaceae	<i>Tetratheca glandulosa</i>		V,P	
Ericaceae	<i>V,P</i>			
Fabaceae (Mimosoideae)	<i>Acacia bynoeana</i>	Bynoe's Wattle	E1,P	V
Fabaceae (Mimosoideae)	<i>Acacia gordonii</i>		E1,P	E
Fabaceae (Mimosoideae)	<i>Acacia terminalis</i> subsp. <i>terminalis</i>	Sunshine Wattle	E1,P	E
Grammitidaceae	<i>Grammitis stenophylla</i>	Narrow-leaf Finger Fern	E1,P,3	
Haloragaceae	<i>Haloragis exalata</i> subsp. <i>exalata</i>	Square Raspwort	V,P	V
Haloragaceae	<i>Haloragodendron lucasii</i>		E1,P	E
Lamiaceae	<i>Prostanthera junonis</i>	Somersby Mintbush	E1,P	E
Malvaceae	<i>Lasiopetalum joyceae</i>		V,P	V
Myrtaceae	<i>Callistemon linearifolius</i>	Netted Bottle Brush	V,P,3	
Myrtaceae	<i>Darwinia biflora</i>		V,P	V
Myrtaceae	<i>Darwinia fascicularis</i> subsp. <i>oligantha</i>	Darwinia fascicularis subsp. oligantha population in the Baulkham Hills and Hornsby Local Government Areas	E2	
Myrtaceae	<i>Darwinia peduncularis</i>		V,P	
Myrtaceae	<i>Eucalyptus camfieldii</i>	Camfield's Stringybark	V,P	V
Myrtaceae	<i>Eucalyptus nicholii</i>	Narrow-leaved Black Peppermint	V,P	V
Myrtaceae	<i>Eucalyptus scoparia</i>	Wallangarra White Gum	E1,P	V
Myrtaceae	<i>Kunzea rupestris</i>		V,P	V
Myrtaceae	<i>Leptospermum deanei</i>		V,P	V
Myrtaceae	<i>Melaleuca biconvexa</i>	Biconvex Paperbark	V,P	V
Myrtaceae	<i>Melaleuca deanei</i>	Deane's Paperbark	V,P	V
Myrtaceae	<i>Micromyrtus blakelyi</i>		V,P	V
Myrtaceae	<i>Syzygium paniculatum</i>	Magenta Lilly Pilly	E1,P	V
Orchidaceae	<i>Caladenia tessellata</i>	Thick Lip Spider Orchid	E1,P,2	V
Orchidaceae	<i>Genoplesium baueri</i>	Bauer's Midge Orchid	E1,P,2	E
Orchidaceae	<i>Genoplesium plumosum</i>	Tallong Midge Orchid	E4A,P,2	E
Orchidaceae	<i>Pterostylis nigricans</i>	Dark Greenhood	V,P,2	
Poaceae	<i>Ancistrachne maidenii</i>		V,P	
Proteaceae	<i>Grevillea parviflora</i> subsp. <i>supplicans</i>		E1,P	
Proteaceae	<i>Grevillea shiressii</i>		V,P	V

Family	Scientific Name	Common Name	Status (NSW)	Status (Commonwealth)
Proteaceae	<i>Persoonia hirsuta</i>	Hairy Geebung	E1,P,3	E
Proteaceae	<i>Persoonia mollis</i> subsp. <i>maxima</i>		E1,P	E
Proteaceae	<i>Persoonia nutans</i>	Nodding Geebung	E1,P	E
Rubiaceae	<i>Galium australe</i>	Tangled Bedstraw	E1,P	
Rutaceae	<i>Asterolasia elegans</i>		E1,P	E
Rutaceae	<i>Zieria involucrata</i>		E1,P	V
Thymelaeaceae	<i>Pimelea curviflora</i> var. <i>curviflora</i>		V,P	V

P = Protected, V = Vulnerable, E1,E2 = Endangered under the TSC Act, E = Endangered under the EPBC Act

Table E7 Fauna Records in Hornsby Shire (DPIE 2014)

Family	Scientific Name	Common Name	Status (NSW)	Status (Commonwealth)
Amphibia				
Myobatrachidae	<i>Heleioporus australiacus</i>	Giant Burrowing Frog	V,P	V
Myobatrachidae	<i>Pseudophryne australis</i>	Red-crowned Toadlet	V,P	
Hylidae	<i>Litoria aurea</i>	Green and Golden Bell Frog	E1,P	V
Reptilia				
Dermochelyidae	<i>Dermochelys coriacea</i>	Leatherback Turtle	E1,P	E
Varanidae	<i>Varanus rosenbergi</i>	Rosenberg's Goanna	V,P	
Aves				
Columbidae	<i>Ptilinopus superbus</i>	Superb Fruit-Dove	V,P	
Apodidae	<i>Apus pacificus</i>	Fork-tailed Swift	P	C,J,K
Apodidae	<i>Hirundapus caudacutus</i>	White-throated Needletail	P	C,J,K
Procellariidae	<i>Ardenna tenuirostris</i>	Short-tailed Shearwater	P	J,K
Procellariidae	<i>Macronectes giganteus</i>	Southern Giant Petrel	E1,P	E
Ardeidae	<i>Ardea ibis</i>	Cattle Egret	P	C,J
Ardeidae	<i>Ixobrychus flavicollis</i>	Black Bittern	V,P	
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied Sea-Eagle	P	C
Accipitridae	<i>Hieraaetus morphnoides</i>	Little Eagle	V,P	
Accipitridae	<i>Lophoictinia isura</i>	Square-tailed Kite	V,P,3	
Accipitridae	<i>Pandion cristatus</i>	Eastern Osprey	V,P,3	
Falconidae	<i>Falco hypoleucos</i>	Grey Falcon	E1,P,2	
Charadriidae	<i>Charadrius hiaticula</i>	Ringed Plover	P	C,J,K
Scolopacidae	<i>Gallinago hardwickii</i>	Latham's Snipe	P	C,J,K
Cacatuidae	<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo	V,P,3	
Cacatuidae	<i>Callocephalon fimbriatum</i>	Gang-gang Cockatoo population in the Hornsby and Ku-ring-gai Local Government Areas	E2,V,P,3	
Cacatuidae	<i>Calyptorhynchus lathamii</i>	Glossy Black-Cockatoo	V,P,2	
Psittacidae	<i>Glossopsitta pusilla</i>	Little Lorikeet	V,P	
Psittacidae	<i>Lathamus discolor</i>	Swift Parrot	E1,P,3	E
Psittacidae	<i>Neophema pulchella</i>	Turquoise Parrot	V,P,3	
Strigidae	<i>Ninox connivens</i>	Barking Owl	V,P,3	
Strigidae	<i>Ninox strenua</i>	Powerful Owl	V,P,3	
Tytonidae	<i>Tyto novaehollandiae</i>	Masked Owl	V,P,3	
Tytonidae	<i>Tyto tenebricosa</i>	Sooty Owl	V,P,3	
Climacteridae	<i>Climacteris picumnus victoriae</i>	Brown Treecreeper (eastern subspecies)	V,P	
Meliphagidae	<i>Anthochaera phrygia</i>	Regent Honeyeater	E4A,P	E
Pomatostomidae	<i>Pomatostomus temporalis temporalis</i>	Grey-crowned Babbler (eastern subspecies)	V,P	

Family	Scientific Name	Common Name	Status (NSW)	Status (Commonwealth)
Neosittidae	<i>Daphoenositta chrysoptera</i>	Varied Sittella	V,P	
Petroicidae	<i>Petroica boodang</i>	Scarlet Robin	V,P	
Petroicidae	<i>Petroica phoenicea</i>	Flame Robin	V,P	
Estrildidae	<i>Stagonopleura guttata</i>	Diamond Firetail	V,P	
Mammalia				
Dasyuridae	<i>Dasyurus maculatus</i>	Spotted-tailed Quoll	V,P	E
Peramelidae	<i>Isodon obesulus obesulus</i>	Southern Brown Bandicoot (eastern)	E1,P	E
Phascolarctidae	<i>Phascolarctos cinereus</i>	Koala	V,P	V
Burramyidae	<i>Cercartetus nanus</i>	Eastern Pygmy-possum	V,P	
Pteropodidae	<i>Pteropus poliocephalus</i>	Grey-headed Flying-fox	V,P	V
Emballonuridae	<i>Saccolaimus flaviventris</i>	Yellow-bellied Sheath-tail-bat	V,P	
Molossidae	<i>Mormopterus norfolkensis</i>	Eastern Freetail-bat	V,P	
Vespertilionidae	<i>Chalinolobus dwyeri</i>	Large-eared Pied Bat	V,P	V
Vespertilionidae	<i>Falsistrellus tasmaniensis</i>	Eastern False Pipistrelle	V,P	
Vespertilionidae	<i>Miniopterus australis</i>	Little Bentwing-bat	V,P	
Vespertilionidae	<i>Miniopterus schreibersii oceanensis</i>	Eastern Bentwing-bat	V,P	
Vespertilionidae	<i>Myotis macropus</i>	Southern Myotis	V,P	
Muridae	<i>Pseudomys novaehollandiae</i>	New Holland Mouse	P	V
Dugongidae	<i>Dugong dugon</i>	Dugong	E1,P	
Balaenidae	<i>Eubalaena australis</i>	Southern Right Whale	E1,P	E

P = Protected, V = Vulnerable, E1, E2, E4A = Endangered under the TSC Act, E = Endangered under the EPBC Act, J = Japan-Australia Migratory Bird Agreement (JAMBA), C = China-Australia Migratory Bird Agreement (CAMBA), K = Republic of Korea-Australia Migratory Bird Agreement (ROKAMBA)

Table E8 Australian Heritage Database Records (DPIE 2014)

Place Name	Location	Status	List
Ku-ring-gai Chase National Park, Lion, Long and Spectacle Island Nature Reserves Ku-ring-gai Chase Rd	Bobbin Head, NSW, Australia	Listed place	National Heritage List
Refuge Bay and The Basin Basin Trk	The Basin, NSW, Australia	Nomination now ineligible for PPAL	National Heritage List
Bar Island Cemetery Precinct	Mooney Mooney, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Beecroft Post Office 95A Beecroft Rd	Beecroft, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Big Bay Marramarra Creek Area	Canoelands, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Blackwood House, Gates and Walling 8 & 2/2A Beecroft Rd	Beecroft, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Galston Gorge Road Bridge Galston Rd	Galston, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Hawkesbury Reserve (former) Pacific Hwy	Brooklyn, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Hawkesbury River Rail Bridge	Brooklyn, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Higgins Family Cemetery Quarry Rd	Hornsby, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Highlands including Grounds and Trees 9 Highlands Av	Wahroonga, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Hornsby Diatreme Area Quarry Rd	Hornsby, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Indigenous Place	Canoelands, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Indigenous Place	Cowan, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Indigenous Place	Mount Kuring-gai, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Indigenous Place	Wisemans Ferry, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Ku-ring-gai Chase National Park (1980 boundary) Ku-ring-gai Chase Rd	Bobbin Head, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Long Island Nature Reserve	Brooklyn, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)

Place Name	Location	Status	List
Marramarra National Park Old Northern Rd	Wisemans Ferry, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Mount Wilga 2A Manor Rd	Hornsby, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
Muogamarra Nature Reserve Glendale Rd	Cowan, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Solomon Wisemans Well Singleton Rd	Wisemans Ferry, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)
St Judes Anglican Church 965 Old Northern Rd	Dural, NSW, Australia	Registered	Register of the National Estate (Non-statutory archive)
Stills Creek Area 12 Knights Rd	Galston, NSW, Australia	Indicative Place	Register of the National Estate (Non-statutory archive)

Table E9 Items Listed by State Agencies under Section 170 of the Heritage Act

Item Name	Address	Suburb
Asquith Railway Station Group	Haldane Street	Asquith
Beecroft Railway Station Group and Bushland Corridor	Wongala Crescent	Beecroft
Berowra Creek Bridge	Galston Road	Galston
Berowra Railway Station Group	Pacific Highway	Berowra
Berowra Reservoir (Elevated) (WS 0013)	Berowra Waters Road and Boundary Street	Berowra
Brooklyn (Long Island) Archaeological Site	Long Island	Brooklyn
Brooklyn Former Railway Platform (Long Island)	Hawkesbury River	Long Island
Cowan Railway Station Group	Pacific Highway	Cowan
Dural Reservoir (Elevated) (WS 0039)	Galston Road	Dural
Dural South Reservoir (WS 0112)	New Line Road	Dural
Electricity Substation No. 1371	177 Beecroft Road	Beecroft
Hawkesbury River Rail Bridge and Long Island Group	Hawkesbury River	Long Island
Hawkesbury River Railway Station Group	Brooklyn Road	Brooklyn
Hornsby Courthouse	Pacific Highway	Hornsby
Hornsby Railway Station Group and Barracks	Bridge Road	Hornsby
Hornsby Reservoir (WS 0055)	Galston Road and Old Berowra Road	Hornsby
Mount Ku-ring-gai Railway Station Group	Pacific Highway	Mount Kuring-gai
Pearces Creek Bridge, Galston Gorge	Galston Road (Mr 161)	Hornsby
Peats Ferry Road (Former)	Peats Ferry Rd (Former)	Brooklyn
Peats Ferry Road Bridge Over Hawkesbury River	Pacific Highway	Brooklyn
Waitara Railway Station Group	Alexandria Parade	Waitara

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX


F

ACCESS ROAD FLOODING




now







LEGEND:

- ▼ Access Road Flooding Location ID
- Shire
- PMF Flood Extent









LEGEND:


- ▼ Access Road Flooding Location
Flood Depth- 20%|1%|PMF
- Shire
- PMF Flood Extent



LEGEND:


- ▼ Access Road Flooding Location
Flood Depth- 20%|1%|PMF
- Shire
- PMF Flood Extent





LEGEND:

- ▼ Access Road Flooding Location
Flood Depth- 20%|1%|PMF
- Shire
- PMF Flood Extent



HORNSBY
SHIRE COUNCIL

FIG F1.6
1:46,000 Scale at A3

km

0 0.5 1

**Hornsby Floodplain Risk Management
Study and Plan**

Access Road Flooding Location- Maximum Depth

Sheet 6



N



Cardno

Map Produced by National Water & Environment (Water)
Date: 2021-3-24| Project: NW30006
Coordinate System: MGA 1994 Zone 56
Map: FRMSP_Final_Results.qgs <REV 1>

Table F1 Access Road Flooding

ID	Location of Road Flooding (As shown on Map)	Maximum Depth of Flooding (m)		
		20% AEP	1% AEP	PMF
1	Devon Street	0.25	0.35	0.90
2	Holland Street	0.21	0.27	0.82
3	Eastcote Road	0.27	0.31	0.52
4	Boundary Road	0.07	0.27	0.61
5	The Crescent	1.13	2.05	2.65
6	The Crescent	1.13	2.05	2.65
7	Kethel Road	0.13	0.22	1.43
8	Copeland Road	0.00	0.75	3.91
9	Hannah Street	1.35	1.68	3.55
10	Chapman Avenue	0.26	0.59	1.57
11	Hull Road	0.35	0.51	1.49
12	Albert Road	0.10	0.18	0.59
13	Cumberland Highway	0.00	0.46	0.78
14	Stevens Street	0.26	0.43	1.23
15	Pritchard Street	0.35	0.54	1.65
16	The Comenarra Parkway	1.14	1.45	2.92
17	Cumberland Highway	0.00	0.46	0.78
18	Janet Avenue	0.12	0.19	0.98
19	Wearne Avenue	0.48	0.59	1.20
20	Giblett Avenue	0.74	0.80	1.10
21	Sefton Road	0.08	0.16	0.58
22	Campbell Avenue	0.07	0.11	0.39
23	Redgrave Road	0.20	0.27	0.59
24	Huddart Avenue	0.00	0.00	2.95
25	Unwin Road	0.19	0.26	2.60
26	Wareemba Avenue	0.00	0.42	3.03

ID	Location of Road Flooding (As shown on Map)	Maximum Depth of Flooding (m)		
		20% AEP	1% AEP	PMF
27	College Crescent	0.62	1.31	2.14
28	Leonard Street	0.00	0.09	1.12
29	Edgeworth David Ave	0.09	0.15	0.49
30	Park Avenue	0.06	0.11	0.69
31	Sherbrook Road	0.18	0.35	2.05
32	Jersey Street North	0.96	1.45	4.12
33	Wattle Street	0.12	0.39	2.42
34	Old Berowra	0.05	0.08	0.32
35	Yirra Road	0.00	0.00	0.08
36	Cowan Road	0.06	0.09	0.32
37	Sprigg Place	0.20	0.27	0.69
38	Foxglove Road	0.10	0.16	0.77
39	Pacific Motorway	0.71	1.09	1.55
40	Pacific Highway	0.00	0.00	0.35
41	Bambil Road	0.00	0.04	0.23
42	Richards Close	0.38	0.56	1.18
43	Warrina Street	0.33	0.45	0.92
44	Woodcourt Road	0.06	0.10	0.53
45	Brooklyn Road	0.05	0.08	1.67
46	Victoria Road	0.55	0.68	1.37
47	Boundary Road	0.07	0.27	0.61
48	Edward Bennett Drive	0.75	0.93	1.68
49	New Line Road	0.08	0.35	2.05
50	Boundary Road	0.07	0.27	0.61
51	County Drive	0.69	0.96	1.99
52	Woodgrove Avenue	0.60	0.74	2.30
53	Westminster Drive	0.16	0.27	1.33

ID	Location of Road Flooding (As shown on Map)	Maximum Depth of Flooding (m)		
		20% AEP	1% AEP	PMF
54	New Line Road	0.08	0.35	2.05
55	Jenner Road	0.71	0.96	1.33
56	Hancock Drive	0.05	0.08	0.28
57	Shepherds Drive	0.38	0.46	0.90
58	Arcadia Road	0.00	0.09	0.40
59	Johnson Road	0.61	1.05	2.51
60	Mid Dural Road	1.14	2.15	8.82
61	Knights Road	0.95	1.19	2.63
62	Bayfield Road	0.00	0.13	1.42
63	Harrisons Road	0.00	0.22	1.21
64	Cairnes Road	0.13	0.35	1.56

Hornsby Floodplain Risk
Management Study and Plan

APPENDIX


G


LAND USE ZONING




now










LEGEND:

- Shire
- 1% AEP Flood Extent
- PMF Flood Extent

Hornsby Shire Land Use Zones:

- B1 Neighbourhood Centre
- B2 Local Centre
- B3 Commercial Core
- B4 Mixed Use
- B5 Business Development
- B6 Enterprise Corridor
- E1 National Parks and Nature Reserves
- E2 Environmental Conservation
- E3 Environmental Management
- E4 Environmental Living
- IN1 General Industrial
- IN2 Light Industrial
- IN4 Working Waterfront
- R2 Low Density Residential
- R3 Medium Density Residential
- R4 High Density Residential
- RE1 Public Recreation
- RE2 Private Recreation
- RU1 Primary Production
- RU2 Rural Landscape
- RU4 Primary Production Small Lots
- RU5 Village
- SP2 Infrastructure
- SP3 Tourist
- W1 Natural Waterways
- W2 Recreational Waterways



LEGEND:


- Shire
- 1% AEP Flood Extent
- PMF Flood Extent

Hornsby Shire Land Use Zones:

- B1 Neighbourhood Centre
- B2 Local Centre
- B3 Commercial Core
- B4 Mixed Use
- B5 Business Development
- B6 Enterprise Corridor
- E1 National Parks and Nature Reserves
- E2 Environmental Conservation
- E3 Environmental Management
- E4 Environmental Living
- IN1 General Industrial
- IN2 Light Industrial
- IN4 Working Waterfront
- R2 Low Density Residential
- R3 Medium Density Residential
- R4 High Density Residential
- RE1 Public Recreation
- RE2 Private Recreation
- RU1 Primary Production
- RU2 Rural Landscape
- RU4 Primary Production Small Lots
- RU5 Village
- SP2 Infrastructure
- SP3 Tourist
- W1 Natural Waterways
- W2 Recreational Waterways


Hornsby Shire Land Use Zones:

- B1 Neighbourhood Centre
- B2 Local Centre
- B3 Commercial Core
- B4 Mixed Use
- B5 Business Development
- B6 Enterprise Corridor
- E1 National Parks and Nature Reserves
- E2 Environmental Conservation
- E3 Environmental Management
- E4 Environmental Living
- IN1 General Industrial
- IN2 Light Industrial
- IN4 Working Waterfront
- R2 Low Density Residential
- R3 Medium Density Residential
- R4 High Density Residential
- RE1 Public Recreation
- RE2 Private Recreation
- RU1 Primary Production
- RU2 Rural Landscape
- RU4 Primary Production Small Lots
- RU5 Village
- SP2 Infrastructure
- SP3 Tourist
- W1 Natural Waterways
- W2 Recreational Waterways



LEGEND:

- Shire
- 1% AEP Flood Extent
- PMF Flood Extent



LEGEND:

- Shire
- 1% AEP Flood Extent
- PMF Flood Extent

Hornsby Shire Land Use Zones:

- B1 Neighbourhood Centre
- B2 Local Centre
- B3 Commercial Core
- B4 Mixed Use
- B5 Business Development
- B6 Enterprise Corridor
- E1 National Parks and Nature Reserves
- E2 Environmental Conservation
- E3 Environmental Management
- E4 Environmental Living
- IN1 General Industrial
- IN2 Light Industrial
- IN4 Working Waterfront
- R2 Low Density Residential
- R3 Medium Density Residential
- R4 High Density Residential
- RE1 Public Recreation
- RE2 Private Recreation
- RU1 Primary Production
- RU2 Rural Landscape
- RU4 Primary Production Small Lots
- RU5 Village
- SP2 Infrastructure
- SP3 Tourist
- W1 Natural Waterways
- W2 Recreational Waterways

Table G1 Land Use Zoning Flood Affection

Land Use Zone	Total Area (ha)	Percent inundated 1% AEP	Percent inundated PMF
Asquith			
B1 Neighbourhood Centre	1.55	-	-
B2 Local Centre	3.13	2.36	17.34
E1 National Parks and Nature Reserves	484.13	3.17	12.46
E3 Environmental Management	36.92	6.20	20.39
IN1 General Industrial	11.42	1.01	13.46
IN2 Light Industrial	1.26	0.07	20.79
R2 Low Density Residential	810.82	3.53	16.69
R3 Medium Density Residential	15.69	0.46	9.99
R4 High Density Residential	13.35	3.80	19.81
RE1 Public Recreation	98.07	3.88	15.87
RE2 Private Recreation	63.18	7.05	22.63
SP2 Infrastructure	85.87	4.84	23.24
Beecroft			
B1 Neighbourhood Centre	0.50	0.00	5.88
B2 Local Centre	5.90	3.39	17.50
B5 Business Development	2.28	0.67	21.72
B6 Enterprise Corridor	1.52	0.00	1.86
E1 National Parks and Nature Reserves	50.16	8.47	26.85
E3 Environmental Management	2.71	1.03	4.92
R2 Low Density Residential	630.71	3.97	15.76
R3 Medium Density Residential	0.18	0.00	16.76
R4 High Density Residential	2.54	0.04	30.70
RE1 Public Recreation	94.48	11.25	29.34
RE2 Private Recreation	41.67	8.68	21.78
SP2 Infrastructure	58.63	19.26	54.45
Berowra			
B1 Neighbourhood Centre	0.31	0.00	0.00
B2 Local Centre	4.73	0.00	7.58
E1 National Parks and Nature Reserves	591.57	8.69	20.72
E2 Environmental Conservation	1.26	51.32	97.27
E3 Environmental Management	192.19	4.68	16.11
IN1 General Industrial	73.34	3.15	19.06
IN4 Working Waterfront	0.12	7.11	18.63
R2 Low Density Residential	427.74	4.42	20.14
R3 Medium Density Residential	2.55	0.00	0.62
RE1 Public Recreation	192.53	7.09	21.10
SP2 Infrastructure	91.27	4.56	22.12
W1 Natural Waterways	2.59	99.14	99.52

Land Use Zone		Total Area (ha)	Percent inundated 1% AEP	Percent inundated PMF
W2	Recreational Waterways	1.31	95.20	99.14
Brooklyn				
B2	Local Centre	0.74	13.38	43.49
E1	National Parks and Nature Reserves	211.81	2.88	14.87
E2	Environmental Conservation	45.60	68.30	92.90
E3	Environmental Management	39.62	2.08	12.99
IN4	Working Waterfront	1.12	19.53	68.27
R2	Low Density Residential	21.73	5.25	34.18
RE1	Public Recreation	32.33	8.97	35.99
SP2	Infrastructure	64.28	9.85	34.58
SP3	Tourist	4.53	5.87	47.97
W1	Natural Waterways	6.84	74.45	95.54
W2	Recreational Waterways	79.89	96.43	98.79
Cowan				
B1	Neighbourhood Centre	0.16	-	-
E1	National Parks and Nature Reserves	200.43	4.50	19.03
E3	Environmental Management	20.37	4.02	17.64
R2	Low Density Residential	28.57	0.33	8.75
RE1	Public Recreation	83.11	3.09	15.08
SP2	Infrastructure	40.42	4.17	26.25
Galston				
B1	Neighbourhood Centre	1.61	0.59	20.66
E1	National Parks and Nature Reserves	51.59	4.04	14.37
E3	Environmental Management	156.92	10.03	30.76
R2	Low Density Residential	46.41	7.62	23.74
RE1	Public Recreation	109.62	9.02	26.34
RU2	Rural Landscape	535.90	5.50	20.73
RU4	Primary Production Small Lots	848.58	4.89	18.22
SP2	Infrastructure	75.55	6.63	28.99
Glenorie				
E3	Environmental Management	7.78	5.60	27.36
R2	Low Density Residential	21.52	8.48	31.36
RE1	Public Recreation	3.80	17.73	44.24
RU1	Primary Production	4.10	9.41	37.19
RU4	Primary Production Small Lots	113.08	7.44	28.45
SP2	Infrastructure	3.64	1.66	31.60
Pennant Hills				
B1	Neighbourhood Centre	2.58	13.55	25.62
B2	Local Centre	22.23	7.93	31.10
B3	Commercial Core	9.77	2.35	15.32

Land Use Zone	Total Area (ha)	Percent inundated 1% AEP	Percent inundated PMF
B4 Mixed Use	21.88	4.64	28.35
B5 Business Development	8.28	3.90	25.96
B6 Enterprise Corridor	26.86	7.51	24.72
E1 National Parks and Nature Reserves	914.46	9.48	23.34
E3 Environmental Management	274.88	8.97	24.77
IN1 General Industrial	61.17	6.47	30.58
IN2 Light Industrial	37.31	7.84	28.95
R2 Low Density Residential	2458.95	4.58	19.12
R3 Medium Density Residential	38.43	7.07	28.87
R4 High Density Residential	92.35	6.25	27.99
RE1 Public Recreation	397.94	14.21	32.29
RE2 Private Recreation	53.77	10.47	25.65
RU2 Rural Landscape	748.99	4.13	15.15
RU5 Village	2.96	-	5.61
SP2 Infrastructure	171.13	11.13	40.42

Table G2 Land Use Zone Descriptions

Zone	Land Use	Description
Business	B1 Neighbourhood centre	To provide a range of small-scale retail, business and community uses that serve the needs of people who live or work in the surrounding neighbourhood. To allow appropriate residential uses so as to support the vitality of neighbourhood centres.
	B2 Local Centre	To provide a range of retail, business, entertainment and community uses that serve the needs of people who live in, work in and visit the local area. To encourage employment opportunities in accessible locations. To maximise public transport patronage and encourage walking and cycling. To allow appropriate residential uses so as to support the vitality of local centres.
	B4 Mixed Use	To provide a mixture of compatible land uses. To integrate suitable business, office, residential, retail and other development in accessible locations so as to maximise public transport patronage and encourage walking and cycling. To ensure uses support the viability of centres.
	B5 Business Development	To enable a mix of business and warehouse uses, and bulky goods premises that require a large floor area, in locations that are close to, and that support the viability of, centres. To encourage employment opportunities. To enable other land uses that provide facilities or services to meet the day to day needs of the community. To promote uses with active street frontages
	B6 Enterprise Corridor	To promote businesses along main roads and to encourage a mix of compatible uses. To provide a range of employment uses (including business, office, retail and light industrial uses). To maintain the economic strength of centres by limiting retailing activity. To provide for residential uses, but only as part of a mixed use development.
Environmental Protection	E1 National Parks and Nature Reserves	To enable the management and appropriate use of land that is reserved under the National Parks and Wildlife Act 1974 or that is acquired under Part 11 of that Act. To enable uses authorised under the National Parks and Wildlife Act 1974. To identify land that is to be reserved under the National Parks and Wildlife Act 1974 and to protect the environmental significance of that land.
	E2 Environmental Conservation	To protect land with high conservation value and prevent development that could destroy, damage or otherwise have an adverse effect on the value.
	E3 Environmental Management	To protect, manage and restore areas with special ecological, scientific, cultural or aesthetic values and to provide for a limited range of development that does not have an adverse effect on those values.
Industrial	IN1 General Industrial	To provide a wide range of industrial and warehouse land uses. To encourage employment opportunities. To minimise any adverse effect of industry on other land uses. To support and protect industrial land for industrial uses. To ensure uses support the viability of nearby centres.
	IN2 Light Industrial	To provide a wide range of light industrial, warehouse and related land uses.

		<p>To encourage employment opportunities and to support the viability of centres.</p> <p>To minimise any adverse effect of industry on other land uses.</p> <p>To enable other land uses that provide facilities or services to meet the day to day needs of workers in the area.</p> <p>To support and protect industrial land for industrial uses.</p>
Recreation	RE1 Public Recreation	<p>To enable land to be used for public open space or recreational purposes.</p> <p>To provide a range of recreational settings and activities and compatible land uses.</p> <p>To protect and enhance the natural environment for recreational purposes.</p> <p>To provide links between open space areas.</p> <p>To retain and promote access by members of the public to areas in the public domain including recreation facilities and waterways and other natural features.</p>
	RE2 Private Recreation	<p>To enable land to be used for private open space or recreational purposes.</p> <p>To provide a range of recreational settings and activities and compatible land uses.</p> <p>To protect and enhance the natural environment for recreational purposes.</p>
Rural	RU1 Primary Production	<p>To encourage sustainable primary industry production by maintaining and enhancing the natural resource base.</p> <p>To encourage diversity in primary industry enterprises and systems appropriate for the area.</p> <p>To minimise the fragmentation and alienation of resource lands.</p> <p>To minimise conflict between land uses within the zone and land uses within adjoining zones.</p> <p>To enable other uses of an appropriate scale to facilitate the economic sustainability of primary production.</p> <p>To enable function centres, restaurants and appropriate forms of tourist and visitor accommodation to be developed in conjunction with agricultural uses.</p>
	RU2 Rural Landscape	<p>To encourage sustainable primary industry production by maintaining and enhancing the natural resource base.</p> <p>To maintain the rural landscape character of the land.</p> <p>To provide for a range of compatible land uses, including extensive agriculture.</p>
	RU4 Primary Production Small Lots	<p>To enable sustainable primary industry and other compatible land uses.</p> <p>To maintain the rural and scenic character of the land.</p> <p>To ensure that development does not unreasonably increase the demand for public services or public facilities.</p> <p>To minimise conflict between land uses within the zone and land uses within adjoining zones.</p> <p>To encourage intensive plant agriculture activities which meet sustainable natural resource management principles.</p> <p>To ensure land with high potential agricultural productivity is protected from inappropriate use and is conserved for intensive plant agriculture activities.</p> <p>To enable function centres, restaurants and appropriate forms of tourist and visitor accommodation to be developed in conjunction with agricultural uses.</p>

Hornsby Floodplain Risk
Management Study and Plan

APPENDIX

H

SECTION 10.7 (FORMERLY 149)
CLAUSES



now



New Coastal Hazard Notations for Council's Section 10.7 (Formerly 149) Planning Certificates

Clause 7 - Council and other public authority policies on hazard risk restrictions

Whether or not the land is affected by a policy:

- (a) adopted by council, or
- (b) adopted by any other public authority and notified to the council for the express purpose of its adoption by that authority being referred to in planning certificates issued by the council,

that restricts the development of the land because of the likelihood of land slip, bushfire, tidal inundation, subsidence, acid sulfate soils or any other risk (other than flooding)?

Council's and other public authorities' policies on hazard risk restrictions are as follows:

...

(C) Tidal inundation

To be applied for all properties that ARE identified as Flood Control Lots and adjacent to the Hawkesbury River and Berowra Creek (Refer to Planning - Flood Control Lots / At or Below FPL (Urban and Riverside Areas) on DEKHO)

YES

The land is adjacent to tidal waters and is subject to both "current" and "future" exposure to tidal inundation risk. Section 1C.3.2 Flooding of the *Hornsby DCP 2013* contains sea level rise provisions that restrict the development of land affected by tidal inundation. Specifically, the provisions require that development on land adjacent to tidal waters, including the Hawkesbury River and Berowra Creek, should be designed to minimise risk to property and the environment from sea level rise in the event of a 1:100 ARI flood by:

- Siting the level of habitable rooms, wet areas and other sensitive uses (eg. On-site wastewater disposal areas) above the 2100 (year) NSW sea level rise planning benchmark of 0.9 metres, and
- Siting other non-habitable structures (eg. Sheds, decks, pergolas) above the 2050 (year) NSW sea level rise planning benchmark of 0.4 metres.

Hornsby DCP 2013 can be viewed on Council's website hornsby.nsw.gov.au/hdcp or at Council's Administration Building or Libraries.

Note: This is a statement of Council and/or Public Authority Policy as the land has a "current" and "future" exposure to tidal inundation risk but NOT a statement on whether or not the property is or has been affected by tidal inundation.

"Current" exposure to tidal inundation risk is based on the mean sea level plus a 1 in 100 Year storm event flowpath identified by the *Hornsby Overland Flow Study (2010)*.

"Future" exposure to tidal inundation risk is based on sea level rise predictions for the years of 2050 and 2100 having regard to sea level rises above the 1990 mean sea level

of 0.4m and 0.9m, respectively. The Hawkesbury River Overland Flow Maps and CSIRO/SCCG Sea Level Rise Maps can be viewed on Council's website www.hornsby.nsw.gov.au/floodplanningmaps

To be applied for all other properties.

NO

Clause 7A - Flood related development controls information

- (1) Whether or not development on that land or part of the land for the purposes of dwelling houses, dual occupancies, multi dwelling housing or residential flat buildings (not including development for the purposes of group homes or seniors housing) is subject to flood related development controls?

To be applied for properties that ARE identified as Flood Control Lots (Refer Planning - Flood Control Lots - At or below FPL (Urban and Riverside Areas)" and "At or below FPL (Rural Areas)" on DEKHO) and where located in zones where ground floor "residential accommodation" is permitted.

YES

The land is subject to "current" exposure to flood hazard risk. Accordingly, flood related development controls apply to the land. Please refer to Section 1C.3.2 Flooding of the *Hornsby DCP 2013* for further information.

Notes: This is a statement that flood related development controls apply to the land as the land has a "current" exposure to flood hazard risk but is NOT a statement on whether or not the property is subject to flooding.

"Current" exposure to flood hazard risk for urban, river settlement and riverside rural lands is based on the 1 in 100 Year storm event flowpath identified by the *Hornsby Overland Flow Study (2010)*. "Current" exposure to flood hazard risk for the balance of the rural lands is based on the property being traversed by a natural watercourse/creek as identified by the Department of Land and Property Information in 2011. The draft Urban Overland Flow Maps and draft Hawkesbury River Overland Flow Maps can be viewed on Council's website www.hornsby.nsw.gov.au/floodplanningmaps

Land within river settlement and riverside rural lands may also be subject to "future" exposure to flood hazard risk – See Clause 7(C) – Tidal Inundation of this Certificate to determine this risk.

To be applied to all other properties

NO

- (2) Whether or not development on that land or part of the land for any other purpose is subject to flood related development controls?

To be applied for properties that ARE identified as Flood Control Lots (Refer Planning - Flood Control Lots – “At or Below FPL (Urban and Riverside Areas)” and “At or below FPL (Rural Areas)” on DEKHO) located in all zones.

YES

The land is subject to “current” exposure to flood hazard risk. Accordingly, flood related development controls apply to the land. Please refer to Section 1C.3.2 Flooding of the *Hornsby DCP 2013* for further information.

Notes: This is a statement that flood related development controls apply to the land as the land has a “current” exposure to flood hazard risk but is NOT a statement on whether or not the property is or has been affected by flooding.

“Current” exposure to flood hazard risk for urban, river settlement and riverside rural lands is based on the 1 in 100 Year storm event flowpath identified by the *Hornsby Overland Flow Study (2010)*. “Current” exposure to flood hazard risk for the balance of the rural lands is based on the property being traversed by a natural watercourse/creek as identified by the Department of Land and Property Information in 2011. The draft Urban Overland Flow Maps and draft Hawkesbury River Overland Flow Maps can be viewed on Council’s website www.hornsby.nsw.gov.au/floodplanningmaps

Land within river settlement and riverside rural lands may also be subject to “future” exposure to flood hazard risk – See Clause 7(C) – Tidal Inundation of this Certificate to determine this risk.

To be applied to all other properties

NO

Clause L - Whether the land is subject to risk of “future” exposure to tidal inundation?

To be applied for properties adjacent to the Hawkesbury River and Berowra Creek that ARE identified as at being at risk of “future” exposure to tidal inundation (Refer to the 2100 year – 0.9m sea level rise benchmarks in the CSIRO/SCCG Sea Level Rise Maps on Council’s website www.hornsby.nsw.gov.au/floodplanningmaps)

YES

The land has been identified as being subject to “future” exposure to tidal inundation in Sea Level Rise Maps prepared by the Commonwealth Scientific and Industrial Research Organisation (CSIRO)/Sydney Coastal Council Group (SCCG). Please refer to Section 1C.3.2 Flooding of the *Hornsby DCP 2013* for further information.

Note: “Future” exposure to tidal inundation risk is based on sea level rise predictions for the years of 2050 and 2100 having regard to sea level rises of 0.4m and 0.9m above the 1990 mean sea level, respectively. The CSIRO/SCCG Sea Level Rise Maps can be viewed on Council’s website www.hornsby.nsw.gov.au/floodplanningmaps

To be applied to all other properties

NO

Hornsby Floodplain Risk Management Study and Plan

APPENDIX

I

DAMAGES CALCULATION METHODOLOGY

Residential Damage Curves

The draft DNR (now DPIE) Floodplain Management Guideline No. 4 Residential Flood Damage Calculation (2004) was used in the creation of the residential damage curves. These guidelines include a template spreadsheet program that determines damage curves for three types of residential buildings:

- > Single storey, slab-on-ground;
- > Two storey, slab-on-ground; and
- > Single storey, high-set (i.e. on piers).

Damages are generally incurred on a property prior to any overfloor flooding. The DPIE curves allow for a damage of \$16,948 (May 2021 dollars) to be incurred when the water level reaches the base of the house. Damages of this type are generally direct external damages (sheds, gardens), direct structural damages (foundational damage) or indirect damages (garden amenity and debris clean-up). According to the damage curves this amount of damage remains constant from the base of the house to the floor level of the house.

Given the above, the following assumptions have been made:

- > When the depth of flooding on the property exceeded 0.1m, a nominal \$3,584 of garden damage was assumed
- > When the flood level is a 0.3m below the floor level, then a damage of \$16,948 is incurred, as per the DPIE damage curves.

There are a number of input parameters required for the DPIE curves, such as floor area and level of flood awareness. The following parameters were adopted for this assessment:

- > Based on interrogation of the aerial photos a value of 240m² was adopted as a conservative estimate of the floor area for residential dwellings for the floodplain. With a floor area of 240m², the default contents value is \$71,677 (May 2021 dollars);
- > The effective warning time has been assumed to be zero due to the absence of any flood warning systems in the catchment. A long effective warning time allows residents to prepare for flooding by moving valuable household contents; and
- > The Hornsby catchment is within a large metropolitan area, and as such is not likely to cause any post-flood inflation. These inflation costs are generally experienced in remote areas, where re-construction resources are limited and large floods can cause a strain on these resources.

H1.2 Average Weekly Earnings

The DPIE curves are derived for late 2001, and were updated to represent May 2021 dollars. General recommendations by DPIE are to adjust values in residential damage curves by Average Weekly Earnings (AWE), rather than by the inflation rate as measured by the Consumer Price Index (CPI). DPIE proposes that AWE is a better representation of societal wealth, and hence an indirect measure of the building and contents value of a home. The most recent data for AWE from the Australian Bureau of Statistics at the time of the assessment was for May 2021. Therefore all ordinates in the residential flood damage curves were updated to May 2021 dollars.

While not specified, it has been assumed that the curves provided by DPIE were derived in November 2001, which allows the use of November 2001 AWE statistics for comparison purposes. November 2001 AWE is shown in Table D1 of the DECC guidelines, and May 2021 AWE were taken from the Australian Bureau of Statistics website (www.abs.gov.au), as shown in Table H1.

Table H1 CPI Statistics for Residential Damage Curves

Month	Year	Average Weekly Earnings
November	2001	\$676.40
May	2021	\$1,737.1
Change	157%	

HI.3 Commercial Damage Curves

Commercial damage curves have been adopted from the FLDamage Manual, Water Studies Pty Ltd (1992). FLDamage allows for three types of commercial properties:

- > Low value commercial;
- > Medium value commercial; and
- > High value commercial.

In determining these damage curves, it has been assumed that the effective warning time is approximately zero, and the loss of trading days as a result of the flooding has been taken as 10 days. These curves are determined based on the floor area of the property. The floor level survey provides an estimate of the floor area of the individual properties as small, medium or large.

The Consumer Price Index (CPI) was used to bring the 1990 data to May 2021 dollars. The commercial properties were not classified into different value categories and medium value was assumed for all commercial properties.

Hornsby Floodplain Risk
Management Study and Plan

APPENDIX

J

LOCATIONS OF RECOMMENDED
FLOOD MITIGATION MEASURES



now






FIGURE J1.0
1:50,000 Scale at A3

0 500 1,000 1,500 2,000 m

Hornsby Floodplain Risk Management Study and Plan

Overall Figure
Flood Mitigation Measures



Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), 'T', Project: NW30006[%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gxz





FIGURE J1.1
1:1,500 Scale at A3
0 10 20 30 40 m








FIGURE J1.4

1:600 Scale at A3

0 6 12 18 24 m

Hornsby Floodplain Risk Management Study and Plan

103-A

Flood Mitigation Measures



Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), T, ' Project: NW30006[%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gpz



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.5
1:1,000 Scale at A3

0 10 20 30 40 m

Hornsby Floodplain Risk Management Study and Plan

104-A
Flood Mitigation Measures

Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), T, ' Project: NW30006%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gqz



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- ★ Properties subject to Overground Flooding in 20% AEP Event
- ▲ Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.6

1:1,000 Scale at A3

0 10 20 30 40 m

Hornsby Floodplain Risk Management Study and Plan

104-B
Flood Mitigation Measures




Cardno


Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), T, ' Project: NW30006[%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gpz



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)







Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.9

1:400 Scale at A3

0 4 8 12 16 m

Hornsby Floodplain Risk Management Study and Plan

104-E
Flood Mitigation Measures


Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), T, ' Project: NW30006%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gxz

Cardno



Legend

- Proposed Pipe Network
- Proposed Basin
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)








FIGURE J1.12

1:800 Scale at A3




Hornsby Floodplain Risk Management Study and Plan

107-A
Flood Mitigation Measures



Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)
, 'T', Project: MW30006)%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.qgz



Legend

- Proposed Bund/Flood Wall
- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)



FIGURE J1.14

1:1,500 Scale at A3
0 10 20 30 40 m

Hornsby Floodplain Risk Management Study and Plan

107-C
Flood Mitigation Measures

Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)
, 'T', Project: MW30006)%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.qgz



Legend

- Proposed Pipe Network
- Proposed Basin
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.15
1:1,500 Scale at A3

0 10 20 30 40 m


Hornsby Floodplain Risk Management Study and Plan


107-D
Flood Mitigation Measures

Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), T, ' Project: NW30006[%]']
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gqz







Legend

- Proposed Pipe Network
- Proposed Basin
- Proposed Inlet Pits
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)




Legend


- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)





- Legend**
- Proposed Bund/Flood Wall
 - Proposed Pipe Network
 - ⬢ Proposed Basin
 - Proposed Inlet Pits
 - ★ Properties subject to Overground Flooding in 20% AEP Event
 - ▲ Properties subject to Overfloor Flooding in 20% AEP Event
 - Hornsby LGA Boundary
 - Flood Extent 20% (0.15m Filter)

FIGURE J1.22
1:3,000 Scale at A3

0 20 40 60 80 m

Hornsby Floodplain Risk Management Study and Plan 109-C Flood Mitigation Measures

Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)), 'T', Project: NW30006] %]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.qgz



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- ★ Properties subject to Overground Flooding in 20% AEP Event
- ▲ Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.23
1:3,000 Scale at A3

0 30 60 90 120 m

Hornsby Floodplain Risk Management Study and Plan

109-D
Flood Mitigation Measures



Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(Snow), '-', month(Snow), '-', day(Snow))], [% Project: NW30006%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gpz



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- ★ Properties subject to Overground Flooding in 20% AEP Event
- ▲ Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)

FIGURE J1.24

1:800 Scale at A3

0 8 16 24 32 m

Hornsby Floodplain Risk Management Study and Plan

109-E
Flood Mitigation Measures



Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)], 'T', Project: NW30006)%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.gxz



FIGURE J1.25

1:1,500 Scale at A3
0 10 20 30 40 m

Hornsby Floodplain Risk Management Study and Plan

109-G
Flood Mitigation Measures

Cardno

Map Produced by Cardno Now Stantec (NatW&E)
Date: [% concat(year(\$now), '-', month(\$now), '-', day(\$now)
, 'T', Project: MW30006)%]
Coordinate System: MGA Zone 56
Map: Flood_Mitigation_Options.qgz



Legend

- Proposed Pipe Network
- Proposed Basin
- Proposed Inlet Pits
- Properties subject to Overground Flooding in 20% AEP Event
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)



Legend

- Proposed Pipe Network
- Proposed Inlet Pits
- Properties subject to Overfloor Flooding in 20% AEP Event
- Hornsby LGA Boundary
- Flood Extent 20% (0.15m Filter)






FIGURE J1.29
1:1,500 Scale at A3

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

K

REPORT ON MODELS UPGRADE TO
ARR2019



now



Hornsby Flood Models Upgrade to ARR2019

Hornsby Floodplain Risk
Management Study and Plan

NW30006

Prepared for
Hornsby Shire Council

25 November 2020



Contact Information

Cardno (NSW/ACT) Pty Ltd

ABN 95 001 145 035

Level 9 - The Forum

203 Pacific Highway

St Leonards NSW 2065

Australia

www.cardno.com

Phone +61 2 9496 7700

Fax +61 2 9439 5170

Document Information

Prepared for	Hornsby Shire Council
Project Name	Hornsby Floodplain Risk Management Study and Plan
File Reference	NW30006_R001_REvA_Hornsby_Models_Upgrade_to_ARR2019.docx
Job Reference	NW30006
Date	25 November 2020
Version Number	Rev A

Author(s):

Venus Jofreh
Water Engineer

Effective Date 25/11/2020

Approved By:

Dr Brett C Philips
Discipline Leader, Water

Date Approved 25/11/2020

Document History

Version	Effective Date	Description of Revision	Prepared by	Reviewed by
Rev A	25/11/20	Draft for Council Review	Venus Jofreh	Dr Brett C Philips

© Cardno. Copyright in the whole and every part of this document belongs to Cardno and may not be used, sold, transferred, copied or reproduced in whole or in part in any manner or form or in or on any media to any person other than by agreement with Cardno.

This document is produced by Cardno solely for the benefit and use by the client in accordance with the terms of the engagement. Cardno does not and shall not assume any responsibility or liability whatsoever to any third party arising out of any use or reliance by any third party on the content of this document.

Our report is based on information made available by the client. The validity and comprehensiveness of supplied information has not been independently verified and, for the purposes of this report, it is assumed that the information provided to Cardno is both complete and accurate. Whilst, to the best of our knowledge, the information contained in this report is accurate at the date of issue, changes may occur to the site conditions, the site context or the applicable planning framework. This report should not be used after any such changes without consulting the provider of the report or a suitably qualified person.

Table of Contents

1	Introduction	1
2	Background	2
3	Updates to the Hydraulic Models and Model Scenarios	3
4	ARR2019 Update	4
4.1	Overview	4
4.2	Model Inputs	4
4.3	Mean Burst Temporal Patterns	5
4.4	Critical Burst Durations	5
5	Climate Change	7
6	Results	8
6.1	Asquith	8
6.2	Beecroft	8
6.3	Berowra	8
6.4	Brooklyn	8
6.5	Cowan	8
6.6	Galston	8
6.7	Glenorie	9
6.8	Pennant Hills	9
7	Conclusions	10
8	References	11

Appendices

Appendix A LiDAR Comparisons

Appendix B ARR2019 Rainfall Losses

Appendix C Storm Burst Durations

Appendix D Flood Level Differences

Tables

Table 3-1	Updates to the Hornsby TUFLOW Models	3
Table 4-1	ARR2019 Temporal Patterns for 1% AEP 60 minute storm burst (Source: ARR DataHub, Accessed: 3/06/2020)	4
Table 4-2	The Probability Neutral Burst Initial Losses extracted for Pennant Hills (Source: ARR Data Hub Accessed 30/06/2020)	5
Table 4-3	20% AEP and 1% AEP Mean Burst Temporal Patterns identified in the Pennant Hills Pilot Study	6
Table 4-4	Comparison of the 20% AEP and 1% AEP Critical Storm Burst Durations for the 2015 and 2020 Studies	6
Table 5-1	Interim Climate Change Factors	7

1 Introduction

On behalf of the Hornsby Shire Council, Cardno (NSW/ACT) Pty Ltd (Cardno) prepared the Hornsby Floodplain Risk Management Study (FRMS) and a draft Floodplain Risk Management Plan (FRMP) for the urban areas within Hornsby LGA in 2014. The study was undertaken to define existing flood behaviour and associated hazards across the study area and to identify and assess potential flood mitigation options to reduce flood damages and risk.

In 2020 Hornsby Shire Council commissioned Cardno to update and finalise the Hornsby Floodplain Risk Management Study and Plan based on the latest Australian Rainfall and Runoff 2019 (ARR2019) guidance and data, and the latest Light Detection and Ranging (LiDAR) topographical data.

This report describes the floodplain model updates and also the outcomes of the latest modelling assessments.

2 Background

As a part of update to the Floodplain Risk Management Study (FRMS) a pilot study was undertaken in August 2020 to evaluate the changes in flood behaviour arising from updated data and guidance provided by the ARR2019 guidelines and to make a recommendation on the adoption of either the 1987 or 2019 editions of Australian Rainfall and Runoff for final model runs and options assessment. The Pennant Hills catchment was selected by Council for the pilot study as it covers a significant portion of the urban area and has sufficient variability to enable reasonable extrapolation of the study outcomes to the other urban catchments across the LGA.

The primary objective of the pilot study was to evaluate the impact on flood characteristics in the Pennant Hills catchment of adopting the updated data and guidance provided in ARR2019 Guidelines. A secondary objective was to assess the differences in flood levels based on the adoption of the CPU (classic) version or the GPU (HPC) version of the TUFLOW numerical engine with a view to re-running the models with the latest version of the software (TUFLOW GPU) as long as this does not substantially change the assessed flood behaviour.

Based on the outcomes of the various assessment, it was recommended that the Hornsby FRMS Update be based on:

- > The 2019 LiDAR;
- > A 2 m x 2 m or 3 m x 3 m grid size (based on the size of the model);
- > TUFLOW 2020 HPC (GPU) engine (version AB)

The final decision on adopting ARR1987 or ARR2019 data needed to consider:

- > The ARR1987 runs that have already been undertaken;
- > The adoption of ARR2019 would require a complete update of all previous hydrological assessments;
- > The adoption of ARR2019 would slightly lower the estimated design flood levels in urban areas with an expected median reduction in peak 1% AEP flood levels of around 0.05 m; and
- > The adoption of ARR2019 may reduce the number of flood control lots by around 7% to 10%.

Based on the outcomes of the pilot study, Council decided to adopt ARR2019 data and guidance when upgrading the eight remaining flood models for Asquith, Beecroft, Berowra, Brooklyn, Cowan, Galston, Glenorie and Pennant Hills.

3 Updates to the Hydraulic Models and Model Scenarios

All seven remaining rainfall-on-grid (TUFLOW) flood models were updated using the latest LiDAR data as well as a finer grid size. This required a number of other updates to the model for the purpose of consistency. The updates applied to the Hornsby overland flow flood models included:

- > The adoption of rainfall IFD and storm burst temporal patterns from ARR2019;
- > The Digital Elevation Model (DEM) levels were updated using the latest 2019 LiDAR data. **Figures A1 to A8 (in Appendix A)** plot the differences between the latest 2019 LiDAR and the LiDAR data adopted for the 2015 study;
- > Model grid cell sizes were refined from 6 m x 6 m to 3 m x 3 m or 2 m x 2m (depending on the size of each model and the resulting number of grid cells) to provide a more detailed representation of the catchment topography;
- > The TUFLOW numerical engine was updated to the latest version (2020-01-AB);
- > All models were run with the Heavily Parallelised Compute (HPC) GPU engine. The HPC version can achieve significantly shorter model run times which allows hydraulic models to be run in a timely manner with higher grid resolution across larger domains;
- > Drainage invert levels were updated to be consistent with the latest 2019 LiDAR data (where required); and
- > The model boundary was modified (where required) to ensure the contributing catchment is presented accurately and also an robust representation of hydraulic behaviour is achieved.

Table 3-1 provides details of the updates made into each of the Hornsby overland flow flood models.

Table 3-1 Updates to the Hornsby TUFLOW Models

Model Name	ARR2019	2019 Lidar	Cell Size	Drainage Invert Levels Updated	Model Boundary Updated	TUFLOW Engine
Asquith	Yes	Yes	2m x 2m	-	No	2020-01-AB
Beecroft	Yes	Yes	3m x 3m	Yes	No	2020-01-AB
Berowra	Yes	Yes	2m x 2m	-	Yes	2020-01-AB
Brooklyn	Yes	Yes	2m x 2m	Yes	Yes	2020-01-AB
Cowan	Yes	Yes	2m x 2m	-	Yes	2020-01-AB
Galston	Yes	Yes	2m x 2m	-	Yes	2020-01-AB
Glenorie	Yes	Yes	2m x 2m	-	Yes	2020-01-AB
Pennant Hills	Yes	Yes	3m x 3m	Yes	Yes	2020-01-AB

4 ARR2019 Update

4.1 Overview

In 2019 a new edition of ARR was released. There were specific changes to the methodology for development of accurate estimates of flood behaviour. These include:

- > **Rainfall** – the Bureau of Meteorology re-analysed all the Intensity-Frequency-Duration (IFD) data across Australia, incorporating 30 further years of data and many more rainfall stations. The method of derivation also changed, meaning the previously used IFD coefficients are no longer valid;
- > **Design Storms** – ARR 2019 recommends the utilisation of an ensemble of design storm burst temporal patterns, with ten patterns for each Annual Exceedance Probability (AEP) and burst duration;
- > **Storm Losses** – ARR 2019 recommends the use of initial and continuing storm loss rates, and no longer recommends the use of runoff coefficients for hydrological modelling. In NSW the ARR Data Hub provides guidance on both the rural storm loss rates as well as rural burst initial losses as a function of AEP and burst duration, which differ from the burst losses recommended in ARR1987; and
- > **Storm Losses in Urban Areas** – ARR 2019 provides for the use of three types of area when assessing loss rates in urban areas - directly connected impervious areas, indirectly connected areas and pervious areas. The document also provides guidance as to the calculation of these areas.

4.2 Model Inputs

4.2.1 Rainfall

Rainfall data for the Hornsby LGA were downloaded from ARR DataHub. The rainfall data included 10 temporal patterns and durations from 25 minutes to 120 minutes. An example of the temporal patterns for the 1%AEP 60 minute storm burst is given in **Table 4-1**.

Table 4-1 ARR2019 Temporal Patterns for 1% AEP 60 minute storm burst (Source: ARR DataHub, Accessed: 3/06/2020)

Time (hr)	Temporal Pattern									
	TP01	TP02	TP03	TP04	TP05	TP06	TP07	TP08	TP09	TP10
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
0.08	5.26	6.29	4.16	5.92	4.63	2.49	1.70	2.68	6.67	3.38
0.17	9.47	3.55	7.09	8.29	4.26	3.93	8.49	3.56	5.39	3.95
0.25	12.60	3.38	1.09	7.47	10.42	4.28	4.68	5.45	5.11	1.41
0.33	12.89	8.94	3.90	6.17	10.96	4.64	6.80	5.90	5.54	1.41
0.42	5.16	3.54	3.31	4.62	6.36	5.36	3.82	4.01	6.11	2.54
0.50	0.68	4.67	3.85	6.52	2.53	7.14	7.22	4.68	6.96	2.54
0.58	0.69	9.10	3.00	4.74	3.93	8.21	2.97	5.79	4.68	5.92
0.67	4.15	3.06	2.56	6.40	4.00	7.85	7.65	8.23	4.26	10.99
0.75	4.36	3.38	8.69	3.32	3.43	7.85	4.68	7.35	5.11	9.59
0.83	2.50	8.13	8.83	2.14	3.22	3.57	4.68	4.90	4.26	7.89
0.92	1.33	3.22	8.05	2.25	4.27	3.22	5.10	4.78	3.69	4.23
1.00	1.24	3.06	5.79	2.49	2.32	1.79	2.55	3.00	2.56	6.49
1.08	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

4.2.2 Rainfall Losses

The methodology for determining the rainfall losses based on ARR2019 guidance was as followed:

Step 1: The rural pervious losses were downloaded from the ARR DataHub. The Probability Neutral Burst Initial Loss (PNBIL) were adopted for rural and urban pervious catchments which circumvented the need to identify preburst rainfall. An example of the PNBIL for Pennant Hills model is shown in **Table 4-2**.

Table 4-2 The Probability Neutral Burst Initial Losses extracted for Pennant Hills
(Source: ARR Data Hub Accessed 30/06/2020)

Probability Neutral Burst Initial Loss

min (h)\AEP(%)	50	20	10	5	2	1
60 (1.0)	16.7	10.3	10.7	11.5	12.3	9.7
90 (1.5)	19.4	12.3	12.4	13.1	12.3	10.2
120 (2.0)	19.6	12.9	12.8	12.9	12.9	10.0
180 (3.0)	19.2	13.9	14.1	14.1	12.9	7.3
360 (6.0)	18.6	12.9	12.8	11.0	11.1	5.7
720 (12.0)	24.0	17.5	16.4	14.4	14.5	4.3
1080 (18.0)	26.5	19.6	17.8	15.3	16.6	4.4
1440 (24.0)	30.6	23.4	21.9	19.4	18.9	7.6
2160 (36.0)	33.2	26.7	25.2	23.5	22.5	7.7
2880 (48.0)	36.9	30.4	29.3	31.2	24.8	10.6
4320 (72.0)	40.2	35.4	34.8	37.5	25.1	11.7

Step 2: As per ARR2019 Guideline advice (Section 3.5.3 of Book 5) the urban pervious and impervious areas were further segregated into the following three (3) categories:

- > Urban Effective Impervious Areas (EIA)
- > Urban Indirectly Connected Areas (ICA)
- > Urban Pervious (Parks, Ovals, Open Space corridors, etc.)

Step 3: All the adopted areas of the various surface types were calculated through GIS analysis of the Hornsby LEP Zones and Nearmap aerial images. Based on the PNBIL losses, new weighted initial losses and continuing rainfall losses were calculated for each urban catchment.

The calculated weighted storm losses for each Hornsby model are given in **Table B1** (see **Appendix B**).

4.3 Mean Burst Temporal Patterns

As a part of the pilot study, the updated Pennant Hills Tuflow model all 10 temporal patterns for 1% AEP and 20% AEP for burst durations from 30 mins to 120 mins were run using the “Rain on Grid” method. These Results were then analysed to identify the mean burst temporal patterns for each burst duration.

The mean temporal patterns identified for each flood event and burst duration are shown in **Table 4-3**. These burst temporal patterns were also applied as the mean burst temporal patterns for the other seven overland flow flood models.

4.4 Critical Burst Durations

All the models were run for the identified mean burst temporal patterns for the 30 minutes, 45 minutes, 60 minutes, 90 minutes and 120 minutes 1% AEP and 20% AEP storm bursts depending on the size of catchments. The resultant flood levels were compared to identify the critical duration for each catchment with specific considerations for the urban areas. Plots showing the critical durations for each of the models are presented in **Figures C1 to C16** (refer **Appendix C**).

A summary of the critical burst durations identified for each of the models is given in **0**.

Table 4-3 20% AEP and 1% AEP Mean Burst Temporal Patterns identified in the Pennant Hills Pilot Study

Event	Burst Duration	Mean Temporal Pattern
1% AEP	30 mins	T09
1% AEP	45 mins	T09
1% AEP	60 mins	T08
1% AEP	90 mins	T01
1% AEP	120 mins	T10
20% AEP	30 mins	T06
20% AEP	45 mins	T08
20% AEP	60 mins	T08
20% AEP	90 mins	T05
20% AEP	120 mins	T04

Table 4-4 Comparison of the 20% AEP and 1% AEP Critical Storm Burst Durations for the 2015 and 2020 Studies

Model	Event	ARR2019 Critical Burst Durations	2015 FRMSP Critical Burst Duration
Asquith	1% AEP	30 mins	1 Hour
	20% AEP	30 mins	1 Hour
Beecroft	1% AEP	30 mins	2 Hours
	20% AEP	30 mins	2 Hours
Berowra	1% AEP	30 mins	1 Hour
	20% AEP	30 mins	1 Hour
Brooklyn	1% AEP	30 mins	1 Hour
	20% AEP	60 mins	1 Hour
Cowan	1% AEP	30 mins	1 Hour
	20% AEP	30 mins	1 Hour
Galston	1% AEP	30 mins	1 Hour
	20% AEP	60 mins	1 Hour
Glenorie	1% AEP	90 mins	1 Hour
	20% AEP	90 mins	1 Hour
Pennant Hills	1% AEP	30 mins	1 Hour
	20% AEP	45 mins	1 Hour

5 Climate Change

In 2015 the Hornsby overland flow flood models were run for 10%, 20% and 30% increase in rainfall to quantify the potential impacts of climate change.

A feature of the ARR DataHub is the guidance provided on the Interim Climate Change Factors. The guideline values for the Hornsby LGA obtained from ARR2019 are shown in **Table 5-1**. ARR2019 further recommends that consideration be given to the RCP 4.5 and RCP 8.5 scenarios.

As disclosed in Table 5-1 the highest increase in rainfall (19.7%) is associated with RCP 8.5 in 2090. After discussions with Council, it was decided to adopt the following climate change scenarios for the 2020 update assessments:

- > 2090 RCP 4.5 and 2050 RCP 8.5 (rounded up to 10%)
- > 2090 RCP 8.5 (rounded up to 20%)

Table 5-1 Interim Climate Change Factors

	RCP 4.5	RCP6	RCP 8.5
2030	0.869 (4.3%)	0.783 (3.9%)	0.983 (4.9%)
2040	1.057 (5.3%)	1.014 (5.1%)	1.349 (6.8%)
2050	1.272 (6.4%)	1.236 (6.2%)	1.773 (9.0%)
2060	1.488 (7.5%)	1.458 (7.4%)	2.237 (11.5%)
2070	1.676 (8.5%)	1.691 (8.6%)	2.722 (14.2%)
2080	1.810 (9.2%)	1.944 (9.9%)	3.209 (16.9%)
2090	1.862 (9.5%)	2.227 (11.5%)	3.679 (19.7%)

The climate change scenarios were only run for the 1% AEP event and the identified critical burst durations for each model.

6 Results

All eight upgraded TUFLOW models were run for the 1% AEP, 20% AEP and 1% AEP Climate Change scenarios.

Plots showing the differences between 1% AEP and 20% AEP flood levels estimated in this study and the 1% AEP and 20% AEP flood levels reported in 2015 are given in **Figures D1 to D16** (refer **Appendix D**).

Discussions on the results for each of the models are presented in the following sections:

6.1 Asquith

Figures D1 and D9 plot the 20% AEP and 1% AEP flood level differences, respectively. The plots show that the upgraded models generally have lower flood levels along the main streams with up to 1 m reductions in flood levels. Increases in flood levels are observed in some urban areas which are a result of higher ground levels (from the 2019 Lidar) at these locations.

It should be noted that an increase in flood level does not necessarily mean that the flood depth or flood extent has changed or increased. A review the 20% AEP and 1% AEP flood extents (with a 0.15 m depth filter applied) reveals that in most locations the flood extents resulting from the upgraded models are either similar or less than the 2015 flood extents.

6.2 Beecroft

Figures D2 and D10 plot the 20% AEP and 1% AEP flood level differences, respectively .

The plots show that the upgraded model has generally lower the 20% AEP and 1% AEP flood levels. Any local increase in flood levels are a result of higher ground levels (from the 2019 Lidar) at these locations.

6.3 Berowra

Figures D3 and D11 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show that the upgraded models have lower flood levels within the Berowra model extent with up to a 2 m reduction in design flood levels in downstream areas. These reductions in flood levels are generally reflect differences between the ground levels in the 2015 and 2019 LiDAR data.

6.4 Brooklyn

Figures D4 and D12 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show both increases and decreases in flood levels within the urban areas. A comparison of the flood level difference plots and the terrain difference plots (see **Figure A4, Appendix A**) reveal that the changes in flood levels are consistent with the changes in the ground levels.

It should be noted that an increase in flood level does not necessarily mean that the flood depth or flood extent has changed or increased. A review the 20% AEP and 1% AEP flood extents (with a 0.15 m depth filter applied) reveals that in most locations the flood extents resulting from the upgraded models are less than the 2015 flood extents.

6.5 Cowan

Figures D5 and D13 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show that the upgraded models have lower flood levels within the Cowan model extent with up to a 1 m reduction in flood levels. The reductions in flood levels are generally in line with differences in LiDAR data between the 2015 and 2020 models. The updated design storm data from ARR2019 is also a contributing factor.

6.6 Galston

Figures D6 and D14 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show that the upgraded model has generally lower 20% AEP flood levels. The general trends in the 1% AEP flood levels is a decrease in the flood levels. Increases in flood levels at the upper reaches of Colah Creek are a result of an adjustment of the catchment boundary in the upgraded model.

6.7 Glenorie

Figures D7 and D15 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show that the upgraded model has generally lower 20% AEP flood levels. 1% AEP flood levels also show a general trend of decrease in flood levels with some local increases which are consistent with the differences in the ground levels between the 2015 and 2020 models.

6.8 Pennant Hills

Figures D8 and D16 plot the 20% AEP and 1% AEP flood level differences, respectively.

The plots show that the upgraded model has generally lower 20% AEP flood levels. 1% AEP flood levels also show a general trend of decrease in flood levels with some local increases which are consistent with the differences in the ground levels between the 2015 and 2020 models.

7 Conclusions

In 2020 Hornsby Shire Council commissioned Cardno to update and finalise the Hornsby Floodplain Risk Management Study and Plan based on the latest Australian Rainfall and Runoff 2019 (ARR2019) guidance and data, and the latest Light Detection and Ranging (LiDAR) topographical data.

As a part of update to the Floodplain Risk Management Study (FRMS) a pilot study was undertaken in August 2020 to evaluate the changes in flood behaviour arising from updated data and guidance provided by the ARR2019 guidelines and to make a recommendation on the adoption of either the 1987 or 2019 editions of Australian Rainfall and Runoff for final model runs and options assessment.

The Pennant Hills catchment was selected by Council for the pilot study as it covers a significant portion of the urban area and has sufficient variability to enable reasonable extrapolation of the study outcomes to the other urban catchments across the LGA.

Based on the outcomes of the pilot study, Council decided to adopt ARR2019 data and guidance when upgrading the eight overland flow flood models for Asquith, Beecroft, Berowra, Brooklyn, Cowan, Galston, Glenorie and Pennant Hills.

All eight upgraded TUFLOW models were run for the 1% AEP, 20% AEP and 1% AEP Climate Change scenarios.

A comparison of the 2015 and 2020 flood levels for all the overland flow flood models disclosed that the 2020 models generally give lower 20% AEP and 1% AEP flood levels with the exception of some local increases which are attributed to differences between the 2015 and 2020 ground levels. The decreased design flood levels are a results of the following factors:

- > Differences between the 2015 and 2020 model terrains;
- > Finer cell sizes in the 2020 models which provides a greater definition of overland flowpaths particularly for smaller flowpaths;
- > Differences between ARR1987 and ARR2019 design storms and in particular the differences between the 1987 storm burst temporal pattern and the 2019 ensemble of design storm burst temporal patterns (refer **Appendix B**); noting that
- > Reductions in design flows between ARR1987 and ARR2019 peak flow estimates have been also reported elsewhere across the Sydney metropolitan area ie. the findings of these assessments align with recent studies elsewhere in Sydney.

It is proposed that the upgraded 2020 overland flow flood models be adopted for the purpose of updating the Hornsby Floodplain Risk Management Study and Plan.

8 References

Cardno (2015) "Hornsby Floodplain Risk Management Study and Plan, *Draft for Exhibition*, Version 4, prepared for Hornsby Shire Council, December, 59 pp + Apps. (Cardno 2015)

Cardno (2020) "Pennant Hills Catchment ARR 2019 Pilot Study", *Discussion Paper*, prepared for Hornsby Shire Council, August, 10 pp + Figs. (Cardno 2020)

APPENDIX

A

LIDAR COMPARISONS



Asquith
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A1

1:24338 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Beecroft
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A2

1:19991 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Berowra
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A3

1:23090 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Brooklyn
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A4

1:12872 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Cowan
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A5

1:8850 Scale at A3





Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Galston
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

-  Previous Model Boundary
-  Updated Model Boundary

Terrain Difference (m):












-  < -0.50
-  -0.50 to -0.20
-  -0.20 to -0.10
-  -0.10 to -0.05
-  -0.05 to -0.01
-  -0.01 to 0.01
-  0.01 to 0.05
-  0.05 to 0.10
-  0.10 to 0.20
-  0.20 to 0.50
-  > 0.50

FIGURE A6

1:23815 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Glenorie
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A7

1:8358 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Pennant Hills
Difference Plot Lidar (2019)
Less Old Lidar (FRMSP
2015)

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Terrain Difference (m):

- < -0.50
- 0.50 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.50
- > 0.50

FIGURE A8

1:31102 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

APPENDIX

B

ARR2019 RAINFALL LOSSES

Table B1 Comparisons of Weighted ARR2019 Initial and Continuing Storm Burst Losses and adopted ARR1987 Rainfall Losses in Hornsby FRMSP (2015)

Model	Roughness zone	ARR2019 1% AEP		ARR2019 20% AEP		2015 Rainfall Losses	
		Initial Loss (mm)	Continuing Loss (mm/h)	Initial Loss (mm)	Continuing Loss (mm/h)	Initial Loss (mm)	Continuing Loss (mm/h)
Asquith	Dense Bush	8.9	2.0	12.4	2.0	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	0.0	1.0	0.0	1.0	5	2
	Special uses	0.0	1.5	0.0	1.5	5	5
	Parks and Oval	8.9	2.2	12.4	1.8	10	5
	Default Material	8.9	1.8	12.4	1.8	10	5
Beecroft	Dense Bush	7.5	2.0	9.9	2.0	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	-	-	-	-	-	-
	Special uses	0.0	1.5	0.0	1.5	5	5
	Parks and Oval	7.5	1.8	9.9	1.8	10	5
	Default Material	7.5	1.9	9.9	1.9	10	5
Berowra	Dense Bush	10.6	2.0	15.0	2.0	10	5
	Residential	0.0	1.7	0.0	1.7	10	5
	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	0.0	1.0	0.0	1.0	5	2
	Special uses	0.0	1.8	0.0	1.8	10	5


	Parks and Oval	10.6	1.7	15.0	1.7	10	5
	Default Material	10.6	1.9	15.0	1.9	10	5
Brooklyn	Dense Bush	11.2	2.4	16.1	2.4	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
	Commercial	0.0	1.1	0.0	0.0	5	5
	Roads	0.0	0.8	0.0	1.1	0	0
	Industrial	-	-	-	-	-	-
	Special uses / Environmental protection	0.0	1.9	12.9	1.9	5	5
	Parks and Oval	8.9	2.4	16.1	2.4	5	5
	Default Material	11.2	2.4	16.1	2.4	0	0
	Dense Bush	11.2	2.6	16.1	2.6	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
Cowan	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	-	-	-	-	-	-
	Special uses	0.0	1.0	0.0	1.0	5	5
	Parks and Oval	11.2	2.6	16.1	2.6	10	5
	Default Material	0.0	0.0	0.0	0.0	0	0
	Dense Bush	8.9	2.0	12.4	2.0	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
Galston	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	0.0	0.0	0.0	0.0	5	2
	Special uses	4.5	1.4	6.2	1.4	5	5
	Parks and Oval	8.9	2.0	12.4	2.0	10	5
	Default Material	8.0	1.9	11.1	1.9	10	5

Glenorie	Dense Bush	9.1	3.1	14.5	3.1	10	5
	Residential	0.0	1.7	0	1.65	5	5
	Commercial	0.0	1.1	0	1.14	5	5
	Roads	0.0	0.8	0	0.8	0	0
	Industrial	-	-	-	-	-	-
	Special uses	0.0	1.5	0	1.48	5	5
	Parks and Oval	9.1	3.1	14.5	3.1	10	5
	Default Material	8.2	2.9	13.05	2.87	10	5
Pennant Hills	Dense Bush	8.9	2.0	12.4	2.2	10	5
	Residential	0.0	1.7	0.0	1.7	5	5
	Commercial	0.0	1.1	0.0	1.1	5	5
	Roads	0.0	0.8	0.0	0.8	0	0
	Industrial	0.0	1.0	0.0	1.0	5	2
	Special uses	0.0	1.5	0.0	1.5	5	5
	Parks and Oval	8.9	2.2	12.4	2.2	10	5
	Default Material	8.9	1.9	12.4	2.2	0	0

APPENDIX

C

STORM BURST DURATIONS



Asquith 20% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

20% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins


FIGURE C1

1:24338 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Beecroft 20% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

20% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins
- 120 mins


FIGURE C2

1:19991 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Berowra
20% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary
- 20% AEP Critical Duration:
 - 30 mins
 - 45 mins
 - 60 mins
 - 90 mins

FIGURE C3

1:23090 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

LLOYD GULLY

HAWKESBURY RIVER

SEYMOURS CREEK

PORTO GULLY



Brooklyn
20% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary
- 20% AEP Critical Duration:
 - 30 mins
 - 45 mins
 - 60 mins
 - 90 mins

FIGURE C4

1:12872 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16| Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Cowan
20% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

20% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins

FIGURE C5

1:8850 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Galston 20% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

20% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins




FIGURE C6

1:23815 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-17 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Glenorie 20% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

20% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins

GLENORIE CREEK

FIGURE C7

1:8358 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Pennant Hills 20% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

20% AEP Critical Duration:

25 mins

30 mins

45 mins

60 mins

90 mins


FIGURE C8

1:31102 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Asquith 1% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

1% AEP Critical Duration:

30 mins

45 mins

60 mins

90 mins


FIGURE C9

1:24338 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Beecroft 1% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

1% AEP Critical Duration:

30 mins

45 mins

60 mins

90 mins

120 mins

FIGURE C10


1:19991 Scale at A3

0 250 500 m



Cardno

Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Berowra 1% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

1% AEP Critical Duration:

30 mins

45 mins

60 mins

90 mins

FIGURE C11

1:23090 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

LLOYD GULLY

HAWKESBURY RIVER

SEYMOURS CREEK

PORTO GULLY



Brooklyn
1% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary
- 1% AEP Critical Duration:
 - 30 mins
 - 45 mins
 - 60 mins
 - 90 mins

FIGURE C112

1:12872 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16| Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Cowan
1% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

1% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins

FIGURE C13

1:8850 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz





Galston
1% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

1% AEP Critical Duration:

- 30 mins
- 45 mins
- 60 mins
- 90 mins




FIGURE C14

1:23815 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-17 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Glenorie 1% AEP ARR2019 Critical Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

1% AEP Critical Duration:

30 mins

45 mins

60 mins

90 mins

FIGURE C15

1:8358 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Pennant Hills
1% AEP ARR2019 Critical
Duration

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

1% AEP Critical Duration:

25 mins

30 mins

45 mins

60 mins

90 mins

FIGURE C16

1:31102 Scale at A3

0 250 500 m




Cardno

Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

APPENDIX

D

FLOOD LEVEL DIFFERENCES



Asquith 20% AEP Water Level Difference ARR2019 vs ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D1

1:24338 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Beecroft
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D2

1:19991 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Berowra
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

Water Level Difference (m):

< -0.30

-0.30 to -0.20

-0.20 to -0.10

-0.10 to -0.05

-0.05 to -0.01

-0.01 to 0.01

0.01 to 0.05

0.05 to 0.10

0.10 to 0.20

0.20 to 0.30

> 0.30

FIGURE D3

1:23090 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

LLOYD GULLY

HAWKESBURY RIVER

SEYMOURS CREEK

PORTO GULLY



Brooklyn
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D4

1:12872 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16| Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Cowan
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D5

1:8850 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Galston
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D6

1:23815 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz





Glenorie
20% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D7

1:8358 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-17 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



**Pennant Hills
20% AEP Water Level
Difference ARR2019 vs
ARR1987**

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D8

1:31102 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Asquith
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D9

1:24338 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Beecroft
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D10

1:19991 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Berowra
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

Previous Model Boundary

Updated Model Boundary

Water Level Difference (m):

< -0.30

-0.30 to -0.20

-0.20 to -0.10

-0.10 to -0.05

-0.05 to -0.01

-0.01 to 0.01

0.01 to 0.05

0.05 to 0.10

0.10 to 0.20

0.20 to 0.30

> 0.30

FIGURE D11

1:23090 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

LLOYD GULLY

HAWKESBURY RIVER

SEYMOURS CREEK

PORTO GULLY



Brooklyn
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D12

1:12872 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Cowan
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D13

1:8850 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Galston
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30


FIGURE D14

1:23815 Scale at A3

0 250 500 m



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz





Glenorie
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D15

1:8358 Scale at A3



Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz



Pennant Hills
1% AEP Water Level
Difference ARR2019 vs
ARR1987

Hornsby Floodplain Risk Management
Study and Plan

LEGEND:

- Previous Model Boundary
- Updated Model Boundary

Water Level Difference (m):

- < -0.30
- 0.30 to -0.20
- 0.20 to -0.10
- 0.10 to -0.05
- 0.05 to -0.01
- 0.01 to 0.01
- 0.01 to 0.05
- 0.05 to 0.10
- 0.10 to 0.20
- 0.20 to 0.30
- > 0.30

FIGURE D16

1:31102 Scale at A3

0 250 500 m



Cardno

Map Produced by St Leonards Water (AWE)
Date: 2020-11-16 | Project: NW30006
Coordinate System: MGA Zone 56
Map: All_Model_Review Results.qgz

Hornsby Floodplain Risk Management
Study and Plan

APPENDIX

L

FLOOD MITIGATION OPTIONS
COSTING



now



Our Ref: NW30006:VJ:bcp
Contact: Venus Jofreh

18 January 2022

Hornsby Shire Council
296 Peats Ferry Road

Hornsby NSW 2077

Attention: Alan Boyd

Cardno (NSW/ACT) Pty Ltd
ABN 95 001 145 035

Level 9 - The Forum
203 Pacific Highway
St Leonards NSW 2065
Australia

Phone +61 2 9496 7700
Fax +61 2 9439 5170

www.cardno.com

Dear Alan,

HORNSBY FLOOD MITIGATION OPTIONS COSTING

Prior to the completion of the draft Hornsby Overland Flow Flood Study and Mapping in November 2010, Council's Drainage Improvement Program was based primarily on the drainage improvements identified in the Catchment Management Plans (CMP) that had been prepared for the 37 major piped urban catchments within the LGA. While these CMPs identified where drainage systems have less than the target capacity, the CMPs did not identify areas subject to overland flooding in a manner that was required by Council's new LEP (2013). It was found that many of the works identified on the CMPs were not aligned with the Flood Planning Areas (FPA) identified in the *2010 Overland Flow Flood Study*. At the same time the Hornsby Floodplain Risk Management Study and Plan were being prepared in 2014, Cardno was also engaged to review Council's works program and realign the program to prioritise works within identified FPAs and to also undertake preliminary costing of the options. This 2014 review was documented in the report titled *Review of Hornsby Shire Council Drainage Works Program*.

In 2020 Hornsby Shire Council commissioned a further update and finalisation of the *2014 Hornsby Floodplain Risk Management Study and Plan* based on the updated guidance and data provided in the 2019 edition of Australian Rainfall and Runoff (ARR2019) and based on the latest Light Detection and Ranging (LiDAR) topographical data. As part of the update the 2014 prioritisation and costing of options was also reviewed as per Council's request.

This letter summarises the approach to and the outcomes of the updated prioritisation and costing of options and needs to be read in conjunction with the *2021 Hornsby Floodplain Risk Management Study and Plan*.

1 Available Data

The following data were available and used for this assessment:

1.1 2014 Review of Hornsby Shire Council Drainage Works Program

In this study Council's existing drainage Works Program was reviewed and projects were mapped throughout the Local Government Area (LGA) in order to compare each project location with the properties identified as subject to overfloor flooding in a 20% Annual Exceedance Probability (AEP) flood. In addition, a number of additional options were identified to reduce the impact of flooding on the most vulnerable properties in the 20% AEP flood.

A multi-criteria matrix assessment approach was used to refine the project prioritisation. This enabled a comparative assessment of all options to be undertaken using a similar approach to that recommended in the 2005 Floodplain Development Manual. Each option was scored according to how well the option meets the adopted criteria.

Preliminary cost estimates were prepared for the proposed options and the Benefit/Cost Ratio (BCR) was calculated as (preliminary option cost + total estimated damages) / preliminary option cost. All BCRs calculated using this approach were ≥ 1 .

1.2 2021 Hornsby Floodplain Risk Management Study and Plan

In 2020 Hornsby Shire Council commissioned Cardno to update and finalise the 2014 Hornsby Floodplain Risk Management Study and Plan (FRMS&P). As part of that process eight separate hydraulic models (TUFLOW) were updated based on ARR2019 guidance and data, and the latest LiDAR data. The flood extents and levels estimated by the updated models informed this review.

2 Approach

The adopted approach to update the drainage works program included the following steps:

Step 1 – Update the Option Priorities: The number of properties which experience overfloor flooding in the 20% AEP flood which might benefit from each option was re-estimated based on the latest mapping included in the 2021 Hornsby FRMS&P. This data was used to update the prioritisation of options which was originally undertaken in 2014.

Step 2 – Update the Option Costing: the preliminary options costing undertaken in 2014 was used as the basis of the current costing. However the 2014 costs were adjusted based on the ratio of Average Weekly Earnings (AWE) in 2021 versus 2014.

Step 3 – Update the Option Benefit: The flood damages estimates for properties subject to overfloor flooding or yard flooding were updated as a part of 2021 Hornsby FRMS&P. The estimated flood damages were used to re-calculate the BCR.

3 Updated Drainage Work Program

The updated Drainage Work Program based on the latest options costing and BCRs is provided in **Attachment A**. Social and Environmental ranking of the options remained unchanged.

It should be noted that:

- > The cost estimates remain preliminary and indicative only. A more detailed costing of any option would be undertaken of any option subject to further investigation;
- > The benefit estimated under each option is also indicative. As part of any further option investigation it is recommended that the option be modelled in detail in order to more accurately assess the benefits;
- > Some of the options are a combination of walls, basins and drainage network upgrades. It is likely that detailed modelling would allow the combination of measures to be optimised to reduce the cost.

Please do not hesitate to contact me if any further information is required.

Yours sincerely,



Venus Jofreh
Senior Water Engineer
for Cardno
Direct Line: +61 2 9495 8187
Email: venus.jofreh@cardno.com.au

Enc: **Attachment A – Updated Drainage Works Program**

Option ID	No. of Properties with Overfloor Flooding in 20% AEP	No. of Properties with Overground Flooding in 5yr ARI	Total Expected Damages in 20% AEP	Expected Flood Damages due to Overfloor Flooding in 20% AEP	Expected Flood Damages due to Overground Flooding in 20% AEP	Property buyback (no.)	Pipe Length (m) Dia. (mm)	Box Culverts Length (m) Width (m)	Flood wall or bund Length (m), Height (m)	Detention basin Area (m2) Volume (m3) approx.	Feasible (Yes/No)	Council Records			Proposed Option Cost Estimate	B/C [(option cost+total damages)/option cost]	Ongoing Costs Per Year (Estimated 5% of the original cost)	Estimated Capital Cost (\$)	Estimated Maintenance Cost (\$)	Economic			Social			Environment			Score	Overall Rank	Priority	
101-A	3	0	\$214,661	\$214,661	\$0		(530m; 750mm), (140m; 1050mm)				Y	H-4 8 12	NH-Y- Y4	H-1 Y4	\$1,837,926	1.12	\$91,896	\$1,837,926	\$91,896	0	0	1	2	2	2	1	0	0	0	0.66	20	High
102-A	2	2	\$206,333	\$199,165	\$7,168		(110m; 375mm) (110m; 900mm)		90m,40m	(20000m2; 10000m3) (3000m2; 1500m3)	Y	H-5 5	NH- Y-8	0	\$5,445,685	1.04	\$272,284	\$5,445,685	\$272,284	0	-1	0	2	1	1	1	0	0	-1	0.20	39	Medium
102-B	7	1	\$343,148	\$339,564	\$3,584		(220m; 900mm)			(20000m2; 20000m3) (15000m2; 15000m3)	Y	0	0	0	\$15,264,881	1.02	\$763,244	\$15,264,881	\$763,244	0	-2	-1	1	1	1	1	0	0	-1	-0.15	40	High
103-A	4	5	\$198,685	\$180,765	\$17,920		(160m; 900mm)				Y	NH-3	0	0	\$458,735	1.43	22936.74	\$458,735	\$22,937	1	2	2	1	2	2	1	0	0	0	1.21	5	High
104-A	1	2	\$24,116	\$16,948	\$7,168		(220m; 1350mm)				Y	H-1 4	NH-Y-8	H-1 Y-1	\$1,024,986	1.02	51249.29	\$1,024,986	\$51,249	0	0	1	1	2	2	1	0	0	0	0.56	25	Medium
104-B	2	2	\$120,068	\$112,900	\$7,168		(390m; 1200mm)				Y	NH-2 Y4	NH-1	0	\$1,537,479	1.08	76873.93	\$1,537,479	\$76,874	0	0	1	1	2	2	1	0	0	0	0.56	25	Medium
104-C	2	0	\$232,573	\$232,573	\$0		(110m; 900mm)				Y	0	0	0	\$315,380	1.74	15769.01	\$315,380	\$15,769	2	2	2	0	2	2	1	0	0	0	1.36	3	Medium
104-D	2	1	\$205,654	\$202,070	\$3,584		(170m; 1200mm)				Y	H-5	Y-5	0	\$670,183	1.31	33509.15	\$670,183	\$33,509	1	1	2	2	2	2	1	0	0	0	1.16	7	Medium
104-E	1	1	\$20,532	\$16,948	\$3,584		(42m; 450mm)				Y	0	0	0	\$92,822	1.22	4641.11	92822	4641	1	2	2	1	2	2	1	0	0	0	1.21	5	Medium
106-A	15	4	\$959,035	\$944,699	\$14,336		(360m; 900mm) (270m; 900mm) (365m; 1050mm)			(5000m2; 5000m3)	Y	H-3 NH-10 Y-10	Y-3	0	\$5,859,024	1.16	292951.21	\$5,859,024	\$292,951	0	-1	0	2	1	2	1	0	0	-1	0.28	33	High
106-B	4	9	\$364,584	\$332,328	\$32,256		(90m; 600mm) (70m; 375mm) (300m; 900mm)		350m, 105m, 41m,40m.	(13000m2; 7000m3) (9500m2; 10000m3) (1500m2; 1000m3)	Y	H-1 1	NH-Y-3	0	\$9,072,319	1.04	453615.93	\$9,072,319	\$453,616	0	-1	0	2	1	2	1	0	0	-1	0.28	33	High
106-C	5	0	\$411,406	\$411,406	\$0		(370m; 600mm) (260m; 1200mm) (700m; 1500mm)				Y	H-3 Y-7	0	0	\$5,649,965	1.07	282498.26	\$5,649,965	\$282,498	0	-1	0	2	2	2	1	0	0	0	0.41	29	High
107-B	7	8	\$589,774	\$561,102	\$28,672		(50m; 450mm) (650m; 600mm)		190m		Y	NH-2	Y-2	0	\$1,749,524	1.34	87476.20	\$1,749,524	\$87,476	1	0	1	1	1	1	1	0	0	-1	0.60	22	High

107-C	8	2	\$621,385	\$614,217	\$7,168		(180m; 600mm) (190m; 900mm)				Y	H-11 NH-5 6	Y- NH-1	\$1,213,736	1.51	60686.80	\$1,213,736	\$60,687	2	0	1	2	1	2	1	0	0	-1	1.03	9	High		
107-A	2	2	\$148,816	\$141,648	\$7,168		(310m; 900mm)		70m		Y	Y-1	0	\$934,792	1.16	46739.59	\$934,792	\$46,740	0	1	2	1	1	1	1	0	0	-1	0.60	22	Medium		
107-D	13	2	\$1,077,647	\$1,070,479	\$7,168		(45m; 1500mm) (205m; 2100mm) (270m; 1500mm)			(7000m2; 7000m3)	Y	H-14 NH-16 Y-16	0	\$6,530,402	1.17	326520.09	\$6,530,402	\$326,520	0	-1	0	2	1	2	1	0	0	-1	0.28	33	High		
107-E	1	2	\$121,034	\$113,866	\$7,168		(380m; 1500mm)				Y	H-1 NH-5 4	Y- 0	\$2,042,804	1.06	102140.19	\$2,042,804	\$102,140	0	0	0	2	2	2	1	0	0	0	0.56	25	Medium		
108-A	4	0	\$420,118	\$420,118	\$0		(125m; 600mm)			(20000m2; 10000m3)	Y	NH-1	0	\$4,472,366	1.09	223618.32	\$4,472,366	\$223,618	0	0	0	1	1	1	1	0	0	-1	0.25	38	High		
108-B	8	0	\$651,878	\$651,878	\$0		(450m; 1200mm)			(34000m2; 20000m3) (1400m2; 1000m3)	Y	0	0	\$10,554,486	1.06	527724.31	\$10,554,486	\$527,724	0	-2	-1	0	1	1	1	0	0	-1	-0.25	41	High		
108-C	2	0	\$127,424	\$127,424	\$0		(55m; 1200mm) (10m; 750mm)				Y	0	0	\$242,508	1.53	12125.41	\$242,508	\$12,125	2	2	2	1	2	2	1	0	0	0	1.46	1	Medium		
108-D	2	0	\$220,469	\$220,469	\$0		(80m; 1050mm) (45m; 600mm) (120m; 900mm)				Y	0	0	\$721,253	1.31	36062.65	\$721,253	\$36,063	1	1	2	1	1	1	1	0	0	0	0.9125	14	Medium		
109-A	17	0	\$1,554,331	\$1,554,331	\$0		(330m; 1500mm)				Y	0	0	\$1,774,014	1.88	88700.69	\$1,774,014	\$88,701	2	0	1	0	2	2	1	0	0	0	0.96	10	High		
109-C	17	1	\$1,447,860	\$1,444,276	\$3,584		(330m; 1200mm) (65m; 750mm)		150m	(6000m2; 2000m3)	Y	H-3 6	NH- Y-9	H-1	Y-3	\$2,235,735	1.65	111786.76	\$2,235,735	\$111,787	2	0	0	2	1	2	1	0	0	-1	0.93	12	High
109-D	12	7	\$880,675	\$855,587	\$25,088		(160m; 900mm) (675m; 1500mm) (320m; 1500mm) (110m; 900mm)				Y	H-3 3	NH- Y-10	0	\$6,123,036	1.14	306151.78	\$6,123,036	\$306,152	0	-1	0	2	2	2	1	0	0	0	0.41	29	High	
109-E	2	2	\$27,562	\$20,394	\$7,168		(50m; 450mm) (110m; 1500mm)				Y	H-3 NH-3 11	Y- Y-1	\$701,840	1.04	35092.02	\$701,840	\$35,092	0	1	2	2	2	2	1	0	0	0	0.91	13	Medium		
109-G	12	0	\$1,167,702	\$1,167,702	\$0		(150m; 900mm) (300m; 1200mm)				Y	0	0	\$1,612,740	1.72	80636.99	\$1,612,740	\$80,637	2	0	1	0	2	2	1	0	0	0	0.96	10	High		
109-H	9	1	\$681,855	\$678,855	\$3,000		(45m; 600mm)			(28000m2; 15000m3)	Y	H-7 NH-7 4	Y- 0	\$6,376,594	1.11	318829.71	\$6,376,594	\$318,830	0	-1	0	2	1	2	1	0	0	-1	0.28	33	High		
210-A	5	0	\$613,387	\$613,387	\$0		(150m; 1500mm)				Y	H-4 2	NH- Y-0	0	\$806,370	1.76	40318.50	\$806,370	\$40,318	2	1	2	2	2	2	1	0	0	0	1.41	2	High	
212-A	13	0	\$1,342,665	\$1,342,665			(475m; 1500mm) (220m; 900mm) (30m; 1800mm)		400m, 35m		Y	H-1 NH-2 4	Y- NH-1	\$3,470,079	1.39	173503.93	\$3,470,079	\$173,504	1	0	0	2	1	1	1	0	0	-1	0.60	21	High		
212-B	4	2	\$331,183	\$325,183	\$6,000		(175m; 1200mm)		40m		Y	H-1	0	\$1,253,756	1.26	62687.79	\$1,253,756	\$62,688	1	0	1	1	2	2	1	0	0	0	0.81	16	High		

