

1990



Figure 6.11

SITE: One Tree Reach

SEASON: SUMMER

N



Habitat



Saltmarsh

Mangroves

Resilience levels of habitat



High Resilience



Mod-high Resilience

Moderate Resilience


Low Resilience

2030



SL=Max



SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990



Figure 6.12

SITE: One Tree Reach

SEASON: WINTER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max



SL=Mean



SL=Min




1990



2050

WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.13

SITE: Couranga Point


SEASON: SUMMER



Habitat




Resilience levels of habitat




2030


SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.14

SITE: Couranga Point

SEASON: WINTER

N



Habitat



Saltmarsh
Mangroves

Resilience levels of habitat




High Resilience
Mod-high Resilience
Moderate Resilience
Low Resilience

2030

SL=Max


WT = Max

AT=Max




WT = Min

AT=Max



WT = Max


AT=Mean



SL=Mean


WT = Max

AT=Max



WT = Min


AT=Max



SL=Min


WT = Max

AT=Max




WT = Min

AT=Max




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.15

SITE: Gentlemans Halt

SEASON: SUMMER

N



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.16

SITE: Gentlemans Halt

SEASON: WINTER

N



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.17

SITE: Pumpkin Creek

SEASON: SUMMER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.18

SITE: Pumpkin Creek

SEASON: WINTER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.19

SITE: Seymores Creek


SEASON: SUMMER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.20

SITE: Seymores Creek


SEASON: WINTER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.21

SITE: Brooklyn Oval

SEASON: SUMMER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.22

SITE: Brooklyn Oval


SEASON: WINTER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.23


SITE: Big Bay

SEASON: SUMMER


N



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.24


SITE: Big Bay

SEASON: WINTER


N



Habitat




Resilience levels of habitat




2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.25


SITE: Coba Bay

SEASON: SUMMER


N



Habitat




Resilience levels of habitat




2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.26

SITE: Coba Bay

SEASON: WINTER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.27

SITE: Crosslands

SEASON: SUMMER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.28

SITE: Crosslands


SEASON: WINTER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.29


SITE: Poporan Creek

SEASON: SUMMER


N



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.30

SITE: Poporan Creek

SEASON: WINTER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.31

SITE: Farmland

SEASON: SUMMER

N



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030

SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.32


SITE: Farmland

SEASON: WINTER


N



Habitat






Resilience levels of habitat




2030



SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.33

SITE: Calna Creek

SEASON: SUMMER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.34


SITE: Calna Creek

SEASON: WINTER


N



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean

