

1990



Figure 6.35

SITE: One Tree Reach

SEASON: SUMMER

N



Habitat


-  Saltmarsh
-  Mangroves

Resilience levels of habitat


-  High Resilience
-  Mod-high Resilience
-  Moderate Resilience
-  Low Resilience

2030

SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990



Figure 6.36

SITE: One Tree Reach

SEASON: WINTER

N



Habitat



- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.37

SITE: Couranga Point

SEASON: SUMMER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030


SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.38

SITE: Couranga Point

SEASON: WINTER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030


SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean





1990




Figure 6.39

SITE: Gentlemans Halt

SEASON: SUMMER

N



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat


- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.40

SITE: Gentlemans Halt


SEASON: WINTER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.41

SITE: Pumpkin Creek


SEASON: SUMMER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.42

SITE: Pumpkin Creek

SEASON: WINTER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.43

SITE: Seymores Creek


SEASON: SUMMER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.44

SITE: Seymores Creek


SEASON: WINTER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.45

SITE: Brooklyn Oval


SEASON: SUMMER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.46

SITE: Brooklyn Oval


SEASON: WINTER



Habitat




Resilience levels of habitat




2030






SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.47

SITE: Big Bay


SEASON: SUMMER



Habitat






Resilience levels of habitat





2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.48


SITE: Big Bay

SEASON: WINTER


N



Habitat






Resilience levels of habitat




2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.49

SITE: Cobscook Bay

SEASON: SUMMER

N



Habitat



Saltmarsh

Mangroves

Resilience levels of habitat



High Resilience


Mod-high Resilience

Moderate Resilience


Low Resilience

2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.50


SITE: Coba Bay

SEASON: WINTER


N



Habitat






Resilience levels of habitat





2030



SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990






Figure 6.51

SITE: Crosslands


SEASON: SUMMER



Habitat




Resilience levels of habitat





2030


SL=Max




SL=Mean



SL=Min



1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990



Figure 6.52

SITE: Crosslands

SEASON: WINTER

N



Habitat



Saltmarsh

Mangroves

Resilience levels of habitat



High Resilience

Mod-high Resilience

Moderate Resilience

Low Resilience

2030


SL=Max




SL=Mean



SL=Min



1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.53

SITE: Poporan Creek

SEASON: SUMMER



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean





1990




Figure 6.54

SITE: Poporan Creek

SEASON: WINTER

N



Habitat




- Saltmarsh
- Mangroves

Resilience levels of habitat



- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030



SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.55

SITE: Farmland

SEASON: SUMMER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat

- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030


SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.56

SITE: Farmland

SEASON: WINTER



Habitat


- Saltmarsh
- Mangroves

Resilience levels of habitat

- High Resilience
- Mod-high Resilience
- Moderate Resilience
- Low Resilience

2030

SL=Max



SL=Mean



SL=Min



1990



2050

WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990




Figure 6.57


SITE: Calna Creek

SEASON: SUMMER


N



Habitat




Resilience levels of habitat




2030






SL=Max




SL=Mean



SL=Min




1990



2050


WT = Mean

AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 6.58

SITE: Calna Creek


SEASON: WINTER



Habitat




Resilience levels of habitat




2030






SL=Max



SL=Mean




SL=Min






1990



2050


WT = Mean

AT=Mean



WT = Mean

AT=Mean



WT = Mean

AT=Mean

