

1990



Figure 7.31

SITE: One Tree Reach


SEASON: SUMMER

Habitat




Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.32

SITE: One Tree Reach

SEASON: WINTER

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030



N



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.33

SITE: Couranga Point

SEASON: SUMMER

N



Habitat



Saltmarsh



Mangroves

Vulnerability levels of habitat



Low vulnerability



Moderate vulnerability




Mod-high vulnerability




High vulnerability


2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 7.34

Habitat

SITE: Couranga Point

SEASON: WINTER

N




Saltmarsh
Mangroves


Vulnerability levels of habitat

Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability


2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 7.35

Habitat



Saltmarsh



Mangroves

Vulnerability levels of habitat



Low vulnerability



Moderate vulnerability




Mod-high vulnerability




High vulnerability

2030




1990



2050

WT = Mean AT=Mean




WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990






Figure 7.36

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat




Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.37

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030




SITE: Gentlemans Halt

SEASON: SUMMER

N




1990




2050

WT = Mean AT=Mean




WT = Mean

AT=Mean



WT = Mean

AT=Mean



1990





Figure 7.38

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030




SITE: Gentlemans Halt

SEASON: WINTER

N




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 7.39

SITE: Seymores Creek

SEASON: SUMMER


N

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat




Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 7.40

SITE: Seymores Creek

SEASON: WINTER


N

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030




1990




2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 7.41

Habitat



Saltmarsh
Mangroves

SITE: Brooklyn Oval


SEASON: SUMMER

N



2030


SL=Max



WT = Max AT=Max

WT = Max AT=Mean


SL=Mean



WT = Min AT=Max

WT = Max AT=Mean

SL=Min




WT = Min AT=Max

WT = Max AT=Mean

Vulnerability levels of habitat


- Low vulnerability
- Moderate vulnerability
- Mod-high vulnerability
- High vulnerability

1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.42

Habitat



Saltmarsh
Mangroves

SITE: Brooklyn Oval


SEASON: WINTER

N



2030


SL=Max



WT = Min AT = Max

WT = Max AT = Mean


SL=Mean



WT = Min AT = Max

WT = Max AT = Mean


SL=Min




WT = Min AT = Max

WT = Max AT = Mean

Vulnerability levels of habitat



Low vulnerability



Moderate vulnerability




Mod-high vulnerability




High vulnerability

1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990



Figure 7.43

Habitat

SITE: Big Bay

SEASON: SUMMER

N




2030


SL=Max



WT = Min AT=Max



WT = Max AT=Mean




SL=Mean




WT = Min AT=Max



SL=Min



WT = Min AT=Max



Saltmarsh

Mangroves

Vulnerability levels of habitat


Low vulnerability

Moderate vulnerability


Mod-high vulnerability

High vulnerability

1990



2050



1990



Figure 7.44

Habitat

SITE: Big Bay

SEASON: WINTER


N

Saltmarsh
 Mangroves


Vulnerability levels of habitat

Low vulnerability
 Moderate vulnerability
 Mod-high vulnerability
 High vulnerability


2030



1990



2050



1990




Figure 7.45

Habitat

SITE: Coba Bay


SEASON: SUMMER

N




2030


SL=Max




WT = Min AT=Max




WT = Max AT=Mean




SL=Mean




WT = Min AT=Max



SL=Min



WT = Min AT=Max



Habitat

Saltmarsh

Mangroves

Vulnerability levels of habitat


Low vulnerability

Moderate vulnerability




Mod-high vulnerability

High vulnerability

1990



2050



1990




Figure 7.46

SITE: Coba Bay

SEASON: WINTER

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat




Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability


2030




N




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990



Figure 7.47

Habitat

SITE: Crosslands

SEASON: SUMMER


N

- Saltmarsh
- Mangroves

Vulnerability levels of habitat

- Low vulnerability
- Moderate vulnerability
- Mod-high vulnerability
- High vulnerability

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990



Figure 7.48

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.49

SITE: Poporan Creek

Habitat



Saltmarsh
Mangroves


SEASON: SUMMER

Vulnerability levels of habitat


N



2030




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.50

SITE: Poporan Creek

Habitat

- Saltmarsh
- Mangroves


SEASON: WINTER

Vulnerability levels of habitat


N



2030




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean




1990



Figure 7.51


Habitat



Saltmarsh
Mangroves


SEASON: SUMMER

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability



2030



1990



2050



1990



Figure 7.52

SITE: Farmland

SEASON: WINTER


N

Habitat




Saltmarsh
Mangroves

Vulnerability levels of habitat



Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability



2030



1990



2050



1990





Figure 7.53

SITE: Calna Creek

SEASON: SUMMER


N

Habitat



Saltmarsh
Mangroves




Vulnerability levels of habitat





Low vulnerability
Moderate vulnerability
Mod-high vulnerability
High vulnerability

2030



SL=Max




SL=Mean



SL=Min




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 7.54

SITE: Calna Creek

SEASON: WINTER


Habitat

- Saltmarsh
- Mangroves


Vulnerability levels of habitat

- Low vulnerability
- Moderate vulnerability
- Mod-high vulnerability
- High vulnerability

2030




1990




2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean

