

1990





Figure 5.32

SITE: Couranga Point

SEASON: SUMMER

N

Habitat



Saltmarsh
Mangroves

Risk of loss of habitat



Low risk



Moderate risk




Moderate-high risk




High risk




2030



1990



2050



1990




Figure 5.33

SITE: Couranga Point

SEASON: WINTER

N


Habitat

- Saltmarsh
- Mangroves


Risk of loss of habitat

- Low risk
- Moderate risk
- Moderate-high risk
- High risk


2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 5.34

SITE: Gentlemans Halt

SEASON: SUMMER


Habitat

- Saltmarsh (Yellow/Orange)
- Mangroves (Green)


Risk of loss of habitat

- Low risk (Purple)
- Moderate risk (Light Blue)
- Moderate-high risk (Yellow)
- High risk (Red)

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.35

SITE: Gentlemans Halt

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat




Low risk
Moderate risk
Moderate-high risk
High risk

2030



1990




2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 5.36


SITE: Pumpkin Creek

SEASON: SUMMER


Habitat

- Saltmarsh
- Mangroves

Risk of loss of habitat




2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.37

SITE: Pumpkin Creek


SEASON: WINTER

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat




Low risk
Moderate risk
Moderate-high risk
High risk


2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.38

SITE: Seymores Creek


SEASON: SUMMER

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat




Low risk
Moderate risk
Moderate-high risk
High risk

2030




1990




2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 5.39

SITE: Seymores Creek


SEASON: WINTER

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat




Low risk
Moderate risk
Moderate-high risk
High risk

2030



1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.40

Habitat



Saltmarsh
Mangroves

SITE: Brooklyn Oval




SEASON: SUMMER

N





2030



SL=Max




SL=Mean




SL=Min




Risk of loss of habitat



Low risk



Moderate risk




Moderate-high risk




High risk

1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 5.41

SITE: Brooklyn Oval

Habitat

- Saltmarsh
- Mangroves

SEASON: WINTER


Risk of loss of habitat

N



2030

SL=Max



WT = Max AT = Max

WT = Max AT = Mean


SL=Mean



WT = Min AT = Max

WT = Max AT = Mean


SL=Min




WT = Min AT = Max

WT = Max AT = Mean


1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990



Figure 5.42

SITE: Big Bay


SEASON: WINTER

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat




Low risk
Moderate risk
Moderate-high risk
High risk


2030



1990



2050



1990




Figure 5.43

SITE: Coba Bay


SEASON: SUMMER

N


Habitat

- Saltmarsh
- Mangroves


Risk of loss of habitat




2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.44


Habitat

- Saltmarsh
- Mangroves


Risk of loss of habitat




2030




1990




2050



WT = Mean AT=Mean



WT = Mean AT=Mean



1990



Figure 5.45

SITE: Crosslands

SEASON: SUMMER

N

Habitat



Saltmarsh

Mangroves

Risk of loss of habitat




Low risk

Moderate risk

Moderate-high risk

High risk

2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean




1990




Figure 5.46

Habitat




Saltmarsh
Mangroves

Risk of loss of habitat



2030



1990



2050

WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.47

SITE: Poporan Creek

SEASON: SUMMER

N


Habitat



Saltmarsh

Mangroves

Risk of loss of habitat




Low risk

Moderate risk


Moderate-high risk

High risk

2030




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990




Figure 5.48

SITE: Poporan Creek

SEASON: WINTER

N


Habitat



Saltmarsh

Mangroves

Risk of loss of habitat




Low risk

Moderate risk


Moderate-high risk

High risk

2030




1990




2050


WT = Mean AT=Mean



WT = Mean AT=Mean



WT = Mean AT=Mean



1990





Figure 5.49

SITE: Calana Creek

SEASON: SUMMER

N


Habitat



Saltmarsh

Mangroves

Risk of loss of habitat



Low risk


Moderate risk

Moderate-high risk


High risk

2030


SL=Max




WT = Min AT=Max




WT = Max AT=Mean




SL=Mean




WT = Min AT=Max




SL=Min






WT = Min AT=Max



1990



2050



1990




Figure 5.50

SITE: Calna Creek

SEASON: WINTER

N

Habitat




Saltmarsh



Mangroves

Risk of loss of habitat



Low risk




Moderate risk

Moderate-high risk



High risk

2030



SL=Max




SL=Mean



SL=Min



1990



2050

